

CS301P LAB QUIZ 6 BY IQRA AZHAR

CS301P

Lab Quiz6

Last date

1 Dec 2023

Total marks 5

 **Solved by Iqra Azhar** 

Paid assignment quiz lms handling services
availableFor more info contact

03235429064

CS301P LAB QUIZ 6 BY IQRA AZHAR

In C++, ampersand '&' symbol is used for

:Select the correct option

Pointers

Arrays

Static variables

Reference Variables

Reference Variables

In C++, ampersand '&' symbol is used for:

Select the correct option

Pointers

Arrays

Static variables

Reference Variables

Reference Variables:

Which traversal method should be maintained when a node is deleted from a Binary Search Tree?

Select the correct option

Level Order

In-Order

Post-Order

Pre-Order

In-Order traversal.

The following function is used for function call by _____.

```
int func (int& a) { a--;  
return a;  
}
```

CS301P LAB QUIZ 6 BY IQRA AZHAR

Select the correct option

Reference

Template

Value

Pointer

Reference

Which file extension is used in C++ to keep the class interface in a separate file?

Select the correct option

.c.

Exe

.txt

.h

.h

In C++, ampersand '&' symbol is used for:

Select the correct option

Arrays

Reference Variables

Static variables

Pointers

Reference Variables

User

The following function is used for function call by _____.

```
int func (int& a) { a--;
```

```
return a;
```

```
}
```

CS301P LAB QUIZ 6 BY IQRA AZHAR

Select the correct option

Reference

Value

Template

Pointer

Reference

Which of the following symbol is used for assigning addresses to pointer variables?

Select the correct option

&

>

*

->

&

Which of the following memory portion is used to dynamically allocate the memory? Select the correct option

Stack

Heap

Code

Queue

Heap

It seems like there are some issues with the provided code snippet. Let me help you correct it and explain the changes:

Copy code

```
#include <iostream>
```

CS301P LAB QUIZ 6 BY IQRA AZHAR

```
using namespace std;

void func(int &a) { int temp = 10;

    a = temp; // Assign the value of 'temp' to the reference variable 'a'

    temp = a; // Assign the value of 'a' back to 'temp'

    cout << temp << endl; // Output the value of 'temp'

}
```

Errer

Math zone for VU