

Join US

Psychologists Community Psychologists & Psychology Student Platform

Welcome to the Psychologists Community! Where minds connect, ideas Flourish. Dive into a world of insightful discussions, collaborative learning, and endless possibilities. Join fellow Psychologists and Students in exploring the depths of human psychology. Join Now – and be part of our passionate community.

PSYCHOLOGISTS COMMUNITY PLATFORM SITE

<https://psychologistscommunity.com>

SUBSCRIBE YOUTUBE CHANNEL

<https://www.youtube.com/channel/UCL1prXTsf5H7x5VsIMYut7A>

LIKE AND FOLLOW FACEBOOK PSYCHOLOGISTS COMMUNITY PAGE

<https://www.facebook.com/psychologistscommunity>

FOLLOW US – PSYCHOLOGISTS COMMUNITY IN TWITTER/X

<https://twitter.com/psychologistsco/status/1705305622915449250?s=20>

JOIN PSYCHOLOGISTS COMMUNITY WHATSAPP GROUPS

<https://psychologistscommunity.com/psychologists-community-whatsapp-groups/>

For More Details

CONTACT US

0311-1496427, 0305-1686704

Question # 3 of 6 (Start time: 02:55:45 AM, 20 January 2024)

Total Marks: 1

What is a 'sav.' file?

Select the correct option

 Reload Math Equations

- The data set file
[Psychologists Community - https://psychologistscommunity.com](https://psychologistscommunity.com)
- A syntax file
- A word-processed file
- The output file

Question # 4 of 6 (Start time: 02:56:53 AM, 20 January 2024)

Total Marks:

Storing and retrieving data files carried out via the

Select the correct option



Reload Math Equations

- A & B
[Psychologists Community - https://psychologistscommunity.com](https://psychologistscommunity.com)
- Drop-down menu
- Drop-up menu
- None of these

Question # 6 of 6 (Start time: 02:59:46 AM, 20 January 2024)

Total Marks: 1

The SPSS data files are stored with which file extension?

Select the correct option

<input checked="" type="radio"/>	.sav Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	.sps
<input type="radio"/>	.doc
<input type="radio"/>	.xls

Question # 5 of 6 (Start time: 02:58:26 AM, 20 January 2024)

Total Marks: 1

Bringing the data from Excel into SPSS is called _____.

Select the correct option

<input type="radio"/>	Copy/Pasting the data
<input type="radio"/>	Synchronizing the data
<input type="radio"/>	Exporting the data
<input checked="" type="radio"/>	Importing the data


Psychologists Community - <https://psychologistscommunity.com>

Question # 2 of 6 (Start time: 02:54:58 AM, 20 January 2024)

Total Marks: 1

Which of the following is true about the names of variables in SPSS?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--|
| <input checked="" type="radio"/> | All of these choices are true
Psychologists Community - https://psychologistscommunity.com |
| <input type="radio"/> | They cannot contain spaces |
| <input type="radio"/> | They cannot begin with a numeral |
| <input type="radio"/> | They cannot contain any special characters |

Question # 1 of 6 (Start time: 02:53:54 AM, 20 January 2024)

Total Marks: 1

In the Data View in the SPSS Data Editor, each column represents what?

Select the correct option



Reload Math Equations

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | A variable
Psychologists Community - https://psychologistscommunity.com |
| <input type="radio"/> | A case |
| <input type="radio"/> | A data point |
| <input type="radio"/> | A missing value |

SPSS stands for which of the following?

Select the correct option

<input type="radio"/>	Simple Program for Statistics and Sciences
<input checked="" type="radio"/>	Statistical Package for the Social Sciences Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Solving Problem for the Simple Science
<input type="radio"/>	Statistical Package for Simple Solutions

Time Left 40 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)


Quiz Start Time: 06:39 PM, 19 January 2024

Question # 5 of 6 (Start time: 06:45:04 PM, 19 January 2024)

Total Marks:

Which of the following statements about nominal data is true?

Select the correct option

 Reload Math Equations

- Nominal data have magnitude
- Nominal data are categorical
[Psychologists Community - https://psychologistscommunity.com](https://psychologistscommunity.com)
- All nominal variables are dichotomous
- Nominal is a synonym for 'continuous'.

Question # 1 of 6 (Start time: 02:41:31 AM, 19 January 2024)

Total Marks: 1

In SPSS, select the window where the results of your analysis appear?

Select the correct option

<input type="radio"/>	Data view
<input type="radio"/>	Data editor
<input checked="" type="radio"/>	Output view Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Analysis view

Question # 2 of 6 (Start time: 02:42:57 AM, 19 January 2024)

Total Marks:

In which SPSS tab, the rows represent variables and the columns represent characteristics of variables.

Select the correct option

<input checked="" type="radio"/>	Variable view Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Output viewer
<input type="radio"/>	Data editor
<input type="radio"/>	Data view

Question # 6 of 6 (Start time: 01:42:08 AM, 19 January 2024)

Total Marks: 1

In SPSS, the Data View window looks like Excel Sheet. By default, "columns" in Data View are labeled as:

Select the correct option

<input checked="" type="radio"/>	var, var, var ... Not Sure Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	X1, X2, X3 ...
<input type="radio"/>	A, B, C
<input type="radio"/>	column1, column2, column3 ...

Time Left

43
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 01:36 AM, 19 January 2024

Question # 5 of 6 (Start time: 01:41:09 AM, 19 January 2024)

Total Marks:

Storing and retrieving data files carried out via the

Select the correct option



Reload Math Equations



Drop-up menu



A & B



Drop-down menu

Psychologists Community - <https://psychologistscommunity.com>



None of these

Question # 6 of 6 (Start time: 10:58:43 PM, 18 January 2024)

Total Marks: 1

In SPSS, the Data View window looks like Excel Sheet. By default, "rows" in Data View are labeled as:

Select the correct option

<input checked="" type="radio"/>	1, 2, 3 ... Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	R1, R2, R3 ...
<input type="radio"/>	I, II, III ...
<input type="radio"/>	Row1, Row2, Row3 ...

Time Left 20 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 10:52 PM, 18 January 2024

Question # 5 of 6 (Start time: 10:57:12 PM, 18 January 2024)

Total Marks: 1

When would you need to allocate numbers within the values cell?

Select the correct option



Reload Math Equations



When using ratio data



When using interval data



When using a categorical variable that measures groups

Psychologists Community - <https://psychologistscommunity.com>



When you have missing values

Time Left

40
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 07:42 PM, 18 January 2024

Question # 5 of 6 (Start time: 07:47:41 PM, 18 January 2024)

Total Marks: 1

Bringing the data from Excel into SPSS is called _____.

Select the correct option

<input type="radio"/>	Synchronizing the data
<input type="radio"/>	Exporting the data
<input checked="" type="radio"/>	Importing the data Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Copy/Pasting the data

Time Left

32
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 07:42 PM, 18 January 2024

Question # 6 of 6 (Start time: 07:48:38 PM, 18 January 2024)

Total Marks: 1

When defining variable parameters, which of the following would be a good example of something that could be used for the 'name' parameter?

Select the correct option



Reload Math Equations

age_of_participants

Psychologists Community - <https://psychologistscommunity.com>

2ageofparticipants

AGE of PARTICIPANTS

Age of Participants

In the Variable View in the SPSS Data Editor, each row represents what?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | A missing value |
| <input type="radio"/> | A case |
| <input checked="" type="radio"/> | A variable |
| <input type="radio"/> | A data point |

Psychologists Community - <https://psychologistscommunity.com>

When SPSS is first open at the bottom of the screen is a

Select the correct option

 Reload Math Equations



Menu bar



Status bar

Psychologists Community - <https://psychologistscommunity.com>

The default chosen by SPSS depends on the

Select the correct option



Reload Math Equations



Data editor



A & B

Psychologists Community - <https://psychologistscommunity.com>



Data entry



Data type

When SPSS is first open at the top of the screen is a

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|---|
| <input type="radio"/> | Menu bar
Psychologists Community - https://psychologistscommunity.com |
| <input type="radio"/> | A & B |
| <input type="radio"/> | Status bar |
| <input type="radio"/> | None of these |

Click to Open Answer & Move to Next Question

Which of the following variable name will SPSS reject?

Select the correct option

<input type="radio"/>	age
<input checked="" type="radio"/>	roll-no Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	birth_date
<input type="radio"/>	sex

Question # 6 of 6 (Start time: 06:46:16 PM, 19 January 2024)

Total Marks: 1

In SPSS, how is a variable name different from a variable label?

Select the correct option

- It is abstract and unspecific.
- It is shorter and less detailed.
Psychologists Community - <https://psychologistscommunity.com>
- It refers to codes rather than variables.
- It is longer and more detailed.

Question # 4 of 6 (Start time: 06:44:01 PM, 19 January 2024)

Total Marks:

What are the two main windows in SPSS?

Select the correct option

- Data view and Output view
- Data editor and Variable view
- Data view and Variable view
Psychologists Community - <https://psychologistscommunity.com>
- Variable view and Output view

Time Left 48
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)


Quiz Start Time: 06:39 PM, 19 January 2024

Question # 3 of 6 (Start time: 06:43:00 PM, 19 January 2024)

Total Marks: 1

What is the default value for the 'width' column?

Select the correct option



- 0
- 8
Psychologists Community - <https://psychologistscommunity.com>
- 2
- 10

Question # 2 of 6 (Start time: 06:41:25 PM, 19 January 2024)

Total Marks: 1

Consider SPSS, which of the following is used for entering and viewing data?

Select the correct option

<input checked="" type="radio"/>	Data view Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Data editor
<input type="radio"/>	Variable view
<input type="radio"/>	Output view

Question # 1 of 6 (Start time: 06:40:01 PM, 19 January 2024)

Total Marks: 1

What is the advantage of using SPSS over calculating statistics by hand?

Select the correct option

- All of the other given options.
Psychologists Community - <https://psychologistscommunity.com>
- It reduces the chance of making errors in your calculations.
- Many researchers use SPSS as it is a recognised software package.
- It equips you with a useful transferable skill.

Question # 3 of 6 (Start time: 02:44:19 AM, 19 January 2024)

Total Marks: 1

Which variable name will not be accepted by SPSS?

Select the correct option

<input type="radio"/>	r_no
<input type="radio"/>	marks
<input checked="" type="radio"/>	age. Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	name

Time Left 45 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 02:41 AM, 19 January 2024

Question # 6 of 6 (Start time: 02:47:48 AM, 19 January 2024)

Total Marks: 1

You can enter a larger description of the variable in

Select the correct option



Reload Math Equations



Label

Psychologists Community - <https://psychologistscommunity.com>



Width



Values



Type

Time Left

45
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 02:41 AM, 19 January 2024

Question # 5 of 6 (Start time: 02:46:50 AM, 19 January 2024)

Total Marks: 1

In which SPSS tab, the rows represent individual cases and the columns represent variables in your data.

Select the correct option

<input checked="" type="radio"/>	Data view Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Output viewer
<input type="radio"/>	Variable view
<input type="radio"/>	Data editor

Time Left

29
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 02:41 AM, 19 January 2024

Question # 4 of 6 (Start time: 02:45:17 AM, 19 January 2024)

Total Marks:

When might you want to change the default for the 'width' column?

Select the correct option



Reload Math Equations



When there is missing data



When you expect there to be more digits than the default setting

Psychologists Community - <https://psychologistscommunity.com>



When you want at least two decimal places



Every time you input data

Time Left

40
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 01:36 AM, 19 January 2024

Question # 4 of 6 (Start time: 01:40:05 AM, 19 January 2024)

Total Marks: 1

Which of the following is used for creating and defining various characteristics of variables in SPSS?

Select the correct option

<input type="radio"/>	Data view
<input checked="" type="radio"/>	Variable view Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Output viewer
<input type="radio"/>	Data editor

Time Left

29
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 01:36 AM, 19 January 2024

Question # 3 of 6 (Start time: 01:38:54 AM, 19 January 2024)

Total Marks: 1

In SPSS, how is a variable name different from a variable label?

Select the correct option



It refers to codes rather than variables.



It is abstract and unspecific.



It is shorter and less detailed.

Psychologists Community - <https://psychologistscommunity.com>



It is longer and more detailed.

Time Left 50 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)


Quiz Start Time: 01:36 AM, 19 January 2024

Question # 2 of 6 (Start time: 01:37:57 AM, 19 January 2024)

Total Marks: 1

When SPSS is first open at the bottom of the screen is a

Select the correct option



<input type="radio"/>	Menu bar
<input checked="" type="radio"/>	Status bar
<input type="radio"/>	Psychologists Community - https://psychologistscommunity.com

Time Left 42 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 01:36 AM, 19 January 2024

Question # 1 of 6 (Start time: 01:36:40 AM, 19 January 2024)

Total Marks: 1

When SPSS is first open a default dialogue box appears that gives the user a number of.

Select the correct option



Reload Math Equations

<input type="radio"/>	Date type
<input checked="" type="radio"/>	Options Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	A & B
<input type="radio"/>	Editing tutorial

Time Left 38 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 10:52 PM, 18 January 2024

Question # 4 of 6 (Start time: 10:56:10 PM, 18 January 2024)

Total Marks: 1

The "SPSS" is a package of programs for

Select the correct option



Reload Math Equations

<input type="radio"/>	Analyzing
<input type="radio"/>	Manipulation
<input checked="" type="radio"/>	All of these Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Presenting data

Time Left 33 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 07:42 PM, 18 January 2024

Question # 2 of 6 (Start time: 07:44:03 PM, 18 January 2024)

Total Marks: 1

The default chosen by SPSS depends on the

Select the correct option



Reload Math Equations

<input type="radio"/>	A & B
<input checked="" type="radio"/>	Data type Psychologists Community - https://psychologistscommunity.com
<input type="radio"/>	Data editor
<input type="radio"/>	Data entry

Time Left

28
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 10:52 PM, 18 January 2024

Question # 3 of 6 (Start time: 10:54:48 PM, 18 January 2024)

Total Marks: 1

In SPSS, how is a variable name different from a variable label?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | It is abstract and unspecific. |
| <input type="radio"/> | It is longer and more detailed. |
| <input checked="" type="radio"/> | It is shorter and less detailed. |
| | Psychologists Community - https://psychologistscommunity.com |
| <input type="radio"/> | It refers to codes rather than variables. |

Question # 2 of 6 (Start time: 10:53:33 PM, 18 January 2024)

Total Marks: 1

In SPSS, the Data View window looks like Excel Sheet. By default, "columns" in Data View are labeled as:

Select the correct option

<input type="radio"/>	X1, X2, X3 ...
<input type="radio"/>	A, B, C
<input checked="" type="radio"/>	column1, column2, column3 ... Psychologists Community - https://psychologistscommunity.com Not Sure
<input type="radio"/>	var, var, var ...

Time Left

16
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 07:42 PM, 18 January 2024

Question # 4 of 6 (Start time: 07:46:20 PM, 18 January 2024)

Total Marks:

Which of the following functions allows you to sort one column within the data set into ascending or descending order?

Select the correct option



Reload Math Equations



Select cases



Weight cases



Split file



Sort cases

Psychologists Community - <https://psychologistscommunity.com>

Time Left

32
sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)

Quiz Start Time: 10:52 PM, 18 January 2024

Question # 1 of 6 (Start time: 10:52:18 PM, 18 January 2024)

Total Marks:

In the Data View in the SPSS Data Editor, each row represents what

Select the correct option



Reload Math Equations

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | A data point |
| <input type="radio"/> | A missing value |
| <input type="radio"/> | A variable |
| <input checked="" type="radio"/> | A case |
- Psychologists Community - <https://psychologistscommunity.com>

Time Left 33 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 4)


Quiz Start Time: 07:42 PM, 18 January 2024

Question # 3 of 6 (Start time: 07:45:10 PM, 18 January 2024)

Total Marks:

In SPSS, what is the 'Data View' option used for?

Select the correct option

 Reload Math Equations

- To check SPSS outputs
 - To edit variable names, type, labels, and constraints
 - To set up the dataset parameters
 - To enter and manipulate the actual raw data
- Psychologists Community - <https://psychologistscommunity.com>

Time Left

39
sec(s)

TA641 - Statistical Packages and its
Applications (Quiz 4)

Quiz Start Time: 07:42 PM, 18 January
2024

Question # 1 of 6 (Start time: 07:42:26 PM, 18 January 2024)

Total Marks: 1

What are the two main windows in SPSS?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | Data view and Output view |
| <input type="radio"/> | Variable view and Output view |
| <input type="radio"/> | Data editor and Variable view |
| <input checked="" type="radio"/> | Data view and Variable view |
| <input type="radio"/> | Psychologists Community - https://psychologistscommunity.com |

Question # 1 of 8 (Start time: 09:37:45 AM, 20 July 2023)

Total Marks: 1

In the regression equation $Y = 75.65 + 0.50X$, the intercept is

Select the correct option

Reload Math Equations

- 0.50
- Indeterminable
- 75.65
- 1

Psychologists Community - <https://psychologistscommunity.com>

Click to Save Answer & Move to Next Question

Question # 2 of 8 (Start time: 09:38:16 AM, 20 July 2023)

Total Marks: 1

If our data use an attitude scale, what type of variable measure should we select?

Select the correct option

Reload Math Equations

- Nominal
- Scale
- Ordinal
- Both scale and nominal

Psychologists Community - <https://psychologistscommunity.com>

Click to Save Answer & Move to Next Question

Question # 3 of 8 (Start time: 09:38:45 AM, 20 July 2023)

Total Marks: 1

What is the default value for the 'width' column?

Select the correct option

Reload Math Equations

10

2

8

0

Psychologists Community - <https://psychologistscommunity.com>

Click to Save Answer & Move to Next Question

Question # 4 of 8 (Start time: 09:39:05 AM, 20 July 2023)

Total Marks: 1

When would you need to allocate numbers within the values cell?

Select the correct option

Reload Math Equations

When using a categorical variable that measures groups

Psychologists Community - <https://psychologistscommunity.com>

When you have missing values

When using ratio data

When using interval data

Click to Save Answer & Move to Next Question

Question # 5 of 8 (Start time: 09:39:32 AM, 20 July 2023)

Total Marks: 1

What is a 'sav.' file?

Select the correct option

Reload Math Equations

- The data set file
Psychologists Community - <https://psychologistscommunity.com>
- A word-processed file
- The output file
- A syntax file

Click to Save Answer & Move to Next Question

Question # 6 of 8 (Start time: 09:39:56 AM, 20 July 2023)

Total Marks: 1

Ampersands(&) and spaces _____ used as variables name

Select the correct option

Reload Math Equations

- can be
- Both A & B
- cannot be
Psychologists Community - <https://psychologistscommunity.com>
- None of these

Saving...

Question # 7 of 8 (Start time: 09:40:21 AM, 20 July 2023)

Total Marks: 1

When might you want to change the default for the 'width' column?

Select the correct option

Reload Math Equations

When there is missing data

When you want at least two decimal places

When you expect there to be more digits than the default setting

Every time you input data

Psychologists Community - <https://psychologistscommunity.com>

Click to Save Answer & Move to Next Question

Question # 8 of 8 (Start time: 09:40:58 AM, 20 July 2023)

Total Marks: 1

In Control Charts, LCL is calculated as:

Select the correct option

Average + 3 Standard Deviation

Average - 3 Standard Deviation

Average - 2 Standard Deviation

Average + 2 Standard Deviation

Psychologists Community - <https://psychologistscommunity.com>

Question # 1 of 8 (Start time: 11:33:21 AM, 20 July 2023)

Total Marks: 1

In Control Charts, UCL is calculated as:

Select the correct option

- Average + 1 Standard Deviation
- Average + 3 Standard Deviation
- Average * 3 Standard Deviation
- Average - 2 Standard Deviation

Psychologists Community - <https://psychologistscommunity.com>

Question # 2 of 8 (Start time: 11:34:33 AM, 20 July 2023)

Total Marks: 1

In Control Charts, the UCL stands for

Select the correct option

- Upper Control Limit
- Unique Control Level
- Ultimate Control Line
- Unique Control Line

Psychologists Community - <https://psychologistscommunity.com>

STA641 - Statistical Packages and Its Applications (Quiz 4)

Quiz Start Time: 11:33 AM, 20 July 2023

Question # 3 of 8 (Start time: 11:35:32 AM, 20 July 2023)

Total Marks: 1

In the regression equation $Y = 75.65 + 0.50X$, the intercept is

Select the correct option

Reload Math Equations

- 75.65
Psychologists Community - <https://psychologistscommunity.com>
- Indeterminable
- 0.50
- 1

STA641 - Statistical Packages and Its Applications (Quiz 4)

Quiz Start Time: 11:33 AM, 20 July 2023

Question # 4 of 8 (Start time: 11:36:58 AM, 20 July 2023)

Total Marks: 1

In Control Charts, LCL is calculated as:

Select the correct option

- Average + 2 Standard Deviation
- Average - 2 Standard Deviation
- Average - 3 Standard Deviation
Psychologists Community - <https://psychologistscommunity.com>
- Average + 3 Standard Deviation

Click to Save Answer & Move to Next Question

Question # 5 of 8 (Start time: 11:38:00 AM, 20 July 2023)

Total Marks: 1

Ampersands(&) and spaces _____ used as variables name

Select the correct option

Reload Math Equations

- cannot be
- Both A & B
- can be
- None of these

Psychologists Community - <https://psychologistscommunity.com>

Click to Save Answer & Move to Next Question

Question # 6 of 8 (Start time: 11:39:22 AM, 20 July 2023)

Total Marks: 1

How would you copy a scatter plot that you have just produced in SPSS?

Select the correct option

Reload Math Equations

- In Data Editor, open Graphs dialog box, click copy, OK
- In Variable Viewer, open scatter plot, click File, copy, OK
- In Output Viewer, select the scatter plot, right click: choose the option copy
- In Chart Editor, click Descriptive Statistics, copy, OK

Psychologists Community - <https://psychologistscommunity.com>

Click to Save Answer & Move to Next Question

Question # 7 of 8 (Start time: 11:40:32 AM, 20 July 2023)

Total Marks: 1

In Control Charts, the LCL stands for

Select the correct option

- Loss Central Level
- Lower Control Limit
- Least Control Limit
- Last Control Line

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 8 (Start time: 11:41:26 AM, 20 July 2023)

Total Marks: 1

When would you need to allocate numbers within the values cell?

Select the correct option

- When using ratio data
- When you have missing values
- When using interval data
- When using a categorical variable that measures groups

[Reload Math Equations](#)[Click to Save Answer & Move to Next Question](#)