



DANISH MIDTERM HANIF FILES FOR LMS HANDLING: 0323-1731413



CS202 Quiz File

السلام وعلیکم!

امید کرتا ہوں کہ آپ سب خیریت سے ہوں گے کافی دنوں کی محنت کے بعد الحمد للہ ورچوئل یونیورسٹی کے مڈ ٹرم امتحان کے لیے فائلز تیار کر لی ہیں امید کرتا ہوں کہ آپ سب سٹوڈنٹس کے امتحانات میں بہت فائدہ مند ہوں گی۔ فائلز میں کسی قسم کی کوئی بھی غلطی ہو گئی ہو تو اس کے لیے معذرت خواہ ہیں انشاء اللہ مزید محنت سے ان فائلز کو بہتر بنائیں گے۔ آپ سب سٹوڈنٹس سے گزارش ہے کہ ہمارے یوٹیوب چینل اور ویب سائٹ کو فالو کر لیں۔

مکمل پیپرز آپ کو میری ویب سائٹ پہ ملیں گے لنک نیچے دیا گیا ہے۔

Here is Website Link: <https://hbdanish.me/>

Here is YouTube Channel Link:

https://www.youtube.com/@Danish_Khagga

اگر آپ لوگ اپنا ایل۔ ایم۔ ایس بیٹل کروانا چاہتے ہیں یا اسائنمنٹس کو ریز کروانا چاہتے ہیں تو اس نمبر پہ واٹس ایپ کریں۔

+923231731413

<https://wa.me/message/7GG2TH2MZV3OL1>

Question #1: To merge columns in HTML table, _____ is used.

- a) Columnspan
- b) Cellpadding
- c) Colspan
- d) Rowspan

Answer: c) Colspan

Question #2: Which tag allows you to add a row in an HTML table?

- a) <tr>
- b) <td>
- c) <cr>
- d) <row>

Answer: a) <tr>

Question #3: Which of the following list-style-type is supported by in HTML?

- a) square
- b) circle
- c) disc
- d) upper-roman

Answer: d) upper-roman

Question #4: With CSS, a color is most often specified by _____.

- a) All of the given
- b) HEX value - like "#ff0000"
- c) RGB value - like "rgb(255,0,0)"
- d) Color name - like "red"

Answer: a) All of the given

Question #5: _____ property is used to set the border spacing for an HTML table.

- a) spacing-border
- b) spacing
- c) border-spacing
- d) borderspace

Answer: c) border-spacing



Question #6: _____ CSS property controls visibility of the content that an element will be visible or hidden.

- a) Hide
- b) Visibility
- c) Float
- d) Show

Answer: b) Visibility

Question #7: _____ CSS property controls visibility of the content that an element will be visible or hidden.

- a) Display
- b) Hide
- c) Show
- d) Float

Answer: a) Display

Question #8: Which element can be used to show the italic text?

- a) <italic>
- b)
- c) <u>
- d) <i>

Answer: d) <i>


Question #9: Which of the following list-style-type is supported by in HTML?

- a) upper-alpha
- b) circle
- c) roman
- d) lower-alpha

Answer: b) circle

Question #10: _____ is very similar to italic, but less supported.

- a) Tilt
- b) Oblique
- c) Italics
- d) Curve



Answer: b) Oblique

Question 1: Which of the following tags is used to define an HTML paragraph?

- a) `<p>`
- b) `<pr>`
- c) `<paragraph>`
- d) `<para>`

Answer: a) `<p>` (Highlighted Correct Answer)

Question 2: Which element can be used to show italic text?

- a) `<italic>`
- b) `<u>`
- c) ``
- d) `<i>`

Answer: d) `<i>` (Highlighted Correct Answer)



Question #1: Creating a variable in JavaScript is called_____.

- A. Initializing Variable
- B. Assigning Value to Variable
- C. Comparing Variable
- D. Declaring Variable

Answer: D. Declaring Variable



Question #2: What value will be returned by the following JavaScript function?

```
Math.max(5.2, -5.2, 6.2, -6.2);
```

- A. -6.2
- B. -5.2
- C. 6.2
- D. 5.2

Answer: C. 6.2

Question #3: An element with a _____ position is positioned relative to the browser window, and it will not move even if the window is scrolled.

- A. Absolute
- B. Static
- C. Fixed
- D. Relative

Answer: C. Fixed

Question #4: Which of the following properties apply to the ::first-line pseudo-element?

- A. Background properties
- B. Color properties
- C. All of the given
- D. Font properties



Question #4: Which of the following properties apply to the ::first-line pseudo-element?

- A. Background properties
- B. Color properties
- C. All of the given
- D. Font properties



Answer: B. Color properties

Anonymous

Question #6: What will be the sequence of elements in the array "marks" after using the sort() function on it?

```
var marks = [52, 67, 47, 78];  
marks.sort();
```

- A. [78, 47, 67, 52]
- B. [47, 52, 67, 78]

- C. [52, 67, 47, 78]
- D. [78, 67, 52, 47]

Answer: A. [47, 52, 67, 78]

Question #7: What value will be returned by the following JavaScript function?

`Math.floor(9.7);`

- A. 10
- B. .7
- C. 9.7
- D. 9

Answer: D. 9

Question #8: Which of the following is NOT true about JavaScript?

- A. None of the given options
- B. JavaScript can change HTML Content.
- C. JavaScript cannot change HTML Content.
- D. JavaScript can change HTML Attributes.

Answer: C. JavaScript cannot change HTML Content.

Question #8: Which of the following is NOT true about JavaScript?

- A. None of the given options
- B. JavaScript can change HTML Content.
- C. JavaScript cannot change HTML Content.
- D. JavaScript can change HTML Attributes.

Answer: C. JavaScript cannot change HTML Content.

Anonymous

Question #9: What value will be in the variable "z" after the execution of the following code?

`var z = 3 + "3";`

- A. 6
- B. 3 + "3"
- C. 33
- D. 333

Answer: C. 33

Question #10: _____ CSS property specifies the stack order of the overlapping elements that which element will be placed in front of, or behind, the others.

- A. Z-index
- B. Display
- C. Float
- D. Visibility

Answer: A. Z-index

DANISH

Question 3: Which of the following CSS property can be used to turn off the float?

- a) Position
- b) Z-index
- c) Clear
- d) Float

Answer: c) Clear (Highlighted Correct Answer)

Question 4: Which of the following tags is used to define a line break in HTML?

- a) `<breakline>`
- b) `<newline>`
- c) `<b1>`
- d) `
`

Answer: d) `
` (Highlighted Correct Answer)

Question 5: If you do not specify a border for the HTML table, how will the table be displayed?

- a) None of the given options
- b) It will be displayed without a border.
- c) It will be displayed with a double border.
- d) It will be displayed with a single border.

Answer: b) It will be displayed without a border. (Highlighted Correct Answer)

Question 6: In HTML, the document language can be declared in the _____ tag in _____ attribute.

- a) `<language>`, `lang`
- b) `<body>`, `language`
- c) `<html>`, `lang`
- d) `<title>`, `language`

Answer: c) `<html>`, `lang` (Highlighted Correct Answer)

Question 7: _____ element is used to define links in HTML, and the link address is specified in _____ attribute.

- a) `<link>`, `address`
- b) `<anchor>`, `ID`
- c) `<a>`, `href`
- d) `<hyperlink>`, `href`

Answer: c) `<a>`, `href` (Highlighted Correct Answer)

Question 8: _____ tag is used for the paragraph in HTML.

- a) `<paragraph>`
- b) `<par>`
- c) `<p>`
- d) `<pgraph>`

Answer: c) `<p>` (Highlighted Correct Answer)

Question 9: In HTML, _____ tag is used for the address information of the writer of any document.

- a) `<add>`
- b) `<contact>`
- c) `<address>`
- d) `<writer>`

Answer: c) `<address>` (Highlighted Correct Answer)

Question 10: The following piece of code defines _____

CSS style sheet.

```
<head> <link rel="stylesheet" type="text/css" href="mystyle.css" >
</head>
```

- a) External
- b) All of the given.
- c) Inline
- d) Internal

Answer: a) External (Highlighted Correct Answer)



Question: What value will be returned by the following JavaScript function?

```
parseInt("students id 231");
```

- A) `NaN`
- B) `231`
- C) `studentsid`
- D) `Error`

Please select the correct option (A, B, C, or D).

Answer: A) `NaN`

Question: What value will be in the variable `z` after the execution of the following code?

```
var z = 3 + "3";
```

- A) `6`
- B) `"33"`
- C) `3363`
- D) `"6"`

Please select the correct option (A, B, C, or D).

Answer: B) `"33"`




Question: Which of the following is true about Bit operators?

- A) Bit operators work on 32-bit numbers.
- B) Bit operators work on 128-bit numbers.
- C) Bit operators work on 64-bit numbers.
- D) Bit operators work on 256-bit numbers.

Please select the correct option (A, B, C, or D).

Answer: A) Bit operators work on 32-bit numbers.

Question: To sort an array in descending order, the `sort()` function can be used with the combination of _____ function.



A) `Concat()`

B) `Slice()`

C) `Shift()`

D) `Reverse()`

Please select the correct option (A, B, C, or D).

Answer: D) `Reverse()`

Question: What value will be returned by the following JavaScript function?

`Math.round(8.4);`

A) `8`

B) `8.4`

C) `9`

D) `9.4`

Please select the correct option (A, B, C, or D).

Answer: C) `9`

A) `8`

B) `8.4`

C) `9`

D) `9.4`

Please select the correct option (A, B, C, or D).

Answer: C) `9`



Question: What will be the value in the variable `x` after executing the following JavaScript code statement?

```
var x = "Hello" + 5;
```

A) It will give an error.

B) `5 Hello`

C) None of the above.

D) `Hello5`

Please select the correct option (A, B, C, or D).

Answer: D) `Hello5`

A) It will give an error.

B) `5 Hello`

C) None of the above.

D) `Hello5`

Please select the correct option (A, B, C, or D).

Answer: D) `Hello5`



Question: What value will be returned by the following JavaScript function?

```
Math.ceil(7.4);
```

A) `7`

B) `7.4`

C) `8`

D) `8.4`

Please select the correct option (A, B, C, or D).

Answer: C) 8

A) 7

B) 7.4

C) 8

D) 8.4

Please select the correct option (A, B, C, or D).

Answer: C) 8

Question: Which of the following value will JavaScript return if we calculate a number outside the largest possible number?

A) Exceeded

B) Infinity

C) Invalid

D) Out of range

Please select the correct option (A, B, C, or D).

Answer: B) Infinity

Question: What will be the value in the variable `x` after executing the following JavaScript code statement?

```
var x = -5 / 0;
```

A) -Infinity

B) 0

C) -5

D) **Infinity**

Please select the correct option (A, B, C, or D).

Answer: A) **-Infinity**

Question: In CSS3, there are _____ different combinators.

A) Three

B) One

C) Four

D) Two

Please select the correct option (A, B, C, or D).

Answer: D) Two



Contact for Paid Solution

Whatsapp: 03231731413