

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں درچونل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔
اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ،
فیس پے اور چینج سٹڈی پروگرام وغیرہ۔

Paid

VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جا ب ہو لڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر
سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹھیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

Email:

waqasahmeduog@gmail.com

انشاء اللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

لوح قرآنی

اَن

حَمَّاسِق

اَلْمَا

لِي

عَم

اَلْمَع

اُمِي

ق

كَيَعَص

AR PRINTERS
0321-9660987

اس کے دیکھنے والوں کی سب مشکلیں آسان ہو جائیں گی صبح اس کو دیکھ کر جو کام شروع کیا جائیگا پورا ہوگا اور غیبی طریقوں سے رزق آنے لگے گا!

يَا وَهَابُ



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



يَا وَهَابُ

Whatsapp
0306-6295623

LMS

Handling

Service

Available

Whatsapp
0306-6295623

Package#1
Full Semester

Books (1 to 6)

i. Quiz

ii. Assignment

iii. GDB

Whatsapp
0306-6295623

Rs: 9000 only

(Without Lectures watching)

Package#2

Half Semester

Books (1 to 6)

i. Quiz

ii. Assignment

iii. GDB

Whatsapp
0306-6295623

Whatsapp
0306-6295623

Rs: 7000 only

(Without Lectures watching)

Package#3

Monthly

Books (1 to 6)

i. Quiz

ii. Assignment

iii. GDB

Whatsapp
0306-6295623

Whatsapp
0306-6295623

Rs: 4000 only

(Without Lectures watching)

NOTE:

Whatsapp
0306-6295623

يَا وَهَابُ

Whatsapp
0306-6295623

I. Mid Term, Final Term Important Files Free of Cost.

II. All Activities submitted on Time, you do not need to check LMS.

Inbox for Previous Results Screenshot

Payment is non-refundable

For New Students:

(Special discount for 1st 5 Students

Rs 1500) يَا وَهَابُ

For Old Students:

(Special discount for 1st 5 Students

Rs 1000)

Question # 4 of 10 (Start time: 08:13:34 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript function? `Math.round(8.4);`

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----|
| <input type="radio"/> | .4 |
| <input type="radio"/> | 9 |
| <input checked="" type="radio"/> | 8 |
| <input type="radio"/> | 8.4 |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 5 of 10 (Start time: 08:14:15 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript expression?

`1 == "1"`

Select the correct option

<input type="radio"/>	False
<input checked="" type="radio"/>	True
<input type="radio"/>	Infinity
<input type="radio"/>	NaN

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 08:14:31 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following expression? `1 === "1"`

Select the correct option

<input type="radio"/>	-Infinity
<input type="radio"/>	NaN
<input type="radio"/>	True
<input checked="" type="radio"/>	False

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 7 of 10 (Start time: 08:14:50 AM, 24 May 2024)

Total Marks: 1

Which of the following is not a loop in JavaScript?

Select the correct option

<input type="radio"/>	while
<input type="radio"/>	for/in
<input type="radio"/>	for
<input checked="" type="radio"/>	do in

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 08:15:01 AM, 24 May 2024)

Total Marks: 1

Which of the following is NOT a way to join multiple words into one variable name in JavaScript?

Select the correct option

<input checked="" type="radio"/>	Semicolon
<input type="radio"/>	Underscore
<input type="radio"/>	Camel Case
<input type="radio"/>	Hyphens

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 9 of 10 (Start time: 08:15:37 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript function? `Math.max(5.2, -5.2, 6.2, -6.2);`

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------|
| <input type="radio"/> | -5.2 |
| <input type="radio"/> | 5.2 |
| <input type="radio"/> | -6.2 |
| <input checked="" type="radio"/> | 6.2 |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 10 of 10 (Start time: 08:15:49 AM, 24 May 2024)

Total Marks: 1

What will be the value in variable x after executing following JavaScript code statement?

```
var x = 5/0;
```

Select the correct option

<input type="radio"/>	5
<input type="radio"/>	-Infinity
<input checked="" type="radio"/>	Infinity
<input type="radio"/>	0

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 10 of 10 (Start time: 09:12:48 AM, 15 May 2024)

Total Marks: 1

Which one of the following is not a positioning method?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Relative |
| <input type="radio"/> | Static |
| <input type="radio"/> | Fixed |
| <input checked="" type="radio"/> | Infix |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 09:11:23 AM, 15 May 2024)

Total Marks: 1

Which of the following list-style-type is supported by in HTML?

Select the correct option

<input type="radio"/>	circle
<input checked="" type="radio"/>	lower-alpha
<input type="radio"/>	disc
<input type="radio"/>	square

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 09:09:58 AM, 15 May 2024)

Total Marks: 1

There are _____ types of levels in style sheets.

Select the correct option

<input checked="" type="radio"/>	Three
<input type="radio"/>	One
<input type="radio"/>	Four
<input type="radio"/>	Two

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 7 of 10 (Start time: 09:09:32 AM, 15 May 2024)

Total Marks: 1

An HTML document must start with _____ declaration.

Select the correct option

[Reload Math Equations](#)

<input checked="" type="radio"/>	Type
<input type="radio"/>	Variable
<input type="radio"/>	File Path
<input type="radio"/>	Header File

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 09:09:09 AM, 15 May 2024)

Total Marks: 1

Which of the following HTML elements defines subscripted text?

Select the correct option

<input checked="" type="radio"/>	<sub>
<input type="radio"/>	<subscript>
<input type="radio"/>	<s>
<input type="radio"/>	<sb>

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Click to Save Answer & Move to Next Ques

Question # 5 of 10 (Start time: 09:08:57 AM, 15 May 2024)

Total Marks: 1

Which tag allows you to add a row in an HTML table?

Select the correct option

<input type="radio"/>	<row>
<input type="radio"/>	<cr>
<input checked="" type="radio"/>	<tr>
<input type="radio"/>	<td>

[Click to Save Answer & Move to Next Ques](#)

Question # 4 of 10 (Start time: 09:07:25 AM, 15 May 2024)

Total Marks: 1

The Advantage(s) of CSS is/are :

Select the correct option

<input type="radio"/>	High Performance
<input type="radio"/>	All of the given options
<input type="radio"/>	Separation of document contents from document properties. B. Superior Styles to HTML:
<input type="radio"/>	Superior Styles to HTML

Click to Save Answer & Move to Next Question

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Question # 3 of 10 (Start time: 09:07:14 AM, 15 May 2024)

Total Marks: 1

Which of the following CSS code can be used to remove bullets from an unordered list?

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | <code>ul { list-style-type: none; }</code> |
| <input type="radio"/> | <code>li { list-type: remove; }</code> |
| <input type="radio"/> | <code>li { type: none; }</code> |
| <input type="radio"/> | <code>ul li { style-type-list: hide; }</code> |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 3 of 10 (Start time: 09:07:14 AM, 15 May 2024)

Total Marks: 1

Which of the following CSS code can be used to remove bullets from an unordered list?

Select the correct option

- | | |
|-----------------------|---|
| <input type="radio"/> | <code>ul { list-style-type: none; }</code> |
| <input type="radio"/> | <code>li { list-type: remove; }</code> |
| <input type="radio"/> | <code>li { type: none; }</code> |
| <input type="radio"/> | <code>ul li { style-type-list: hide; }</code> |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 09:07:04 AM, 15 May 2024)

Total Marks: 1

CSS stands for _____.

Select the correct option

<input type="radio"/>	Control Style Sheets
<input type="radio"/>	Common Style Sheets
<input type="radio"/>	Central Style Sheets
<input checked="" type="radio"/>	Cascading Style Sheets

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 09:07:04 AM, 15 May 2024)

Total Marks: 1

CSS stands for _____.

Select the correct option

<input type="radio"/>	Control Style Sheets
<input type="radio"/>	Common Style Sheets
<input type="radio"/>	Central Style Sheets
<input type="radio"/>	Cascading Style Sheets

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 09:06:52 AM, 15 May 2024)

Total Marks: 1

A _____ explains the relationship between the selectors.

Select the correct option

<input type="radio"/>	All of the given element
<input type="radio"/>	Form element
<input type="radio"/>	Z-index property
<input type="radio"/>	Combinator

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 10 of 10 (Start time: 08:52:01 AM, 15 May 2024)

Total Marks: 1

What will be the value of variable `sln` after execution of the following JavaScript code segment?

```
var txt = "Virtual University";  
var sln = txt.length;
```

Select the correct option

<input type="radio"/>	20
<input type="radio"/>	19
<input type="radio"/>	17
<input type="radio"/>	18

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 10 of 10 (Start time: 08:52:01 AM, 15 May 2024)

Total Marks: 1

What will be the value of variable `sln` after execution of the following JavaScript code segment?

```
var txt = "Virtual University";  
var sln = txt.length;
```

Select the correct option

<input type="radio"/>	20	Remember me in Your Prayer Mid Term File 0306-6295623 Paid LMS Handling
<input type="radio"/>	19	
<input type="radio"/>	17	
<input type="radio"/>	18	

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 08:51:46 AM, 15 May 2024)

Total Marks: 1

What is the correct HTML syntax for making a hyperlink?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code>url="http://google.com">search engine Quiz</code> |
| <input type="radio"/> | <code>search engine</code> |
| <input checked="" type="radio"/> | <code>search engine</code> |
| <input type="radio"/> | <code><http://google.com</code> |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 9 of 10 (Start time: 08:51:46 AM, 15 May 2024)

Total Marks: 1

What is the correct HTML syntax for making a hyperlink?

Select the correct option

- | | |
|-----------------------|--|
| <input type="radio"/> | <code>url="http://google.com">search engine Quiz</code> |
| <input type="radio"/> | <code>search engine</code> |
| <input type="radio"/> | <code>search engine</code> |
| <input type="radio"/> | <code><http://google.com</code> |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 08:51:33 AM, 15 May 2024)

Total Marks: 1

Full form of URL is_____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------------------------|
| <input type="radio"/> | Uninformed Resource Locator |
| <input type="radio"/> | Uniform Resource Location |
| <input checked="" type="radio"/> | Uniform Resource Locator |
| <input type="radio"/> | Unlimited Resource Locator |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 08:51:33 AM, 15 May 2024)

Total Marks: 1

Full form of URL is_____.

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|-----------------------------|
| <input type="radio"/> | Uninformed Resource Locator |
| <input type="radio"/> | Uniform Resource Location |
| <input type="radio"/> | Uniform Resource Locator |
| <input type="radio"/> | Unlimited Resource Locator |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 7 of 10 (Start time: 08:51:15 AM, 15 May 2024)

Total Marks: 1

HTML lists can be styled in many ways with CSS. For horizontal list we use _____ property.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | display:outline; |
| <input checked="" type="radio"/> | display:inline; |
| <input type="radio"/> | display:uniline; |
| <input type="radio"/> | display:offset; |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 7 of 10 (Start time: 08:51:15 AM, 15 May 2024)

Total Marks: 1

HTML lists can be styled in many ways with CSS. For horizontal list we use_____ property.

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|------------------|
| <input type="radio"/> | display:outline; |
| <input type="radio"/> | display:inline; |
| <input type="radio"/> | display:uniline; |
| <input type="radio"/> | display:offset; |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 08:50:59 AM, 15 May 2024)

Total Marks: 1

Which of the following is correct attribute to add border to an HTML table?

Select the correct option

<input checked="" type="radio"/>	border
<input type="radio"/>	b
<input type="radio"/>	br
<input type="radio"/>	tborder

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 08:50:59 AM, 15 May 2024)

Total Marks: 1

Which of the following is correct attribute to add border to an HTML table?

Select the correct option

<input type="radio"/>	border
<input type="radio"/>	b
<input type="radio"/>	br
<input type="radio"/>	tborder

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 08:50:47 AM, 15 May 2024)

Total Marks: 1

_____ sets the size respective to surrounding elements.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------------|
| <input checked="" type="radio"/> | Relative Size |
| <input type="radio"/> | Oblique Size |
| <input type="radio"/> | Reference Size |
| <input type="radio"/> | Absolute size |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 08:50:47 AM, 15 May 2024)

Total Marks: 1

_____ sets the size respective to surrounding elements.

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|----------------|
| <input type="radio"/> | Relative Size |
| <input type="radio"/> | Oblique Size |
| <input type="radio"/> | Reference Size |
| <input type="radio"/> | Absolute size |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 08:50:31 AM, 15 May 2024)

Total Marks: 1

In CSS, the class selector uses the HTML class attribute, and is defined with

Select the correct option

<input type="radio"/>	:
<input type="radio"/>	None of the the given options
<input checked="" type="radio"/>	.
<input type="radio"/>	'

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 4 of 10 (Start time: 08:50:31 AM, 15 May 2024)

Total Marks: 1

In CSS, the class selector uses the HTML class attribute, and is defined with

Select the correct option

<input type="radio"/>	:
<input type="radio"/>	None of the the given options
<input type="radio"/>	.
<input type="radio"/>	'

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 3 of 10 (Start time: 08:50:20 AM, 15 May 2024)

Total Marks: 1

Which of the following CSS3 property can be used to add transparency in image?

Select the correct option

<input type="radio"/>	hover
<input type="radio"/>	image-sprites
<input type="radio"/>	filter
<input checked="" type="radio"/>	opacity

Saving...

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Question # 3 of 10 (Start time: 08:50:20 AM, 15 May 2024)

Total Marks: 1

Which of the following CSS3 property can be used to add transparency in image?

Select the correct option

<input type="radio"/>	hover
<input type="radio"/>	image-sprites
<input type="radio"/>	filter
<input type="radio"/>	opacity

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Click to Save Answer & Move to Next Ques

Question # 2 of 10 (Start time: 08:50:01 AM, 15 May 2024)

Total Marks: 1

The id selector uses the id attribute of the HTML element, and is defined with a_____.

Select the correct option

<input type="radio"/>	@
<input type="radio"/>	-
<input type="radio"/>	%
<input checked="" type="radio"/>	#

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 08:50:01 AM, 15 May 2024)

Total Marks: 1

The id selector uses the id attribute of the HTML element, and is defined with a_____.

Select the correct option

<input type="radio"/>	@
<input type="radio"/>	-
<input type="radio"/>	%
<input type="radio"/>	#

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 08:49:40 AM, 15 May 2024)

Total Marks: 1

Which of the following statement(s) is true about Block Elements?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | Block Element has a line break before element. |
| <input type="radio"/> | Block Element has line break after element. |
| <input type="radio"/> | All of the given options. |
| <input checked="" type="radio"/> | Block Element takes full width available. |

[Click to Save Answer & Move to Next Ques](#)

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Question # 1 of 10 (Start time: 08:49:40 AM, 15 May 2024)

Total Marks: 1

Which of the following statement(s) is true about Block Elements?

Select the correct option

- | | |
|-----------------------|--|
| <input type="radio"/> | Block Element has a line break before element. |
| <input type="radio"/> | Block Element has line break after element. |
| <input type="radio"/> | All of the given options. |
| <input type="radio"/> | Block Element takes full width available. |

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 10 of 10 (Start time: 10:16:21 PM, 14 May 2024)

Total Marks: 1

To merge columns in HTML table, _____ is used.

Select the correct option

<input type="radio"/>	Rowspan
<input checked="" type="radio"/>	Colspan
<input type="radio"/>	Cellpadding
<input type="radio"/>	Columnspan

Saving...

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Question # 10 of 10 (Start time: 10:16:21 PM, 14 May 2024)

Total Marks: 1

To merge columns in HTML table, _____ is used.

Select the correct option

<input type="radio"/>	Rowspan
<input type="radio"/>	Colspan
<input type="radio"/>	Cellpadding
<input type="radio"/>	Columnspan

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 10:15:36 PM, 14 May 2024)

Total Marks: 1

A _____ explains the relationship between the selectors.

Select the correct option

<input checked="" type="radio"/>	Combinator
<input type="radio"/>	All of the given element
<input type="radio"/>	Form element
<input type="radio"/>	Z-index property

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 10:15:36 PM, 14 May 2024)

Total Marks: 1

A _____ explains the relationship between the selectors.

Select the correct option

<input type="radio"/>	Combinator
<input type="radio"/>	All of the given element
<input type="radio"/>	Form element
<input type="radio"/>	Z-index property

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 10:15:36 PM, 14 May 2024)

Total Marks: 1

A _____ explains the relationship between the selectors.

Select the correct option

<input type="radio"/>	Combinator
<input type="radio"/>	All of the given element
<input type="radio"/>	Form element
<input type="radio"/>	Z-index property

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 10:15:06 PM, 14 May 2024)

Total Marks: 1

_____are defined within the <style> element, inside the head section of an HTML page.

Select the correct option

<input type="radio"/>	External styles
<input type="radio"/>	Inline styles
<input checked="" type="radio"/>	Internal styles
<input type="radio"/>	None of the given options

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 10:15:06 PM, 14 May 2024)

Total Marks: 1

_____are defined within the <style> element, inside the head section of an HTML page.

Select the correct option

<input type="radio"/>	External styles
<input type="radio"/>	Inline styles
<input type="radio"/>	Internal styles
<input type="radio"/>	None of the given options

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 5 of 10 (Start time: 10:14:55 PM, 14 May 2024)

Total Marks: 1

Which of the following HTML elements defines subscripted text?

Select the correct option

<input type="radio"/>	<sb>
<input type="radio"/>	<s>
<input checked="" type="radio"/>	<sub>
<input type="radio"/>	<subscript>

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Click to Save Answer & Move to Next Ques

Question # 5 of 10 (Start time: 10:14:55 PM, 14 May 2024)

Total Marks: 1

Which of the following HTML elements defines subscripted text?

Select the correct option

<input type="radio"/>	<sb>
<input type="radio"/>	<s>
<input type="radio"/>	<sub>
<input type="radio"/>	<subscript>

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 10:14:42 PM, 14 May 2024)

Total Marks: 1

Which tag allows you to add a row in an HTML table?

Select the correct option

<input type="radio"/>	<row>
<input type="radio"/>	<cr>
<input checked="" type="radio"/>	<tr>
<input type="radio"/>	<td>

Saving...

Question # 4 of 10 (Start time: 10:14:42 PM, 14 May 2024)

Total Marks: 1

Which tag allows you to add a row in an HTML table?

Select the correct option

<input type="radio"/>	<row>
<input type="radio"/>	<cr>
<input type="radio"/>	<tr>
<input type="radio"/>	<td>

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 10:14:23 PM, 14 May 2024)

Total Marks: 1

----- property is used to set the border spacing for an HTML table.

Select the correct option

<input checked="" type="radio"/>	border-spacing
<input type="radio"/>	borderspace
<input type="radio"/>	spacing-border
<input type="radio"/>	spacing

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 10:13:58 PM, 14 May 2024)

Total Marks: 1

----- CSS property controls visibility of the content that an element will be **visible or hidden**.

Select the correct option

<input type="radio"/>	Float
<input checked="" type="radio"/>	Display
<input type="radio"/>	Hide
<input type="radio"/>	Show

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

Saving...

Question # 1 of 10 (Start time: 10:13:37 PM, 14 May 2024)

Total Marks: 1

In JavaScript, + operator is used for _____.

Select the correct option

<input type="radio"/>	Addition and Contrast
<input type="radio"/>	Addition
<input type="radio"/>	Concatenation
<input type="radio"/>	Addition and Concatenation

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 07:51:27 AM, 24 May 2024)

Total Marks: 1

How can you determine if a variable is an array in JavaScript?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--|
| <input type="radio"/> | Inspecting the variable's constructor |
| <input type="radio"/> | Checking if the variable's type is "array" |
| <input checked="" type="radio"/> | Using the isArray() function |
| <input type="radio"/> | Using the typeof operator |

Remember me in Your Prayer

Mid Term File

0306-6295623

Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 07:52:26 AM, 24 May 2024)

Total Marks: 1

Which of the following is NOT true about JavaScript?

Select the correct option

<input type="radio"/>	None of the given options
<input type="radio"/>	JavaScript can change HTML Content.
<input type="radio"/>	JavaScript can change HTML Attributes.
<input type="radio"/>	JavaScript can not change HTML Content.

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 07:52:26 AM, 24 May 2024)

Total Marks: 1

Which of the following is NOT true about JavaScript?

Select the correct option

<input type="radio"/>	None of the given options
<input type="radio"/>	JavaScript can change HTML Content.
<input type="radio"/>	JavaScript can change HTML Attributes.
<input checked="" type="radio"/>	JavaScript can not change HTML Content.

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 3 of 10 (Start time: 07:53:00 AM, 24 May 2024)

Total Marks: 1

Which of the following statement is correct about Associative arrays?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-------------------------------|
| <input type="radio"/> | Arrays with indexes. |
| <input type="radio"/> | Arrays without named indexes. |
| <input checked="" type="radio"/> | Arrays with named indexes. |
| <input type="radio"/> | Arrays without indexes. |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 4 of 10 (Start time: 07:53:24 AM, 24 May 2024)

Total Marks: 1

Which of the following is not a loop in JavaScript?

Select the correct option

<input type="radio"/>	for
<input type="radio"/>	while
<input checked="" type="radio"/>	do in
<input type="radio"/>	for/in

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 5 of 10 (Start time: 07:53:55 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript expression? `isNaN("100")`;

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------|
| <input type="radio"/> | NaN |
| <input type="radio"/> | Infinity |
| <input type="radio"/> | True |
| <input checked="" type="radio"/> | False |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 07:55:01 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript function? `Math.floor(9.7);`

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----|
| <input type="radio"/> | 9.7 |
| <input type="radio"/> | 10 |
| <input type="radio"/> | .7 |
| <input checked="" type="radio"/> | 9 |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 7 of 10 (Start time: 07:55:21 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript function? `Math.min(2.2, 3.2, 4.2, -5.2);`

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------|
| <input checked="" type="radio"/> | -5.2 |
| <input type="radio"/> | 4.2 |
| <input type="radio"/> | 2.2 |
| <input type="radio"/> | 3.2 |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 07:55:45 AM, 24 May 2024)

Total Marks: 1

In JavaScript, identifiers are _____, used to identify variables.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | strings |
| <input checked="" type="radio"/> | unique names |
| <input type="radio"/> | unique numbers |
| <input type="radio"/> | numbers |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 9 of 10 (Start time: 07:57:43 AM, 24 May 2024)

Total Marks: 1

What will be the value in variable x after executing following JavaScript code statement?

```
var x = -5/0;
```

Select the correct option

<input type="radio"/>	0	Remember me in Your Prayer Mid Term File 0306-6295623 Paid LMS Handling
<input type="radio"/>	-Infinity	
<input type="radio"/>	-5	
<input type="radio"/>	Infinity	

Click to Save Answer & Move to Next Ques

Question # 9 of 10 (Start time: 07:57:43 AM, 24 May 2024)

Total Marks: 1

What will be the value in variable x after executing following JavaScript code statement?

```
var x = -5/0;
```

Select the correct option

<input type="radio"/>	0
<input checked="" type="radio"/>	-Infinity
<input type="radio"/>	-5
<input type="radio"/>	Infinity

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling



Click to Save Answer & Move to Next Ques

Question # 1 of 10 (Start time: 08:06:47 AM, 24 May 2024)

Total Marks: 1

Which of the following value will JavaScript return if we calculate a number outside the largest possible number?

Select the correct option

<input type="radio"/>	Exceeded
<input type="radio"/>	Outofrange
<input type="radio"/>	Invalid
<input checked="" type="radio"/>	Infinity

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 08:07:00 AM, 24 May 2024)

Total Marks: 1

----- operator checks equality in both type and value.

Select the correct option

<input type="radio"/>	=
<input type="radio"/>	==
<input type="radio"/>	!=
<input checked="" type="radio"/>	===

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 3 of 10 (Start time: 08:07:23 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript function? `Math.min(2.2, 3.2, 4.2, -5.2);`

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------|
| <input checked="" type="radio"/> | -5.2 |
| <input type="radio"/> | 4.2 |
| <input type="radio"/> | 3.2 |
| <input type="radio"/> | 2.2 |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 4 of 10 (Start time: 08:07:34 AM, 24 May 2024)

Total Marks: 1

Choose the correct syntax to create an array students in JavaScript?

Select the correct option

- | | |
|-----------------------|---|
| <input type="radio"/> | <code>var students ["Ali", "Ahmed", "Noor"];</code> |
| <input type="radio"/> | <code>var students = ["Ali", "Ahmed", "Noor"];</code> |
| <input type="radio"/> | <code>var students = {"Ali", "Ahmed", "Noor"};</code> |
| <input type="radio"/> | <code>var students[] = {"Ali", "Ahmed", "Noor"};</code> |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

Click to Save Answer & Move to Next Ques

Question # 5 of 10 (Start time: 08:08:03 AM, 24 May 2024)

Total Marks: 1

Which of the following statement is correctly represents the statement $x += 7$; ?

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|--------------|
| <input type="radio"/> | $x = 7 + 7;$ |
| <input type="radio"/> | $x = x + 7;$ |
| <input type="radio"/> | $x = 7+;$ |
| <input type="radio"/> | $x = +7;$ |

Remember me in Your Prayer

Mid Term File

0306-6295623

Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 5 of 10 (Start time: 08:08:03 AM, 24 May 2024)

Total Marks: 1

Which of the following statement is correctly represents the statement $x += 7$; ?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | $x = 7 + 7;$ |
| <input checked="" type="radio"/> | $x = x + 7;$ |
| <input type="radio"/> | $x = 7+;$ |
| <input type="radio"/> | $x = +7;$ |

Remember me in Your Prayer

Mid Term File

0306-6295623

Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 6 of 10 (Start time: 08:08:16 AM, 24 May 2024)

Total Marks: 1

For bit wise operations, a numeric operand is converted into _____ binary numbers.

Select the correct option

<input type="radio"/>	64-bit
<input checked="" type="radio"/>	32-bit
<input type="radio"/>	16-bit
<input type="radio"/>	8-bit

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 7 of 10 (Start time: 08:08:44 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript expression? `isNaN("100")`;

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------|
| <input type="radio"/> | True |
| <input type="radio"/> | NaN |
| <input type="radio"/> | Infinity |
| <input checked="" type="radio"/> | False |
- Remember me in Your Prayer**
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 8 of 10 (Start time: 08:08:53 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript expression?
`isNaN("CS202");`

Select the correct option

<input type="radio"/>	False
<input type="radio"/>	Infinity
<input type="radio"/>	NaN
<input checked="" type="radio"/>	True

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[▶ Click to Save Answer & Move to Next Ques](#)

Question # 9 of 10 (Start time: 08:09:52 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following expression?

`0 == true`

Select the correct option

<input checked="" type="radio"/>	False
<input type="radio"/>	NaN
<input type="radio"/>	True
<input type="radio"/>	Infinity

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 2 of 10 (Start time: 08:12:52 AM, 24 May 2024)

Total Marks: 1

What value will be returned by the following JavaScript function?
`parseInt("13.2");`

Select the correct option

<input type="radio"/>	13.2
<input checked="" type="radio"/>	13
<input type="radio"/>	.2
<input type="radio"/>	NaN

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)

Question # 3 of 10 (Start time: 08:13:29 AM, 24 May 2024)

Total Marks: 1

For bit wise operations, a numeric operand is converted into _____ binary numbers.

Select the correct option

<input type="radio"/>	64-bit
<input checked="" type="radio"/>	32-bit
<input type="radio"/>	16-bit
<input type="radio"/>	8-bit

Remember me in Your Prayer
Mid Term File
0306-6295623
Paid LMS Handling

[Click to Save Answer & Move to Next Ques](#)