

Cs201 Quiz No 1 Spring 2022

 **SUBSCRIBE** AR Lucky Bahi

اسلام علیکم!

اگر آپ میں سے کوئی (Student)   LMS Handling کروانا چاہتا ہے یا۔۔۔ پھر اپنے LMS کو ٹائم نہیں دے پاتے۔ تو وہ مجھ سے اپنے LMS کے لیے رابطہ کر سکتا ہے۔ اس میں آپ کی تمام (Assignment, Quizzes And GDB's) جمع (Submit) کروائی جائیں گی۔

We are also provide these services:

- LMS handling
- Quizzes
- Assignments
- GDB
- Circular Activities
- Project Handling from A to Z.

(SRS, DESIGN DOCUMENT, TEST PHASE, VIVA, FINAL DELIVERBALE, PRE VIVA, FINAL VIVA)

- ✳️ Gurantee of 95% maximum to 90% minimun Marks.
- ✳️ You will be charged a reasonable Amount

اور اگر آپ میں سے کوئی (Online Classes) لینا چاہتا ہے تو وہ بھی رابطہ کر سکتا ہے

WhatsApp No:

Miss Hurain Fatima Sir Abdul Rehman
0313-4103116 0304-2387216

Agr ksi student ko kasi b subject ki Paid

(Assignment, Quizzes and GDB's) Chaya. Contact us

AR Lucky Term

Cs201 Quiz No 1 Spring 2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=8374908d-aae6-4124-a3e2-dd434678b0b7

Question # 10 of 10 (Start time: 02:02:54 PM, 16 June 2022) Total Marks: 1

How we declare an array of integer data whose size is 20 with array name "count".

Select the correct option

- int count[19];
- int count[20];
- int count[21];
- float count[20];

Click to Save Answer & Move to Next Question

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=b5e2bdf3-f711-44b5-96d4-27a88a79a2ab

Question # 9 of 10 (Start time: 02:01:42 PM, 16 June 2022) Total Marks: 1

Given a two dimensional array of integers, what would be the correct way of assigning the value 6 to the element at third row and fourth column?

Select the correct option

- array[2][4] = 6 ;
- array[2][3] = 6 ;
- array[3][4] = 6 ;
- array[4][3] = 6 ;

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=cac83b09-f1b4-4589-ab70-c8b69c74e3d9

Question # 8 of 10 (Start time: 02:01:25 PM, 16 June 2022) Total Marks: 1

_____ statement is used to terminate the processing of a particular case and exit from switch structure.

Select the correct option

- break
- continue
- goto
- if

Click to Save Answer & Move to Next Question

Windows Type here to search 39°C Sunny 2:01 AM 6/16/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=b0ba9c71-a1b8-464b-b29c-acb8f9779b34

Question # 7 of 10 (Start time: 02:00:52 PM, 16 June 2022) Total Marks: 1

Transpose of a matrix means that when we interchange rows and columns _____

Select the correct option

- the Last row becomes the first column
- the first row becomes the first column
- the first column becomes the second column
- the first row becomes the Last column

Reload Math Equations

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=3702264d-e8f2-4ea6-b1d3-5cf158112633

Question # 5 of 10 (Start time: 02:00:08 PM, 16 June 2022) Total Marks: 1

The increment of a pointer depends on its_____.

Select the correct option

<input type="radio"/>	value
<input checked="" type="radio"/>	data type
<input type="radio"/>	None of the given
<input type="radio"/>	variable

Click to Save Answer & Move to Next Question

Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=a75de8ce-7804-4607-b122-0826f523fa9b

Question # 4 of 10 (Start time: 01:59:03 PM, 16 June 2022) Total Marks: 1

A _____ is an array of characters that can store number of character specified.

Select the correct option

<input type="radio"/>	Char
<input type="radio"/>	Data type
<input checked="" type="radio"/>	String
<input type="radio"/>	Multidimensional array

Click to Save Answer & Move to Next Question

39°C Sunny 2:00 AM 6/16/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=46d34566-b00e-4b39-bf43-38299178da04

Question # 3 of 10 (Start time: 01:58:49 PM, 16 June 2022) Total Marks: 1

When we access a multidimensional array, each array index is surrounded by _____.

Select the correct option

- Double quotes ""
- Brackets []
- Commas , ,
- Single quotes ''

Click to Save Answer & Move to Next Question

Windows Type here to search 39°C Sunny 1:59 AM 6/16/2022

Quiz List x Quiz x + Get the Index of the Max value in x | +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=5dc2bbad-bdf4-4ad6-b9f0-f4dd91a997a1

Question # 2 of 10 (Start time: 01:56:44 PM, 16 June 2022) Total Marks: 1

In C++, what will be the highest index of the following array?
`int array[15];`

Select the correct option

- 14
- 16
- 13
- 15

quiz.vu.edu.pk says
-----Question Timeout!-----
You have spent 121 seconds on this question.
Your answer is not saved.
Press OK to view next question.

OK

Saving and loading next question...

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=e62a8919-c8d9-47ad-a93b-f2de872863b3

Question # 10 of 10 (Start time: 01:35:23 PM, 16 June 2022) Total Marks: 1

Null character is used to indicate the _____ of string.

Select the correct option

<input type="radio"/>	start
<input checked="" type="radio"/>	end
<input type="radio"/>	middle
<input type="radio"/>	begin

Click to Save Answer & Move to Next Question

Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=32c0c874-8dfa-42b7-ba26-e1d22e80e385

Question # 9 of 10 (Start time: 01:33:52 PM, 16 June 2022) Total Marks: 1

For breaking complex problems into smaller pieces we use _____.

Select the correct option

<input type="radio"/>	if/else
<input type="radio"/>	Break statement
<input checked="" type="radio"/>	Functions
<input type="radio"/>	Loops

Click to Save Answer & Move to Next Question

Type here to search

39°C Sunny 1:35 AM 6/16/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=c9bf7527-d1cd-4caf-a1ad-42ec75d48428

Question # 8 of 10 (Start time: 01:33:15 PM, 16 June 2022) Total Marks: 1

What is the correct syntax to declare an array of 15 elements of type float?

Select the correct option

- float array[15];
- float[15] array;
- float [15]array;
- float array[14];

Click to Save Answer & Move to Next Question

Type here to search

39°C Sunny 1:33 AM 6/16/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=82df7231-9e8d-4f90-ae5b-7e849f355c3a

Question # 7 of 10 (Start time: 01:32:43 PM, 16 June 2022) Total Marks: 1

What will be the output of the following code?
`string grade [3] = {"A", "B", "C"};
grade[2] = "F";
cout << grade[2];`

Select the correct option

- A
- F
- B
- C

Click to Save Answer & Move to Next Question

Type here to search

39°C Sunny 1:33 AM 6/16/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=68a9cb2e-1d6e-4310-bd46-3703d8bfb4c6

Question # 5 of 10 (Start time: 01:30:06 PM, 16 June 2022) Total Marks: 1

Following is the declaration of a _____ array. `int arr[2][2];`

Select the correct option [Reload Math Equations](#)

- 3-Dimensional
- 1-Dimensional
- None of the given
- 2-Dimensional

[Click to Save Answer & Move to Next Question](#)

Type here to search 39°C Sunny 1:30 AM 6/16/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=1b161c87-6cf6-429c-926c-b4ba11773957

Question # 4 of 10 (Start time: 01:29:18 PM, 16 June 2022) Total Marks: 1

Function prototype is written -----.

Select the correct option

- Before the return statement in main
- Before call of that function
- Within the parentheses of main()
- After the return statement in main

[Click to Save Answer & Move to Next Question](#)

Type here to search 39°C Sunny 1:30 AM 6/16/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=d442688e-2b5b-4fec-8ba5-b78bb71c22f3

Question # 3 of 10 (Start time: 01:28:49 PM, 16 June 2022) Total Marks: 1

What will be the result of the expression
j = i++;
if initially j = 0 and i = 5?

Select the correct option

<input type="radio"/>	0
<input checked="" type="radio"/>	5
<input type="radio"/>	6
<input type="radio"/>	4

Click to Save Answer & Move to Next Question

Windows Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=90c400a0-e6f0-43b3-9282-5a32b74b59c7

Question # 1 of 10 (Start time: 01:26:42 PM, 16 June 2022) Total Marks: 1

When we access a multidimensional array, each array index is surrounded by _____.

Select the correct option

<input type="radio"/>	Commas , ,
<input type="radio"/>	Double quotes " "
<input type="radio"/>	Single quotes ' '
<input checked="" type="radio"/>	Brackets []

Click to Save Answer & Move to Next Question

39°C Sunny 1:27 AM 6/16/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=df4bb2c9-07e8-4d31-887c-9cb5a66c576a

Question # 10 of 10 (Start time: 03:39:09 PM, 15 June 2022) Total Marks: 1

Return type of a function that does not return any value must be _____.

Select the correct option

<input checked="" type="radio"/>	void
<input type="radio"/>	char
<input type="radio"/>	double
<input type="radio"/>	int

Click to Save Answer & Move to Next Question

Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=5675d716-f07c-4a61-adaa-e625c77edfdb

Question # 9 of 10 (Start time: 03:38:40 PM, 15 June 2022) Total Marks: 1

How can we declare an array of characters whose size is 12 with array name "country"?

Select the correct option

<input checked="" type="radio"/>	char country[12];
<input type="radio"/>	char [12] country;
<input type="radio"/>	char country[0-11];
<input type="radio"/>	char country[11];

Click to Save Answer & Move to Next Question

43°C Haze 3:39 AM 6/15/2022

AR Lucky Term

Quiz List x Quiz x + Restore Down

quiz.vu.edu.pk/QuizQuestion.aspx?ver=2c3181b7-8479-4b7e-ad9f-0103100c0d28

Question # 8 of 10 (Start time: 03:38:07 PM, 15 June 2022) Total Marks: 1

What will be the correct syntax of declaration of the following statement?
" ptr is a pointer to const int "

Select the correct option

- const* int ptr
- int * const ptr
- int const* ptr
- const int *ptr

Click to Save Answer & Move to Next Question

Type here to search 43°C Haze 3:38 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=56aeb893-a0ce-49ab-9f8b-17d920887fbf

Question # 7 of 10 (Start time: 03:37:47 PM, 15 June 2022) Total Marks: 1

_____ is a substitute of multiple if statement.

Select the correct option

- if..elseif statement
- Continue statement
- Default statement
- Break statement

Click to Save Answer & Move to Next Question

Type here to search 43°C Haze 3:38 AM 6/15/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=d402655e-02b0-489f-9b87-ab6c441140ee

Question # 6 of 10 (Start time: 03:36:59 PM, 15 June 2022) Total Marks: 1

If an array has 50 elements, what is allowable range of subscripts?

Select the correct option

- 0 - 50
- 1 - 49
- 0 - 49
- 1 - 50

Click to Save Answer & Move to Next Question

Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=2bbdbdae-5b99-4698-bc4e-e900334a735d

Question # 5 of 10 (Start time: 03:36:03 PM, 15 June 2022) Total Marks: 1

What will be the output of the following code?

```
char greeting[6] = {'H', 'e', 'l', 'l', 'o', '\0'};
cout << "Greeting message: ";
cout << greeting << endl;
```

Select the correct option

- Greeting message: Hello
- Greeting message: 6
- Greeting message: greeting
- Greeting message: 'H' 'e' 'l' 'l' 'o'

Click to Save Answer & Move to Next Question

43°C Haze 3:37 AM 6/15/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=cf0f6c76-563c-4b91-8e31-52ca63d5247b

Question # 4 of 10 (Start time: 03:35:35 PM, 15 June 2022) Total Marks: 1

What will be the size of following array?
`int arr[29];`

Select the correct option

<input type="radio"/>	0
<input type="radio"/>	28
<input type="radio"/>	29
<input checked="" type="radio"/>	30

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 3:36 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=8561b40f-cde7-4208-9d21-3cd0b1e0e848

Question # 3 of 10 (Start time: 03:34:54 PM, 15 June 2022) Total Marks: 1

For the following given function prototype,
`int add (int *)`;
which one of the given function calls is "call by reference"?

Select the correct option

<input type="radio"/>	<code>add(x);</code>
<input type="radio"/>	<code>add(&x);</code>
<input type="radio"/>	<code>add(int x);</code>
<input checked="" type="radio"/>	<code>add(*x);</code>

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=1ae7e418-fcbb-4aef-a9ab-5a77d514dd77

Question # 2 of 10 (Start time: 03:34:30 PM, 15 June 2022) Total Marks: 1

We can define a matrix as _____ array.

Select the correct option

- Unsorted
- Multi dimensional
- Single dimensional
- Sorted

Click to Save Answer & Move to Next Question

Type here to search

43°C Haze 3:34 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=382476c8-5b76-4e99-a11f-b9ac9b7b293c

Question # 3 of 10 (Start time: 03:34:30 PM, 15 June 2022) Total Marks: 1

Which of the following is the correct way to write a compound assignment operator?

Select the correct option

- `x += 4;`
- `x + = 4;`
- None of the above
- `x += 4;`

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=cb68af87-53c3-47fe-a7fa-5d5a959d5bbf

Question # 10 of 10 (Start time: 03:29:37 PM, 15 June 2022) Total Marks: 1

Base address is the memory address of _____ element of an array.

Select the correct option

- 2nd
- 4th
- 3rd
- 1st

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 3:29 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=632cbc1b-133c-40bf-aed3-a9d885a79fa7

Question # 9 of 10 (Start time: 03:29:12 PM, 15 June 2022) Total Marks: 1

When we call a function, its control

Select the correct option

- transfers to its definition
- returns to statement following function call
- The compiler stops execution of whole program
- transfers to its Prototype

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=c0bbc6bf-c6eb-45c7-8039-bedf2bb1cd59

Question # 8 of 10 (Start time: 03:28:47 PM, 15 June 2022) Total Marks: 1

How we declare an array of integer data whose size is 20 with array name "count".

Select the correct option

- float count[20];
- int count[20];
- int count[21];
- int count[19];

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 3:29 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=d2674bfb-2f60-437d-9fde-7ce99f84f735

Question # 7 of 10 (Start time: 03:27:46 PM, 15 June 2022) Total Marks: 1

Which of the following option is correct about array?

Select the correct option

- Elements in an array cannot be sorted.
- Array is not used to store elements.
- Different types of elements can be stored in an array.
- Only one type of elements can be stored in an array.

Reload Math Equations

Click to Save Answer & Move to Next Question

Hot outside 3:28 AM 6/15/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=8d20f833-016f-409b-b047-97b17b9b2dea

Question # 6 of 10 (Start time: 03:27:08 PM, 15 June 2022) Total Marks: 1

What will be the correct syntax for declaration of the following statement?
"ptr is a constant pointer to an integer"

Select the correct option

- int *const ptr ;
- const int *myptr;
- const * int myptr;
- int const *ptr;

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 3:27 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=5f27b83f-bce7-43fc-bcaa-5a801b522e4d

Question # 5 of 10 (Start time: 03:26:20 PM, 15 June 2022) Total Marks: 1

In switch statement there can be _____ default statement(s).

Select the correct option

- 2
- 3
- 1
- 4

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=001d8cb8-3804-436f-8c84-44a292fa888

Question # 4 of 10 (Start time: 03:24:55 PM, 15 June 2022) Total Marks: 1

Continue statement usually forces the immediate _____ iteration of the loop.

Select the correct option Reload Math Equations

<input type="radio"/>	Previous
<input type="radio"/>	First
<input checked="" type="radio"/>	Next
<input type="radio"/>	Last

Click to Save Answer & Move to Next Question

Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=3f53daf4-b792-4355-ba7d-13be56eef45c

Question # 3 of 10 (Start time: 03:23:40 PM, 15 June 2022) Total Marks: 1

What will be the result of the expression
k = ++m;
if initially k = 0 and m = 5?

Select the correct option

<input type="radio"/>	5
<input type="radio"/>	4
<input type="radio"/>	0
<input checked="" type="radio"/>	6

Click to Save Answer & Move to Next Question

Type here to search

43°C Haze 3:26 AM 6/15/2022

43°C Haze 3:24 AM 6/15/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=d183c5e2-e152-4fc8-85b5-b9052bc8a86d

Question # 2 of 10 (Start time: 03:22:08 PM, 15 June 2022) Total Marks: 1

To perform repetition tasks for a known number of repetitions, most often used structure is _____.

Select the correct option

- Do-while structure
- None of the above
- For structure
- While structure

[▶ Saving and loading next question...](#)

Windows Type here to search 43°C Haze 3:23 AM 6/15/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=b0c5292e-e184-400b-b941-d02ed193a215

Question # 1 of 10 (Start time: 03:21:18 PM, 15 June 2022) Total Marks: 1

When an identifier is declared with keyword const then,

Select the correct option

- Its value can be overwritten
- Its value cannot be changed
- Its value can be changed with arithmetic operator
- Its value can be changed during execution.

[▶ Click to Save Answer & Move to Next Question](#)

AR Lucky Term

Quiz List x Quiz x Base address is the memory addi x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=4c702400-3e92-46f9-8cc4-7bbb0e489649

Question # 10 of 10 (Start time: 04:47:20 PM, 14 June 2022) Total Marks: 1

What will be the correct syntax for declaration of the following statement?
"ptr is a constant pointer to an integer"

Select the correct option

- const int *myptr;
- int *const ptr ;
- int const *ptr;
- const * int myptr;

Click to Save Answer & Move to Next Question

Type here to search 43°C Haze 4:48 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=1b8a798d-7ca0-47f3-8c84-d69629c50dbd

Question # 8 of 10 (Start time: 04:44:12 PM, 14 June 2022) Total Marks: 1

A function is a block of statements that can be defined once and used _____ in the program.

Select the correct option

- Three times
- Two times
- As many times as user wants
- One time

Click to Save Answer & Move to Next Question

Type here to search 43°C Haze 4:45 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=8b6597d6-3402-407d-bf2e-a5a23d84627f

Question # 7 of 10 (Start time: 04:43:23 PM, 14 June 2022) Total Marks: 1

Default mechanism of calling a function by passing it array is call by _____ and in case of passing variable is call by _____.

Select the correct option

<input checked="" type="radio"/>	Reference, value
<input type="radio"/>	Reference, Reference
<input type="radio"/>	Value, Reference
<input type="radio"/>	Value, Value

Click to Save Answer & Move to Next Question

Type here to search

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=1cf069af-53d8-418a-8825-2c4ff9ea05c4

Question # 6 of 10 (Start time: 04:41:51 PM, 14 June 2022) Total Marks: 1

Following is the declaration of a _____ array. `int arr[2][2];`

Select the correct option

Reload Math Equations

<input type="radio"/>	3-Dimensional
<input type="radio"/>	1-Dimensional
<input checked="" type="radio"/>	2-Dimensional
<input type="radio"/>	None of the given

Click to Save Answer & Move to Next Question

Type here to search

43°C Haze 4:44 AM 6/14/2022

43°C Haze 4:43 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=97f4ebe0-9ddc-4fdd-b73b-f816aaebb890

Question # 5 of 10 (Start time: 04:40:36 PM, 14 June 2022) Total Marks: 1

The value of a pointer can be _____.

Select the correct option

- none of the given options
- address of a variable
- name of the variable
- value of the variable

Click to Save Answer & Move to Next Question

Type here to search

43°C Haze 4:41 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=c865974c-9eab-4758-ba09-f0a6d3410323

Question # 4 of 10 (Start time: 04:39:04 PM, 14 June 2022) Total Marks: 1

X is an integer variable; what does X++ means,

Select the correct option

- None of these
- Add 2 in X value
- Add 1 two times in X value
- Add 1 in X value

Click to Save Answer & Move to Next Question

Type here to search

43°C Haze 4:40 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=56f9f164-71e0-45e4-a424-ed68e2de9000

Question # 3 of 10 (Start time: 04:37:41 PM, 14 June 2022) Total Marks: 1

What will be the output of the following code?
string grade [3] = {"A", "B", "C"};
grade[2] = "F";
cout << grade[2];

Select the correct option

<input type="radio"/>	A
<input type="radio"/>	C
<input type="radio"/>	B
<input checked="" type="radio"/>	F

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 4:38 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=1a960bc1-1bfa-41aa-9097-b99daf6b088c

Question # 2 of 10 (Start time: 04:36:16 PM, 14 June 2022) Total Marks: 1

_____ character is used to indicate the end of the string.

Select the correct option

<input type="radio"/>	E
<input checked="" type="radio"/>	Null
<input type="radio"/>	New line
<input type="radio"/>	Blank space

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 4:37 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=56f7478d-5e43-4681-b89c-362cf2cb1bdf

Question # 1 of 10 (Start time: 04:35:11 PM, 14 June 2022) Total Marks: 1

What will be the size of following array?
`int arr[29];`

Select the correct option

<input type="radio"/>	0
<input checked="" type="radio"/>	30
<input type="radio"/>	28
<input type="radio"/>	29

Click to Save Answer & Move to Next Question

Windows Type here to search 43°C Haze 4:36 AM 6/14/2022

Quiz List x Quiz x What will be the output of th x cecs282exam2review.pdf x C++ Strings x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=e6529fcb-fab6-4555-bd62-8dcf56777ccb

Question # 10 of 10 (Start time: 01:51:48 PM, 14 June 2022) Total Marks: 1

What will be the output of the following code?

```
char greeting[6] = {'H', 'e', 'l', 'l', 'o', '\0'};
cout << "Greeting message: ";
cout << greeting << endl;
```

Select the correct option

<input type="radio"/>	Greeting message: greeting
<input type="radio"/>	Greeting message: 'H' 'e' 'l' 'l' 'o'
<input type="radio"/>	Greeting message: 6
<input checked="" type="radio"/>	Greeting message: Hello

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:53 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=4f496a26-d994-448f-8495-a8e2827fce2c

Question # 9 of 10 (Start time: 01:50:28 PM, 14 June 2022) Total Marks: 1

From given options, select the correct syntax of the "function call" to the following function.
float add (int &);

Select the correct option

- add (*x);
- add(x);
- add(&x);
- add(int x);

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:51 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=f0f2d42d-328f-4231-b620-d46a8b5e50d8

Question # 8 of 10 (Start time: 01:49:56 PM, 14 June 2022) Total Marks: 1

_____ is a substitute of multiple if statement.

Select the correct option

- Break statement
- If..elseif statement
- Default statement
- Continue statement

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:50 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=77b9b19e-30e2-42eb-8845-76b4cf9b6fa4

Question # 7 of 10 (Start time: 01:48:48 PM, 14 June 2022) Total Marks: 1

What will be the correct syntax of declaration of the following statement?
" ptr is a pointer to const int "

Select the correct option

- const* int ptr
- int const* ptr
- int * const ptr
- const int *ptr

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:49 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=c350292d-535f-46e5-80bf-fab445a7d795

Question # 5 of 10 (Start time: 01:46:03 PM, 14 June 2022) Total Marks: 1

What is the output of the following code if the 3rd case is true

```
switch (var)
{
case 'a':
cout<<"apple"<<endl;
```

Select the correct option

- apple
- mango
- none of the above
- mango any fruit

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:47 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=afa5a38c-3b31-4759-8624-373aef48046b

Question # 4 of 10 (Start time: 01:45:05 PM, 14 June 2022) Total Marks: 1

A variable declared within a code block becomes _____ variable for that block.

Select the correct option

<input type="radio"/>	Integer
<input type="radio"/>	Global
<input checked="" type="radio"/>	Local
<input type="radio"/>	Static

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:45 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=6c7e0dbf-5cc0-4e5c-aa8d-3073e855bf4d

Question # 2 of 10 (Start time: 01:43:02 PM, 14 June 2022) Total Marks: 1

What will be the output of the following program?

```
void car() {  
    cout << "Honda";  
}  
int main() {  
    Car();  
}
```

Select the correct option

<input type="radio"/>	Car
<input checked="" type="radio"/>	Honda car
<input type="radio"/>	Syntax Error
<input type="radio"/>	Honda

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:44 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=5222ed6a-e0ff-49ef-9903-7f0522e3dfbd

Question # 1 of 10 (Start time: 01:42:20 PM, 14 June 2022) Total Marks: 1

The data type before a function name represents its,

Select the correct option

<input type="radio"/>	Function data
<input type="radio"/>	Function arguments
<input checked="" type="radio"/>	Return Type
<input type="radio"/>	Function name

Click to Save Answer & Move to Next Question

Windows Type here to search 41°C Sunny 1:42 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=2afa77fa-fe64-4b69-9d84-8d87ff4cb93e

Question # 10 of 10 (Start time: 01:03:33 PM, 14 June 2022) Total Marks: 1

By default, the starting index of an array in C++ is _____.

Select the correct option

<input type="radio"/>	-1
<input checked="" type="radio"/>	0
<input type="radio"/>	2
<input type="radio"/>	1

Click to Save Answer & Move to Next Question

Windows Type here to search 40°C Sunny 1:04 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=16bb7793-d0b2-42b9-b639-8c63f48b4580

Question # 9 of 10 (Start time: 01:02:26 PM, 14 June 2022) Total Marks: 1

What will be the correct syntax of declaration of the following statement?
" ptr is a pointer to const int "

Select the correct option

- int const* ptr
- const* int ptr
- const int *ptr
- int * const ptr

Click to Save Answer & Move to Next Question

Windows Type here to search 40°C Sunny 1:03 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=0fe3a898-9a17-49de-9631-6fdc4e3dc97a

Question # 8 of 10 (Start time: 01:01:53 PM, 14 June 2022) Total Marks: 1

_____ is a substitute of multiple if statement.

Select the correct option

- Break statement
- Continue statement
- Default statement
- If..elseif statement

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=47c3535a-4818-4c68-8f04-a94262409051

Question # 5 of 10 (Start time: 12:57:37 PM, 14 June 2022) Total Marks: 1

The structure, in which the body of the loop executed at-least once is called _____.

Select the correct option

- While structure
- For structure
- Do-while structure
- None of the above

Click to Save Answer & Move to Next Question

Windows Type here to search 36°C Haze 12:58 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=7b1925b4-ccf6-429f-9ec2-ad3c1352d392

Question # 4 of 10 (Start time: 12:56:31 PM, 14 June 2022) Total Marks: 1

In two-dimensional array, we use _____ 'for loop(s)' to populate the array.

Select the correct option

- 3
- 1
- 4
- 2

Click to Save Answer & Move to Next Question

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=37ba564a-f9af-4713-ac61-741ac851d1fc

Question # 3 of 10 (Start time: 12:55:45 PM, 14 June 2022) Total Marks: 1

What will be the size of the following character array?
char name[] = "Adeel";

Select the correct option

<input checked="" type="radio"/>	5
<input type="radio"/>	6
<input type="radio"/>	4
<input type="radio"/>	7

Click to Save Answer & Move to Next Question

Type here to search

36°C Haze 12:56 AM 6/14/2022

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=f6656aae-7eea-46c7-a9b6-e14af651ae58

Question # 2 of 10 (Start time: 12:54:54 PM, 14 June 2022) Total Marks: 1

The string in the array is terminated by a _____

Select the correct option

<input type="radio"/>	zero
<input checked="" type="radio"/>	null
<input type="radio"/>	one
<input type="radio"/>	nil

Click to Save Answer & Move to Next Question

Type here to search

36°C Haze 12:55 AM 6/14/2022

AR Lucky Term

Quiz List x Quiz x +

quiz.vu.edu.pk/QuizQuestion.aspx?ver=3e3965d8-e84f-4337-8635-ed7b9b385ab2

Question # 1 of 10 (Start time: 12:54:14 PM, 14 June 2022) Total Marks: 1

Default mechanism of calling a function by passing it array is call by _____ and in case of passing variable is call by _____.

Select the correct option

<input checked="" type="radio"/>	Reference, value
<input type="radio"/>	Value, Value
<input type="radio"/>	Reference, Reference
<input type="radio"/>	Value, Reference

Click to Save Answer & Move to Next Question

Type here to search 36°C Haze 12:54 AM 6/14/2022