



MTH202- Discrete Mathematics  
Latest Solved MCQS from Final term Papers

13 july,2011

Mc100401285

moaaz.pk@gmail.com

Moaaz Siddiq

FINAL TERM EXAMINATION  
Spring 2010  
MTH202- Discrete Mathematics (Session - 2)

Question No: 1 (Marks: 1) - Please choose one

If  $p$  = It is raining

$q$  = She will go to college

"It is raining and she will not go to college" will be denoted by

- ▶  $p \wedge \sim q$  **Correct.**
- ▶  $p \wedge q$
- ▶  $\sim (p \wedge q)$
- ▶  $\sim p \wedge q$

Question No: 2 (Marks: 1) - Please choose one

In a directed graph of a Irreflexive relation, there should be

- ▶ Loop on a one point
- ▶ **No loop at any point (Page 89)**
- ▶ No point connected

Question No: 4 (Marks: 1) - Please choose one

How many functions are there from a set with three elements to a set with two elements?

- ▶ 6
- ▶ **8**
- ▶ 12

$$n^m = 2^3 = 8$$

Question No: 5 (Marks: 1) - Please choose one

If a set contains exactly  $m$  distinct elements where  $m$  denotes some non negative integer then the set is.

- ▶ **Finite (Page 40)**
- ▶ Infinite
- ▶ None of these

Question No: 6 (Marks: 1) - Please choose one

Let  $f$  and  $g$  be the functions defined by

mc100401285

moaaz.pk@gmail.com

$f(x) = 2x+3$  &  $g(x) = 3x+2$  then composition of  $f$  and  $g$  is

- ▶  $6x+6$
- ▶  $5x+5$
- ▶  **$6x+7$**

$$\begin{aligned}f \circ g &= f(3x+2) \\ &= 2(3x+2)+3 \\ &= 6x+4+3 \\ &= 6x+7\end{aligned}$$

**Question No: 7 (Marks: 1) - Please choose one**

Let  $f$  is defined recursively by

$$F(0)=3$$

$$F(n+1)=2f(n)+2$$

Then  $f(2)=$

- ▶ 8
- ▶ 10
- ▶ **18**
- ▶ 21

$$\begin{aligned}f(1) &= 2f(0)+2 = 2(3)+2 = 6+2 = 8 \\ f(2) &= 2f(1)+2 = 2(8)+2 = 16+2 = 18\end{aligned}$$

**Question No: 9 (Marks: 1) - Please choose one**

If a pair of dice is thrown then the probability of getting a total of 5 or 11 is

- $\frac{1}{18}$
- $\frac{1}{9}$
- **$\frac{1}{6}$**

*Outcomes with sum of 5 = (1,4),(2,3),(3,2),(4,1)*

*Outcomes with sum of 11 = (5,6),(6,5)*

*Total outcomes for 5 & 11 = 6*

*Total outcome for 2 dice =  $6 \times 6 = 36$*

$$\text{Probability} = \frac{6}{36} = \frac{1}{6}$$

**Question No: 10 (Marks: 1) - Please choose one**

If a die is rolled then what is the probability that the number is greater than 4

- $\frac{1}{3}$
- $\frac{3}{4}$
- $\frac{1}{2}$

Number greater than 4 = 5, 6

$$\text{Probability} = \frac{2}{6} = \frac{1}{3}$$


**Question No: 11 (Marks: 1) - Please choose one**

What is the expectation of the number of heads when three fair coins are tossed?

- ▶ 1
- ▶ 1.34
- ▶ 2
- ▶ **1.5 (Page 277)**

**Question No: 13 (Marks: 1) - Please choose one**

The **Hamiltonian circuit** for the following graph is



- ▶ abcdefgh
- ▶ abefgha
- ▶ **abcdefgha (Page 297)**

**Question No: 14 (Marks: 1) - Please choose one**

Let  $n$  and  $d$  be integers and  $d \neq 0$ . Then  $n$  is **divisible by  $d$**  or  $d$  divides  $n$

If and only if

- ▶  **$n = k.d$  for some integer  $k$  (Page 179)**
- ▶  $n = d$
- ▶  $n.d = 1$
- ▶ none of these

**Question No: 16 (Marks: 1) - Please choose one**

The sum of two irrational number must be an **irrational number**

- ▶ **False (Page 197)**
- ▶ True

**Question No: 17 (Marks: 1) - Please choose one**

The square root of every prime number is irrational

- ▶ True
- ▶ False
- ▶ Depends on the prime number given

Question No: 18 (Marks: 1) - Please choose one

The greatest common divisor of 27 and 72 is

- ▶ 27
- ▶ 9
- ▶ 1
- ▶ None of these

**Solution:**

1. Divide 72 by 27:

$$\text{This gives } 72 = 27 \cdot 2 + 18$$

2. Divide 27 by 18:

$$\text{This gives } 27 = 18 \cdot 1 + 9$$

3. Divide 18 by 9:

$$\text{This gives } 18 = 9 \cdot 2 + 0$$

Hence greatest common divisor  $(72, 27) = 9$ .

Question No: 19 (Marks: 1) - Please choose one

If T is a full binary tree and has 5 internal vertices then the total vertices of T are

- ▶ 11
- ▶ 12
- ▶ 13
- ▶ None of these

$$2k + 1 = 2(5) + 1 = 10 + 1 = 11$$

Question No: 20 (Marks: 1) - Please choose one

Suppose that a connected planar simple graph has 30 edges. If a plane drawing of this graph has 20 faces, how many vertices does the graph have?

▶ 12 (Page 318)

- ▶ 13
- ▶ 14

Question No: 21 (Marks: 1) - Please choose one

How many different ways can three of the letters of the word BYTES be chosen if the first letter must be B ?

- ▶ P(4,2)
- ▶ P(2,4)
- ▶ C(4,2)
- ▶ None of these

**Question No: 22 (Marks: 1) - Please choose one**  
**The value of  $0!$  is**

- ▶ 0
- ▶ **1 (Page 160)**
- ▶ Cannot be determined

**Question No: 23 (Marks: 1) - Please choose one**  
An arrangement of objects with the **consideration of order** is called

- ▶ **Permutation (Page 219)**
- ▶ Combination
- ▶ Selection
- ▶ None of these

**Question No: 25 (Marks: 1) - Please choose one**  
Among 200 people, 150 either swim or jog or both. If 85 swim and 60 swim and jog, **how many jog?**

- ▶ **125 (Page 241)**
- ▶ 225
- ▶ 85
- ▶ 25


**Question No: 26 (Marks: 1) - Please choose one**  
**If a graph is a tree then**

- ▶ it has 2 spanning trees
- ▶ **it has only 1 spanning tree (Page 329)**
- ▶ it has 4 spanning trees
- ▶ it has 5 spanning trees

**Question No: 27 (Marks: 1) - Please choose one**  
**Euler formula for graphs is**

- ▶  $f = e - v$
- ▶  $f = e + v + 2$
- ▶  $f = e - v - 2$
- ▶  **$f = e - v + 2$  (Page 317)**

**Question No: 28 (Marks: 1) - Please choose one**  
**The given graph is**



► **Simple graph**

- Complete graph
- Bipartite graph
- Both (i) and (ii)
- Both (i) and (iii)

**Question No: 29 (Marks: 1) - Please choose one**  
 An integer  $n$  is odd if and only if  $n = 2k + 1$  for some integer  $k$ .

► **True (Page 187)**

- False
- Depends on the value of  $k$

**Question No: 30 (Marks: 1) - Please choose one**  
 If  $P(A \cap B) = P(A)P(B)$  then the events  $A$  and  $B$  are called

► **Independent (Page 272)**

- Dependent
- Exhaustive

**FINAL TERM EXAMINATION**  
**Spring 2010**  
**MTH202- Discrete Mathematics (Session - 1)**

**Question No: 1 (Marks: 1) - Please choose one**  
 Whether the relation  $R$  on the set of all integers is reflexive, symmetric, antisymmetric, or transitive,

where  $(x, y) \in R$  if and only if  $xy \geq 1$

- Anti symmetric
- Transitive
- Symmetric
- **Both Symmetric and transitive**

[http://www.maths.uq.edu.au/courses/MATH1061/wkbooksols/chap10/S10\\_5\\_3solution.htm](http://www.maths.uq.edu.au/courses/MATH1061/wkbooksols/chap10/S10_5_3solution.htm)

**Question No: 2 (Marks: 1) - Please choose one**

For a binary relation R defined on a set A, if for all  $t \in A, (t, t) \notin R$  then R is

- Anti symmetric
- Symmetric
- **Irreflexive (Page 77)**

**Question No: 3 (Marks: 1) - Please choose one**

If  $(A \cup B) = A$ , then  $(A \cap B) = B$

- **True**
- False
- Cannot be determined

**Question No: 4 (Marks: 1) - Please choose one**

Let

$$a_0 = 1, a_1 = -2 \text{ and } a_2 = 3$$

$$\text{then } \sum_{j=0}^2 a_j =$$

- -6
- **2**
- 8

$$1 + (-2) + 3 = 2$$

**Question No: 5 (Marks: 1) - Please choose one**

The part of definition which can be expressed in terms of smaller versions of itself is called

Base

Restriction

**Recursion (page 159)**

Conclusion

**Question No: 6 (Marks: 1) - Please choose one**

$$\left\lceil \frac{N}{6} \right\rceil = 9$$

What is the smallest integer N such that

- 46
- 29
- **49**

$$N = 6 \times (9 - 1) + 1$$

$$= 6 \times 8 + 1 = 49$$

**Question No: 7 (Marks: 1) - Please choose one**

In probability distribution random variable f satisfies the conditions

- $f(x_i) \leq 0$  and  $\sum_{i=1}^n f(x_i) \neq 1$
- $f(x_i) \geq 0$  and  $\sum_{i=1}^n f(x_i) = 1$  (Page 275)
- $f(x_i) \geq 0$  and  $\sum_{i=1}^n f(x_i) \neq 1$
- $f(x_i) < 0$  and  $\sum_{i=1}^n f(x_i) = 1$

**Question No: 8 (Marks: 1) - Please choose one**

**What is the probability that a hand of five cards contains four cards of one kind?**

- 0.0018
- $\frac{1}{2}$
- **0.0024 (page 253)**

**Question No: 9 (Marks: 1) - Please choose one**

**A rule that assigns a numerical value to each outcome in a sample space is called**

- One to one function
- Conditional probability
- **Random variable (Page 274)**


**Question No: 10 (Marks: 1) - Please choose one**

**A walk that starts and ends at the same vertex is called**

- Simple walk
- Circuit
- **Closed walk (Page 292)**

**Question No: 11 (Marks: 1) - Please choose one**

**The Hamiltonian circuit for the following graph is**



- abcdefgh
- abefgha
- **abcdefggha (Page 297)**

**Question No: 14 (Marks: 1) - Please choose one**

**The square root of every prime number is irrational**

- **True**
- False
- Depends on the prime number given

**Question No: 15 (Marks: 1) - Please choose one**

If  $a$  and  $b$  are any positive integers with  $b \neq 0$  and  $q$  and  $r$  are non negative integers such that  $a = b \cdot q + r$  then

- **gcd(a,b)=gcd(b,r) (Page 207)**
- gcd(a,r)=gcd(b,r)
- gcd(a,q)=gcd(q,r)

**Question No: 16 (Marks: 1) - Please choose one**

The greatest common divisor of 27 and 72 is

- 27
  - **9**
  - 1
  - None of these
- Hamiltonian circuit

**Solution:**

1. Divide 72 by 27:

$$\text{This gives } 72 = 27 \cdot 2 + 18$$

2. Divide 27 by 18:

$$\text{This gives } 27 = 18 \cdot 1 + 9$$

3. Divide 18 by 9:

$$\text{This gives } 18 = 9 \cdot 2 + 0$$

Hence greatest common divisor  $(72, 27) = 9$ .

**Question No: 17 (Marks: 1) - Please choose one**

In how many ways can a set of five letters be selected from the English Alphabets?

- **C(26,5)**
- C(5,26)
- C(12,3)
- None of these



**Question No: 18 (Marks: 1) - Please choose one**

A vertex of degree greater than 1 in a tree is called a

- **Branch vertex (Page 323)**
- Terminal vertex
- Ancestor

**Question No: 19 (Marks: 1) - Please choose one**

For the given pair of graphs whether it is




- **Isomorphic**
- Not isomorphic

Question No: 20 (Marks: 1) - Please choose one  
The value of  $(-2)!$  is

- 0
- 1
- **Cannot be determined (Page 217)**

Question No: 21 (Marks: 1) - Please choose one  
In the following graph



How many simple paths are there from  $v_1$  to  $v_4$

- 2
- **3**
- 4

Question No: 22 (Marks: 1) - Please choose one

$$\frac{(n+1)!}{(n-1)!}$$

The value of \_\_\_\_\_ is

- 0
- $n(n-1)$
- $n^2 + n$
- Cannot be determined

$$\frac{(n+1)!}{(n-1)!} = \frac{(n+1).n.\cancel{(n-1)!}}{\cancel{(n-1)!}} = (n+1).n = n^2 + n$$

Question No: 24 (Marks: 1) - Please choose one  
Any two spanning trees for a graph

- Does not contain same number of edges
- Have the same degree of corresponding edges
- **contain same number of edges (Page 329)**
- May or may not contain same number of edges

Question No: 25 (Marks: 1) - Please choose one  
When  $3^k$  is even, then  $3^k+3^k+3^k$  is an odd.

- True
- **False**

Question No: 26 (Marks: 1) - Please choose one  
Quotient–Remainder Theorem states that for any positive integer d, there exist unique integer q and r such that  $n=d.q+r$  and \_\_\_\_\_.

- **$0 \leq r < d$  (Page 201)**
- $0 < r < d$
- $0 \leq d < r$
- None of these

Question No: 27 (Marks: 1) - Please choose one  
The value of  $\lceil x \rceil$  for  $x = -3.01$  is

- -3.01
- **-3**
- -2
- -1.99

$$\lfloor -3.01 \rfloor = \lfloor -4 + 0.99 \rfloor = -4$$

$$\lceil -3.01 \rceil = \lceil -4 + 0.99 \rceil = -4 + 1 = -3$$

**Question No: 29 (Marks: 1) - Please choose one**

**An integer  $n$  is prime if and only if  $n > 1$  and for all positive integers  $r$  and  $s$ , if  $n = r \cdot s$ , then**

- $r = 1$  or  $s = 2$ .
- $r = 1$  or  $s = 0$ .
- $r = 2$  or  $s = 3$ .
- **None of these (Page 187)**

**Question No: 30 (Marks: 1) - Please choose one**

**If  $P(A \cap B) = P(A)P(B)$  then the events  $A$  and  $B$  are called**

- **Independent (Page 272)**
- Dependent
- Exhaustive

**FINAL TERM EXAMINATION**  
**Fall 2009**  
**MTH202- Discrete Mathematics**

**If  $A$  and  $B$  are two disjoint (mutually exclusive) events then,  $P(A \cup B) =$**

- $P(A) + P(B) + P(A \cap B)$
- $P(A) + P(B) + P(A \cup B)$
- $P(A) + P(B) - P(A \cap B)$
- $P(A) + P(B) - P(A \cup B)$
- **$P(A) + P(B)$  (Page 240)**

**If  $p =$  It is red,  
 $q =$  It is hot**

**Then, It is not red but hot is denoted by  $\sim p \wedge \sim q$**

- True
- **False**

**If  $(A \cup B) = A$ , then  $(A \cap B) = B$**

- **True**
- False
- Cannot be determined

**How many integers from 1 through 1000 are neither multiple of 3 nor multiple of 5?**

- 333
- 467
- **533 (Page 245)**

➤ 497

The value of  $\lceil x \rceil$  for -2.01 is

➤ -3

➤ 1

➤ -2 (Page 249)

If  $p$  = Nadia is hard working ,

$q$  = Nadia is good in mathematics

"Nadia is hard working and good in mathematics" is denoted by

➤  $p \wedge q$  Correct.

➤  $p \wedge \sim q$

➤  $\sim (p \vee q)$

➤  $p \vee q$

A die is thrown twice. What is the probability that the sum of the number of dots shown is 3 or 11?

➤  $\frac{2}{3}$

➤  $\frac{1}{9}$

➤  $\frac{1}{9}$  Correct.

➤  $\frac{1}{2}$

Outcomes with sum of 5 = (1,2)(2,1)

Outcomes with sum of 11 = (5,6),(6,5)

Total outcomes for 5 & 11 = 4

Total outcome for 2 dice =  $6 \times 6 = 36$

Probability =  $\frac{4}{36} = \frac{1}{9}$

$P(A/B) =$

If A and B are independent events then

➤ P (B)

➤ P (A) (Page 272)

➤  $P(A \cap B)$

What is the expectation of the number of heads when three fair coins are tossed?

➤ 1

➤ 1.34

➤ 2

➤ 1.5 (Page 277)

Every relation is

➤ function

- **may or may not function**
- bijective mapping
- Cartesian product set

The statement  $p \leftrightarrow q = (p \rightarrow q) \wedge (q \rightarrow p)$  describes

- Commutative Law
- Implication Laws
- Exportation Law
- **Equivalence**

Given  $f(x) = x^3 - 2x^2 + 4x - 1$  then the value of  $f(1-x)$  is

- $\frac{1}{x^3} - \frac{2}{x^2} + \frac{4}{x} - 1$
- $-x^3 + x^2 - 3x + 2$
- Zero
- $2 + x^2 - x^3$

$$\begin{aligned}
 f(1-x) &= (1-x)^3 - 2(1-x)^2 + 4(1-x) - 1 \\
 &= 1 - x^3 + 3x^2 - 3x - 2(1 + x^2 - 2x) + 4 - 4x - 1 \\
 &= \cancel{1} - x^3 + 3x^2 - 3x - 2 - 2x^2 + \cancel{4x} + 4 - \cancel{4x} - 1 \\
 &= -x^3 + 3x^2 - 2x^2 - 3x - 2 + 4 \\
 &= -x^3 + x^2 - 3x + 2
 \end{aligned}$$

The square root of every prime number is irrational

- **True**
- False
- Depends on the prime number given

**A predicate is a sentence** that contains a finite number of variables and becomes a statement when specific values are substituted for the variables

- **True (Page 202)**
- False
- None of these

If  $r$  is a positive integer then  $\gcd(r,0)=$

- **$r$**
- 0
- 1
- None of these

Associative law of union for three sets is

- $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$
- $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$
- $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$

None of these

**Values of X and Y, if the following order pairs are equal.**

$$(4X-1, 4Y+5) = (3,5)$$

will be

- ▶  $(x,y) = (3,5)$
- ▶  $(x,y) = (1.5,2.5)$
- ▶  $(x,y) = (1,0)$
- ▶ None of these

$$4X - 1 = 3$$

$$4Y + 5 = 5$$

$$4X = 3 + 1$$

$$4Y = 5 - 5$$

$$4X = 4$$

$$4Y = 0$$

$$X = \frac{4}{4} = 1$$

$$Y = \frac{0}{4} = 0$$

**The expectation of x is equal to**

- Sum of all terms
- Sum of all terms divided by number of terms
- $\sum xf(x)$  (Page 277)

**A line segment joining pair of vertices is called**

- Loop
- **Edge (Page 283)**
- Node

**The indirect proof of a statement  $p \rightarrow q$  involves**

- Considering  $\sim q$  and then try to reach  $\sim p$
- Considering  $p$  and  $\sim q$  and try to reach contradiction
- **Both 2 and 3 above (Not sure)**
- Considering  $p$  and then try to reach  $q$

**The greatest common divisor of 5 and 10 is**

- **5**
- 0
- 1
- None of these


Suppose that there are **eight runners in a race** first will get gold medal the second will get silver and third will get bronze. How many different ways are there to award these medals if all possible outcomes of race can occur and there is no tie?

- **P(8,3)**
- P(100,97)
- P(97,3)
- None of these

**The value of 0! Is**

- 0
- **1 (Page 160)**
- Cannot be determined

**Which of the following graphs are tree?**



- **a, b, c**
- b, c, d
- c, d, e
- a, c, e

**A sub graph of a graph G that contains every vertex of G and is a tree is called**

- Trivial tree
- empty tree
- **Spanning tree (Page 329)**

**In the planar graph, the graph crossing number is**

- **0 (Page 314)**
- 1
- 2
- 3

**A matrix in which number of rows and columns are equal is called**

- Rectangular Matrix
- **Square Matrix (Page 289)**
- Scalar Matrix

**Changing rows of matrix into columns is called**

- Symmetric Matrix
- **Transpose of Matrix (Page 299)**
- Adjoint of Matrix

**If A and B are finite (overlapping) sets, then which of the following must be true**

- $n(A \cup B) = n(A) + n(B)$
- $n(A \cup B) = n(A) + n(B) - n(A \cap B)$  (Page 240)
- $n(A \cup B) = \emptyset$
- None of these

When  $3^k$  is even, then  $3^k + 3^k + 3^k$  is an odd.

- True
- **False**

When  $5^k$  is even, then  $5^k + 5^k + 5^k$  is odd.

- **True**
- False

$5^n - 1$  is divisible by 4 for all positive integer values of  $n$ .

- **True**
- False

If  $r$  is a positive integer then  $\gcd(r, 5) =$

- **$r$**
- 5
- 0
- None of these

The product of the positive integers from 1 to  $n$  is called

- Multiplication
- **$n$  factorial (Page 217)**
- Geometric sequence

The expectation  $\mu$  for the following table is

$x_i$	1	3
$f(x_i)$	0.4	0.1

- 0.5
- 3.4
- 0.3
- **0.7**

$$\begin{aligned}\sum xf(x) &= (1 \times 0.4) + (3 \times 0.1) \\ &= 0.4 + 0.3 \\ &= 0.7\end{aligned}$$


If  $p =$  A Pentium 4 computer,

$q =$  attached with ups.

Then "no Pentium 4 computer is attached with ups" is denoted by

- $\sim (p \wedge q)$
- $\sim p \vee q$
- $\sim p \wedge q$
- None of these

The given graph is



- **Simple graph**
- Complete graph
- Bipartite graph
- Both (i) and (ii)
- Both (i) and (iii)

$P(n)$  is called proposition or statement.

- **True (Page 170)**
- False

An integer  $n$  is odd if and only if  $n = 2k + 1$  for some integer  $k$ .

- **True (Page 187)**
- False
- Depends on the value of  $k$

An integer  $n$  is called a perfect square if and only if  $n = k^2$  for some integer  $k$ .

- **True (Page 187)**
- False
- Depends on the value of  $k$

**FINAL TERM EXAMINATION**  
**Fall 2009**  
**MTH202- Discrete Mathematics**

**Question No: 1 ( Marks: 1 ) - Please choose one**

Let  $A = \{a, b, c\}$  and

$R = \{(a, c), (b, b), (c, a)\}$  be a relation on A. Is R

- ▶ Transitive
- ▶ Reflexive
- ▶ **Symmetric**
- ▶ Transitive and Reflexive

**Question No: 2 ( Marks: 1 ) - Please choose one**

Symmetric and antisymmetric are

- ▶ Negative of each other
- ▶ Both are same
- ▶ **Not negative of each other (Page 90)**


**Question No: 3 ( Marks: 1 ) - Please choose one**

The statement  $p \square q \square q \square p$  describes

- ▶ **Commutative Law:**
- ▶ Implication Laws:
- ▶ Exportation Law:
- ▶ Equivalence:

**Question No: 4 ( Marks: 1 ) - Please choose one**

The relation as a set of ordered pairs as shown in figure is



- ▶  $\{(a,b),(b,a),(b,d),(c,d)\}$
- ▶  $\{(a,b),(b,a),(a,c),(b,a),(c,c),(c,d)\}$
- ▶  **$\{(a,b), (a,c), (b,a),(b,d), (c,c),(c,d)\}$**
- ▶  $\{(a,b), (a,c), (b,a),(b,d),(c,d)\}$

**Question No: 5 ( Marks: 1 ) - Please choose one**

The statement  $p \square q \square (p \square \sim q) \square c$  describes

- ▶ Commutative Law:
- ▶ Implication Laws:
- ▶ Exportation Law:
- ▶ **Reductio ad absurdum**

**Question No: 6 (Marks: 1) - Please choose one**  
A circuit with one input and one output signal is called.

- ▶ **NOT-gate (or inverter) (Page 31)**
- ▶ OR- gate
- ▶ AND- gate
- ▶ None of these

**Question No: 7 (Marks: 1) - Please choose one**

If  $f(x)=2x+1$ ,  $g(x)=x^2 -1$  then  $fg(x)=$

- ▶  $x^2 -1$
- ▶  **$2x^2 -1$**
- ▶  $2x^3 -1$

$$fg(x) = f(x^2 - 1)$$

$$f(x^2 - 1) = 2(x^2 - 1) + 1$$

$$= 2x^2 - 2 + 1$$

$$= 2x^2 - 1$$

**Question No: 8 (Marks: 1) - Please choose one**

Let  $g$  be the functions defined by  
 $g(x)= 3x+2$  then  $gog(x) =$

- ▶  $9x^2 + 4$
- ▶  $6x+4$
- ▶  **$9x+8$**

$$gg(x) = g(3x + 2)$$

$$g(3x + 2) = 3(3x + 2) + 2$$

$$= 9x + 6 + 2$$

$$= 9x + 8$$

**Question No: 9 (Marks: 1) - Please choose one**

How many integers from 1 through 1000 are neither multiple of 3 nor multiple of 5?

- ▶ 333
- ▶ 467

► 533 (Page 245)

► 497

**Question No: 10 (Marks: 1) - Please choose one**

$$\left\lceil \frac{N}{6} \right\rceil = 9$$

**What is the smallest integer N such that**

► 46

► 29

► 49

$$N = 6 \times (9 - 1) + 1$$

$$= 6 \times 8 + 1 = 49$$

**Question No: 11 (Marks: 1) - Please choose one**

What is the probability of getting a number greater than 4 when a die is thrown?

►  $\frac{1}{2}$

►  $\frac{3}{2}$

►  $\frac{1}{3}$

*Number greater than 4 = 5, 6*

$$\text{Probability} = \frac{2}{6} = \frac{1}{3}$$

**Question No: 12 (Marks: 1) - Please choose one**

**If A and B are two disjoint (mutually exclusive)**

**events then  $P(A \cap B) =$**

►  $P(A) + P(B) + P(A \cap B)$

►  $P(A) + P(B) + P(A \cup B)$

►  $P(A) + P(B) - P(A \cap B)$

►  $P(A) + P(B) - P(A \cup B)$

►  $P(A) + P(B)$  Page (240)

**Question No: 13 (Marks: 1) - Please choose one**

If a die is thrown then the probability that the dots on the top are prime numbers or odd numbers is

► 1

►  $\frac{1}{2}$

➤  $\frac{2}{3}$

Prime number or odd number =1,3,5

Total outcomes =6

Probability =  $\frac{3}{6}=\frac{1}{2}$

**Question No: 14 ( Marks: 1 ) - Please choose one**

The probability of getting 2 heads in two successive tosses of a balanced coin is

➤  $\frac{1}{4}$

➤  $\frac{1}{2}$

➤  $\frac{2}{3}$

**Question No: 15 ( Marks: 1 ) - Please choose one**

The probability of getting a 5 when a die is thrown?

➤  $\frac{1}{6}$

➤  $\frac{5}{6}$

➤  $\frac{1}{3}$

**Question No: 16 ( Marks: 1 ) - Please choose one:**

If a coin is tossed then what is the probability that the number is 5

➤  $\frac{1}{2}$

➤ 0

➤ 1

**Wrong Question**

**Question No: 17 ( Marks: 1 ) - Please choose one**

If A and B are two sets then The set of all elements that belong to both A and B , is

▶  $A \cap B$

▶  $A \cap B$  (Page 42)

▶  $A \cup B$

▶ None of these

**Question No: 18 ( Marks: 1 ) - Please choose one**

What is the expectation of the number of heads when three fair coins are tossed?

▶ 1

- ▶ 1.34
- ▶ 2
- ▶ **1.5 (Page 277)**

**Question No: 19 (Marks: 1) - Please choose one**

If A, B and C are any three events, then

$P(A \cap B \cap C)$  is equal to

- ▶  $P(A) + P(B) + P(C)$
- ▶  **$P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C) + P(A \cap B \cap C)$  (Page 264)**
- ▶  $P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C)$
- ▶  $P(A) + P(B) + P(C) + P(A \cap B \cap C)$

**Question No: 20 (Marks: 1) - Please choose one**

A rule that assigns a numerical value to each outcome in a sample space is called

- ▶ One to one function
- ▶ Conditional probability
- ▶ **Random variable (Page 274)**

**Question No: 21 (Marks: 1) - Please choose one**

The power set of a set A is the set of all subsets of A, denoted  $P(A)$ .

- ▶ False
- ▶ **True (Page 68)**

**Question No: 22 (Marks: 1) - Please choose one**

A walk that starts and ends at the same vertex is called

- ▶ Simple walk
- ▶ Circuit
- ▶ **Closed walk (Page 292)**

**Question No: 23 (Marks: 1) - Please choose one**

If a graph has any vertex of degree 3 then

- ▶ It must have Euler circuit
- ▶ It must have Hamiltonian circuit
- ▶ It does not have Euler circuit

**Question No: 24 (Marks: 1) - Please choose one**

The square root of every prime number is irrational

- ▶ **True**
- ▶ False
- ▶ Depends on the prime number given

**Question No: 25 (Marks: 1) - Please choose one**

A predicate is a sentence that contains a finite number of variables and becomes a statement when specific values are substituted for the variables

- ▶ **True (Page 202)**
- ▶ False

- ▶ None of these

**Question No: 26 (Marks: 1) - Please choose one**

If  $r$  is a positive integer then  $\gcd(r,0)=$

- ▶  **$r$**
- ▶ 0
- ▶ 1
- ▶ None of these

**Question No: 27 (Marks: 1) - Please choose one**

Combinatorics is the mathematics of counting and arranging objects

- ▶ **True (Page 209)**
- ▶ False
- ▶ Cannot be determined

**Question No: 28 (Marks: 1) - Please choose one**

A circuit that consist of a single vertex is called

- ▶ **Trivial (Page 322)**
- ▶ Tree
- ▶ Empty

**Question No: 29 (Marks: 1) - Please choose one**

In the planar graph, the graph crossing number is

- ▶ **0 (Page 314)**
- ▶ 1
- ▶ 2
- ▶ 3

**Question No: 30 (Marks: 1) - Please choose one**

How many ways are there to select five players from a 10 member tennis team to make a trip to a match to another school?

- ▶  **$C(10,5)$**
- ▶  $C(5,10)$
- ▶  $P(10,5)$
- ▶ None of these

*Solution:* The answer is given by the number of 5-combinations of a set with ten elements.

By Theorem 2, the number of such combinations is

$$C(10, 5) = \frac{10!}{5!5!} = 252.$$

**Question No: 31 (Marks: 1) - Please choose one**

The value of  $0!$  is

- ▶ 0
- ▶ **1**

- ▶ Cannot be determined

**Question No: 32 (Marks: 1) - Please choose one**

If the transpose of any square matrix and that matrix are same then matrix is called

- ▶ Additive Inverse
- ▶ Hermitian Matrix
- ▶ **Symmetric Matrix (Page 299)**

**Question No: 33 (Marks: 1) - Please choose one**

$$\frac{(n-1)!}{(n+1)!}$$

The value of is

- ▶ 0
- ▶  $n(n-1)$
- ▶  **$\frac{1}{(n^2+n)}$  (Page 217)**
- ▶ Cannot be determined

**Question No: 34 (Marks: 1) - Please choose one**

If A and B are two disjoint sets then which of the following **must be true**

- ▶  **$n(A \sqcup B) = n(A) + n(B)$  (Page 257)**
- ▶  $n(A \sqcup B) = n(A) + n(B) - n(A \cap B)$
- ▶  $n(A \cap B) = \emptyset$
- ▶ None of these

**Question No: 35 (Marks: 1) - Please choose one**

Any two spanning trees for a graph

- ▶ Does not contain same number of edges
- ▶ Have the same degree of corresponding edges
- ▶ **contain same number of edges (Page 329)**
- ▶ May or may not contain same number of edges

**Question No: 36 (Marks: 1) - Please choose one**

When P(k) and P(k+1) are true for any positive integer k, then P(n) is not true for all +ve Integers.

- ▶ True
- ▶ **False (Lecture 23)**

**Question No: 37 (Marks: 1) - Please choose one**

$n^2 > n+3$  for all integers  $n \geq 3$ .

- ▶ True

► False

**Question No: 38 (Marks: 1) - Please choose one**

**Quotient–Remainder Theorem states that for any positive integer  $d$ , there exist unique integer  $q$  and  $r$  such that \_\_\_\_\_ and  $0 \leq r < d$ .**

►  **$n = d \cdot q + r$  (Page 201)**

►  $n = d \cdot r + q$

►  $n = q \cdot r + d$

► None of these

**Question No: 39 (Marks: 1) - Please choose one**

**Euler formula for graphs is**

►  $f = e - v$


►  $f = e + v + 2$

►  $f = e - v - 2$

►  **$f = e - v + 2$  (Page 317)**

**Question No: 40 (Marks: 1) - Please choose one**

**The degrees of  $\{a, b, c, d, e\}$  in the given graph is**



► 2, 2, 3, 1, 1

► 2, 3, 1, 0, 1

► 0, 1, 2, 2, 0

► **2,3,1,2,0 Correct answer on Paper 307**

## FINALTERM EXAMINATION

Spring 2009

MTH202- Discrete Mathematics (Session - 2)

**Question No: 1 (Marks: 1) - Please choose one**

**The negation of “Today is Friday” is**

➤ Today is Saturday

➤ **Today is not Friday**

➤ Today is Thursday

**Question No: 2 (Marks: 1) - Please choose one**

**An arrangement of rows and columns that specifies the truth value of a compound proposition for all**

possible truth values of its constituent propositions is called

- **Truth Table (Page 6)**
- Venn diagram
- False Table
- None of these

**Question No: 4 (Marks: 1) - Please choose one**

Contra positive of given statement “*If it is raining, I will take an umbrella*” is

- **I will not take an umbrella if it is not raining.**
- I will take an umbrella if it is raining.
- It is not raining or I will take an umbrella.
- None of these.

**Question No: 5 (Marks: 1) - Please choose one**

Let  $A = \{1, 2, 3, 4\}$  and  $R = \{(1, 1), (2, 2), (3, 3), (4, 4)\}$  then

- ► R is symmetric.
- ► R is anti symmetric.
- ► R is transitive.
- ► R is reflexive.
- ► **All given options are true**

**Question No: 6 (Marks: 1) - Please choose one**

A binary relation R is called Partial order relation if

- It is Reflexive and transitive
- It is symmetric and transitive
- It is reflexive, symmetric and transitive
- **It is reflexive, anti symmetric and transitive**

**Question No: 7 (Marks: 1) - Please choose one**

How many functions are there from a set with three elements to a set with two elements?

- 6
- **8**
- 12

$$n^m = 2^3 = 8$$

**Question No: 8 (Marks: 1) - Please choose one**

$1, 10, 10^2, 10^3, 10^4, 10^5, 10^6, 10^7, \dots$  is

- Arithmetic series
- Geometric series
- Arithmetic sequence
- **Geometric sequence**

**Question No: 9 (Marks: 1) - Please choose one**

$\lceil x \rceil$   
for  $x = -2.01$  is

- -2.01
- -3
- **-2 (Page 249)**
- -1.99

**Question No: 10 (Marks: 1) - Please choose one**

If A and B are two disjoint (mutually exclusive)

events then  $P(A \cup B) =$

- $P(A) + P(B) + P(A \cap B)$
- $P(A) + P(B) + P(A \cup B)$
- $P(A) + P(B) - P(A \cap B)$
- $P(A) + P(B) - P(A \cup B)$
- **$P(A) + P(B)$**

**Question No: 11 (Marks: 1) - Please choose one**

If a die is thrown then the probability that the dots on the top are prime numbers or odd numbers is

- 1
- $\frac{1}{2}$
- $\frac{2}{3}$
- $\frac{1}{3}$

**Question No: 12 (Marks: 1) - Please choose one**

If  $P(A \cap B) = P(A)P(B)$  then the events A and B are called

- **Independent (Page 272)**
- Dependent
- Exhaustive

**Question No: 13 (Marks: 1) - Please choose one**

A rule that assigns a numerical value to each outcome in a sample space is called

- One to one function
- Conditional probability
- **Random variable (Page 274)**


**Question No: 14 (Marks: 1) - Please choose one**

The expectation of x is equal to

- Sum of all terms
- Sum of all terms divided by number of terms
- **$\sum xf(x)$  (Page 277)**

**Question No: 15 (Marks: 1) - Please choose one**

The degree sequence {a, b, c, d, e} of the given graph is



- 2, 2, 3, 1, 1
- 2, 3, 1, 0, 1 (Page 307)
- 0, 1, 2, 2, 0
- 2, 3, 1, 2, 0


**Question No: 16 (Marks: 1) - Please choose one**

Which of the following graph is not possible?

- **Graph with four vertices of degrees 1, 2, 3 and 4. (Page 287)**
- Graph with four vertices of degrees 1, 2, 3 and 5.
- Graph with three vertices of degrees 1, 2 and 3.
- Graph with three vertices of degrees 1, 2 and 5.

**Question No: 17 (Marks: 1) - Please choose one**

The graph given below



- Has Euler circuit
- Has Hamiltonian circuit
- **Does not have Hamiltonian circuit (Page 297)**

**Question No: 18 (Marks: 1) - Please choose one**

Let  $n$  and  $d$  be integers and  $d \neq 0$ . Then  $n$  is divisible by  $d$  or  $d$  divides  $n$

If and only if

- ▶  **$n = k \cdot d$  for some integer  $k$  (Page 179)**
- ▶  $n = d$
- ▶  $n \cdot d = 1$
- ▶ none of these

**Question No: 20 (Marks: 1) - Please choose one**

An integer  $n$  is prime if, and only if,  $n > 1$  and for all positive integers  $r$  and  $s$ , if

$n = r \cdot s$ , then

- **$r = 1$  or  $s = 1$ . (Page 187)**
- $r = 1$  or  $s = 0$ .
- $r = 2$  or  $s = 3$ .

- None of these

**Question No: 21 (Marks: 1) - Please choose one**

The method of loop invariants is used to prove correctness of a loop with respect to certain pre and post-conditions.

- **True (Page 203)**
- False
- None of these

**Question No: 22 (Marks: 1) - Please choose one**

The greatest common divisor of 27 and 72 is

- 27
- **9**
- 1
- None of these

**Solution:**

1.Divide 72 by 27:

$$\text{This gives } 72 = 27 \cdot 2 + 18$$

2.Divide 27 by 18:

$$\text{This gives } 27 = 18 \cdot 1 + 9$$

3.Divide 18 by 9:

$$\text{This gives } 18 = 9 \cdot 2 + 0$$

Hence greatest common divisor  $(72, 27) = 9$ .

**Question No: 23 (Marks: 1) - Please choose one**

If a tree has 8 vertices then it has

- 6 edges
- **7 edges**
- 9 edges


**Question No: 24 (Marks: 1) - Please choose one**

Complete graph is planar if

- $n = 4$
- $n > 4$
- **$n \leq 4$  (Page 315)**

**Question No: 25 (Marks: 1) - Please choose one**

The given graph is



- **Simple graph**
- Complete graph
- Bipartite graph
- Both (i) and (ii)
- Both (i) and (iii)

**Question No: 26 (Marks: 1) - Please choose one**

The value of  $0!$  is

- ▶ 0
- ▶ **1 (Page 160)**
- ▶ Cannot be determined

**Question No: 27 (Marks: 1) - Please choose one**

Two matrices are said to conformable for multiplication if

- Both have same order
- **Number of columns of 1<sup>st</sup> matrix is equal to number of rows in 2<sup>nd</sup> matrix (Page 300)**
- Number of rows of 1<sup>st</sup> matrix is equal to number of columns in 2<sup>nd</sup> matrix

**Question No: 28 (Marks: 1) - Please choose one**

The value of  $(-2)!$  is

- 0
- 1
- **Cannot be determined (Page 217)**

**Question No: 29 (Marks: 1) - Please choose one**

$$\frac{(n+1)!}{(n-1)!}$$

The value of \_\_\_\_\_ is

- 0
- $n(n-1)$
- **$n^2 + n$**
- Cannot be determined

$$\frac{(n+1)!}{(n-1)!} = \frac{(n+1).n.\cancel{(n-1)!}}{\cancel{(n-1)!}} = (n+1).n = n^2 + n$$

**Question No: 30 (Marks: 1) - Please choose one**

The number of  $k$ -combinations that can be chosen from a set of  $n$  elements can be written as

- ${}^n C_k$  (Page 225)
- ${}^k C_n$
- ${}^n P_k$
- ${}^k P_k$

**Question No: 31 (Marks: 1) - Please choose one**

If the order does not matter and repetition is allowed then total number of ways for selecting  $k$  sample from  $n$ . is

- $n^k$
- $C(n+k-1, k)$  (Page 229)
- $P(n, k)$
- $C(n, k)$

**Question No: 32 (Marks: 1) - Please choose one**

If the order matters and repetition is not allowed then total number of ways for selecting  $k$  sample from  $n$ . is

- $n^k$
- $C(n+k-1, k)$
- $P(n, k)$
- $C(n, k)$  (Page 225)

**Question No: 33 (Marks: 1) - Please choose one**

To find the number of unordered partitions, we have to count the ordered partitions and then divide it by suitable number to erase the order in partitions

- True (Page 233)
- False
- None of these

**Question No: 34 (Marks: 1) - Please choose one**

A tree diagram is a useful tool to list all the logical possibilities of a sequence of events where each event can occur in a finite number of ways.

- True (Page 237)
- False

**Question No: 36 (Marks: 1) - Please choose one**

What is the output state of an OR gate if the inputs are 0 and 1?

- 0
- **1**
- 2
- 3

**Question No: 38 (Marks: 1) - Please choose one**

Let A,B,C be the subsets of a universal set U.

Then  $(A \cup B) \cup C$  is equal to:

- $A \cap (B \cup C)$
- $A \cup (B \cap C)$
- $\emptyset$
- **$A \cup (B \cup C)$  (Page 54)**

**Question No: 39 (Marks: 1) - Please choose one**

$n! > 2^n$  for all integers  $n \geq 4$ .

- True
- **False**

**Question No: 40 (Marks: 1) - Please choose one**

$+, -, \times, \div$  are

- Geometric expressions
- **Arithmetic expressions**
- Harmonic expressions

**FINAL TERM EXAMINATION**  
**Fall 2009**  
**MTH202- Discrete Mathematics**

**Question No: 1 (Marks: 1) - Please choose one**

The negation of "Today is Friday" is

- ▶ Today is Saturday
- ▶ **Today is not Friday**
- ▶ Today is Thursday

**Question No: 2 (Marks: 1) - Please choose one**

In method of proof by contradiction, we suppose the statement to be proved is false.

- ▶ **True (Page 193)**
- ▶ False

**Question No: 3 (Marks: 1) - Please choose one**

Whether the relation R on the set of all integers is reflexive, symmetric, anti symmetric, or transitive, where  $(x, y) \in R$  if and only if  $xy \geq 1$

- ▶ Anti symmetric
- ▶ Transitive
- ▶ Symmetric

▶ **Both Symmetric and transitive**

[http://www.maths.uq.edu.au/courses/MATH1061/wkbooksols/chap10/S10\\_5\\_3solution.htm](http://www.maths.uq.edu.au/courses/MATH1061/wkbooksols/chap10/S10_5_3solution.htm)

Question No: 4 ( Marks: 1 ) - Please choose one

The inverse of given relation  $R = \{(1,1),(1,2),(1,4),(3,4),(4,1)\}$  is

- ▶  $\{(1,1),(2,1),(4,1),(2,3)\}$
- ▶  $\{(1,1),(1,2),(4,1),(4,3),(1,4)\}$
- ▶  **$\{(1,1),(2,1),(4,1),(4,3),(1,4)\}$**

Question No: 5 ( Marks: 1 ) - Please choose one

A circuit with one input and one output signal is called.

▶ **NOT-gate (or inverter) (Page 31)**

- ▶ OR- gate
- ▶ AND- gate
- ▶ None of these

Question No: 6 ( Marks: 1 ) - Please choose one

A sequence in which common difference of two consecutive terms is same is called

- ▶ geometric mean
- ▶ harmonic sequence
- ▶ geometric sequence
- ▶ **arithmetic progression (Page 146)**

Question No: 7 ( Marks: 1 ) - Please choose one

If the sequence  $\{a_n\} = 2 \cdot (-3)^n + 5^n$  then the term  $a!$  is

- ▶ -1
- ▶ 0
- ▶ 1
- ▶ 2

Question No: 8 ( Marks: 1 ) - Please choose one

How many integers from 1 through 100 must you pick in order to be sure of getting one that is divisible by 5?

- ▶ 21
- ▶ 41
- ▶ **81 (Page 241)**
- ▶ 56

Question No: 9 ( Marks: 1 ) - Please choose one

What is the probability that a randomly chosen positive two-digit number is a multiple of 6?

- ▶ 0.5213
- ▶ **0.167 (Page 254)**

▶ 0.123

**Question No: 10 ( Marks: 1 ) - Please choose one**

If a pair of dice is thrown then the probability of getting a total of 5 or 11 is

▶  $\frac{1}{18}$

▶  $\frac{1}{9}$

▶  $\frac{1}{6}$

*Outcomes with sum of 5 = (1,4)(2,3),(3,2),(4,1)*

*Outcomes with sum of 11 = (5,6),(6,5)*

*Total outcomes for 5 & 11 = 6*

*Total outcome for 2 dice =  $6 \times 6 = 36$*

$$\text{Probability} = \frac{6}{36} = \frac{1}{6}$$

**Question No: 11 ( Marks: 1 ) - Please choose one**

If a die is rolled then what is the probability that the number is greater than 4

▶  $\frac{1}{3}$

▶  $\frac{3}{4}$

▶  $\frac{1}{2}$

*Number greater than 4 = 5,6*

$$\text{Probability} = \frac{2}{6} = \frac{1}{3}$$

**Question No: 12 ( Marks: 1 ) - Please choose one**

If a coin is tossed then what is the probability that the number is 5

▶  $\frac{1}{2}$

▶ 0

▶ 1

**Wrong Question**

**Question No: 13 ( Marks: 1 ) - Please choose one**

If A and B are two sets then The set of all elements that belong to both A and B , is

- ▶  $A \cup B$
- ▶  $A \cap B$  (Page 42)
- ▶  $A - B$
- ▶ None of these

**Question No: 14 ( Marks: 1 ) - Please choose one**

If A and B are two sets then The set of all elements that belong to A but not B , is

- ▶  $A \cup B$
- ▶  $A \cap B$
- ▶ None of these
- ▶  $A - B$

**Question No: 15 ( Marks: 1 ) - Please choose one**

If A, B and C are any three events, then  $P(A \cup B \cup C)$  is equal to

- ▶  $P(A) + P(B) + P(C)$
- ▶  $P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C) + P(A \cap B \cap C)$  (Page 264)
- ▶  $P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C)$
- ▶  $P(A) + P(B) + P(C) + P(A \cap B \cap C)$

**Question No: 16 ( Marks: 1 ) - Please choose one**

If a graph has any vertex of degree 3 then

- ▶ It must have Euler circuit
- ▶ It must have Hamiltonian circuit
- ▶ It does not have Euler circuit

**Question No: 17 ( Marks: 1 ) - Please choose one**

The contradiction proof of a statement  $p \rightarrow q$  involves

- ▶ Considering p and then try to reach q
- ▶ Considering  $\sim q$  and then try to reach  $\sim p$
- ▶ Considering p and  $\sim q$  and try to reach contradiction (Not sure)
- ▶ None of these

**Question No: 18 ( Marks: 1 ) - Please choose one**

How many ways are there to select a first prize winner a second prize winner, and a third prize winner from 100 different people who have entered in a contest.

- ▶ None of these
- ▶  $P(100,3)$
- ▶  $P(100,97)$
- ▶  $P(97,3)$

**Question No: 19 ( Marks: 1 ) - Please choose one**

A vertex of degree 3 is called a

- ▶ Terminal vertex
- ▶ Internal vertex (Page 323)

**Question No: 20 ( Marks: 1 ) - Please choose one**

Suppose that a connected planar simple graph has 30 edges. If a plane drawing of this graph has 20 faces, how many vertices does the graph have?

▶ 12 (Page 318)

- ▶ 13
- ▶ 14

Question No: 21 ( Marks: 1 ) - Please choose one



How many different ways can three of the letters of the word BYTES be chosen if the first letter must be B ?

▶ P(4,2)

- ▶ P(2,4)
- ▶ C(4,2)
- ▶ None of these

Question No: 22 ( Marks: 1 ) - Please choose one

For the given pair of graphs whether it is



▶ Isomorphic

- ▶ Not isomorphic

Question No: 23 ( Marks: 1 ) - Please choose one

On the set of graphs the graph isomorphism is

▶ Isomorphic Invariant (Page 307)

- ▶ Equivalence relation
- ▶ Reflexive relation

Question No: 24 ( Marks: 1 ) - Please choose one

**A matrix in which number of rows and columns are equal is called**

- ▶ Rectangular Matrix
- ▶ **Square Matrix (Page 289)**
- ▶ Scalar Matrix

**Question No: 25 ( Marks: 1 ) - Please choose one**

**If the transpose of any square matrix and that matrix are same then matrix is called**

- ▶ Additive Inverse
- ▶ Hermition Matrix
- ▶ **Symmetric Matrix (Page 299)**

**Question No: 26 ( Marks: 1 ) - Please choose one**

**The number of k-combinations that can be chosen from a set of n elements can be written as**

- ▶  **$nCk$  (Page 225)**
- ▶  $kCn$
- ▶  $nPk$
- ▶  $kPk$

**Question No: 27 ( Marks: 1 ) - Please choose one**

**The value of  $C(n, 0) =$**

- ▶ **1 (Page 226)**
- ▶ 0
- ▶ n
- ▶ None of these

**Question No: 28 ( Marks: 1 ) - Please choose one**

**If the order does not matter and repetition is not allowed then total number of ways for selecting k sample from n. is**

- ▶  $P(n,k)$
- ▶  $C(n,k)$
- ▶  $nk$
- ▶  **$C(n+k-1,k)$  (Page 225)**

**Question No: 29 ( Marks: 1 ) - Please choose one**

**If A and B are two disjoint sets then which of the following must be true**

- ▶  **$n(A \cup B) = n(A) + n(B)$  (Page 257)**
- ▶  $n(A \cup B) = n(A) + n(B) - n(A \cap B)$
- ▶  $n(A \cup B) = \emptyset$
- ▶ None of these

**Question No: 30 ( Marks: 1 ) - Please choose one**

**Among 200 people, 150 either swim or jog or both. If 85 swim and 60 swim and jog, how many jog?**

- ▶ **125 (Page 241)**
- ▶ 225
- ▶ 85

▶ 25

**Question No: 31 ( Marks: 1 ) - Please choose one**  
If two sets are disjoint, then  $P \cap Q$  is

- ▶  $\emptyset$
- ▶ P
- ▶ Q
- ▶  $P \cup Q$

**Question No: 32 ( Marks: 1 ) - Please choose one**  
Every connected tree

- ▶ does not have spanning tree
- ▶ may or may not have spanning tree
- ▶ **has a spanning tree (Page 329)**

Question No: 33 ( Marks: 1 ) - Please choose one  
When  $P(k)$  and  $P(k+1)$  are true for any positive integer  $k$ , then  $P(n)$  is not true for all +ve Integers.

- ▶ **True (Lecture 23)**
- ▶ False

**Question No: 34 ( Marks: 1 ) - Please choose one**  
When  $3k$  is even, then  $3k+3k+3k$  is an odd.

- ▶ True
- ▶ **False**


**Question No: 35 ( Marks: 1 ) - Please choose one**  
 $5n - 1$  is divisible by 4 for all positive integer values of  $n$ .

- ▶ **True**
- ▶ False

**Question No: 36 ( Marks: 1 ) - Please choose one**  
Quotient –Remainder Theorem states that for any positive integer  $d$ , there exist unique integer  $q$  and  $r$  such that  $n=d.q+ r$  and \_\_\_\_\_.

- ▶  **$0 \leq r < d$  (Page 201)**
- ▶  $0 < r < d$
- ▶  $0 \leq d < r$
- ▶ None of these

**Question No: 37 ( Marks: 1 ) - Please choose one**  
The given graph is



- ▶ **Simple graph**
- ▶ Complete graph
- ▶ Bipartite graph
- ▶ Both (i) and (ii)
- ▶ Both (i) and (iii)


**Question No: 38 ( Marks: 1 ) - Please choose one**  
 An integer  $n$  is even if and only if  $n = 2k$  for some integer  $k$ .

- ▶ **True (Page 187)**
- ▶ False
- ▶ Depends on the value of  $k$

**Question No: 39 ( Marks: 1 ) - Please choose one**  
 The word "algorithm" refers to a step-by-step method for performing some action.

- ▶ **True (Page 201)**
- ▶ False
- ▶ None of these

**Question No: 40 ( Marks: 1 ) - Please choose one**  
 The adjacency matrix for the given graph is



- 0 1 1 0 0
- 1 0 0 1 0
- ▶ 1 0 0 1 1
- 0 0 1 0 1
- 1 0 0 1 0
  
- 0 1 1 0 1

- ▶ 1 0 0 0 0
- ▶ 1 0 0 1 1
- 0 0 1 0 1
- 1 0 1 1 0
  
- 0 1 0 0 1
- 1 0 0 0 0
- ▶ 1 0 0 1 0
- 0 0 1 0 1
- 0 0 1 1 0
- ▶ None of these

**FINAL TERM EXAMINATION**  
**Fall 2008**  
**MTH202- Discrete Mathematics (Session - 3)**


**Question No: 1 ( Marks: 1 ) - Please choose one**  
 When  $5^k$  is even, then  $5^k+5^k+5^k$  is odd.

- **True**
- False

**Question No: 2 ( Marks: 1 ) - Please choose one**  
 An arrangement of objects without the consideration of order is called

- **Combination**
- Selection
- None of these
- Permutation

**Question No: 3 ( Marks: 1 ) - Please choose one**  
 In the following graph



How many simple paths are there from  $v_1$  to  $v_4$

- 2
- 3
- 4

**Question No: 4 (Marks: 1) - Please choose one**  
Changing rows of matrix into columns is called

- Symmetric Matrix
- **Transpose of Matrix (Page 229)**
- Adjoint of Matrix

**Question No: 5 (Marks: 1) - Please choose one**  
The list of the degrees of the vertices of graph in non increasing order is called

- Isomorphic Invariant
- **Degree Sequence (Page 307)**
- Order of Graph

**Question No: 6 (Marks: 1) - Please choose one**  
A vertex of degree greater than 1 in a tree is called a

- **Branch vertex (Page 323)**
- Terminal vertex
- Ancestor

**Question No: 7 (Marks: 1) - Please choose one**  
The word "algorithm" refers to a step-by-step method for performing some action

- **True (Page 201)**
- False
- None of these

**Question No: 8 (Marks: 1) - Please choose one**  
The sum of two irrational number must be an irrational number

- True
- **False (Page 197)**

**Question No: 9 (Marks: 1) - Please choose one**  
An integer  $n$  is prime if, and only if,  $n > 1$  and for all positive integers  $r$  and  $s$ , if  $n = r \cdot s$ , then

- **$r = 1$  or  $s = 1$ . (Page 187)**
- $r = 1$  or  $s = 0$ .
- $r = 2$  or  $s = 3$ .
- None of these

**Question No: 10 (Marks: 1) - Please choose one**  
An integer  $n$  is even if, and only if,  $n = 2k$  for some integer  $k$ .

- **True (Page 187)**

- False
- Depends on the value of k

**Question No: 11 (Marks: 1) - Please choose one**

**For any two sets A and B,  $A - (A - B) =$**

- $A \cap B$
- $A \cup B$
- **$A - B$**
- None of these

**Question No: 12 (Marks: 1) - Please choose one**

**A walk that starts and ends at the same vertex is called**

- Simple walk
- Circuit
- **Closed walk (Page 292)**

**Question No: 14 (Marks: 1) - Please choose one**

**Two distinct edges with the same set of end points are called**

- Isolated
- Incident
- **Parallel (Page 284)**

**Question No: 15 (Marks: 1) - Please choose one**

**The probability of getting 2 heads in two successive tosses of a balanced coin is**

- $\frac{1}{4}$
- **$\frac{1}{2}$**
- $\frac{2}{3}$

**Question No: 16 (Marks: 1) - Please choose one**

**What is the probability of getting a number greater than 4 when a die is thrown?**

- $\frac{1}{2}$
- $\frac{3}{2}$
- **$\frac{1}{3}$**

Number greater than 4 = 5, 6

$$\text{Probability} = \frac{2}{6} = \frac{1}{3}$$

**Question No: 17 (Marks: 1) - Please choose one**  
**If two relations are reflexive then their composition is**

- Antisymmetric
- Reflexive
- Irreflexive
- Symmetric

**Question No: 19 (Marks: 1) - Please choose one**  
**Select the correct one**

- A proof by contradiction is based on the fact that a statement can be true and false at the same time.
- **A proof by contraposition is based on the logical equivalence between a statement and its contradiction.(Page 198)**
- The method of loop invariants is used to prove correctness of a loop without any conditions.
- None of the given choices

**Question No: 20 (Marks: 1) - Please choose one**  
**According to Demorgan's law  $\sim(p \vee q) = ?$**

- $\sim p \vee \sim q$
- $\sim p \wedge \sim q$  **Correct**
- $\sim p \wedge q$
- $\sim p \vee q$