

Bipolar I disorder is previously called as:

Select the correct option

- |                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Manic disorder     |
| <input type="radio"/> | Hypomanic disorder |
| <input type="radio"/> | Mixed disorder     |
| <input type="radio"/> | Unipolar disorder  |

[Click to Save Answer & Move to Next Question](#)

In brief psychotic disorder, what is the most important to specify?

Select the correct option

With marked stressor(s)

What correlation

What duration

What intensity

Get the App / Download the App

A prominent and persistent disturbance in mood elevated, irritable mood, depressive symptoms, during or soon after substance intoxication or withdrawal is known as which disorder?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Bipolar II disorder                           |
| <input type="radio"/> | Cyclothymic disorder                          |
| <input type="radio"/> | Bipolar I disorder                            |
| <input type="radio"/> | Substance/medication induced bipolar disorder |

Adoption studies have implicated genetic factors and molecular biologists have identified genes, associated with:

Select the correct option

- |                                  |                     |
|----------------------------------|---------------------|
| <input checked="" type="radio"/> | Unipolar depression |
| <input type="radio"/>            | Hypomania           |
| <input type="radio"/>            | Mania               |
| <input type="radio"/>            | Major depression    |

Click to Save Answer & Move to Next Question

Which of the following is the most significant specifier which needs to identify in multiple episodes of schizophrenia?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Currently acute, partial remission, <u>a full remission</u> |
| <input type="radio"/> | Currently in remission, chronic, full remission             |
| <input type="radio"/> | Currently acute, continuous, remission                      |
| <input type="radio"/> | Unspecified, acute, partial remission                       |

Click to Save Answer & Move to Next Question

Diagnosis of which of the following can be made without using the severity specifier?

Select the correct option

- Catatonia disorder due to another medical condition
- Schizophrenia
- Delusion disorder
- Schizoaffective disorder

Go to the Answer Key or Question

Which of the following is considered as one of the hereditary reasons in the Depressive disorders?

Select the correct option

- It runs in the generations
- Higher concordance among identical twins than fraternal
- Transferred from the mother
- Transferred from the father

[Click to Save Answer & Move to Next Question](#)

Which of the following is the most decisive factor while diagnosing Anxiety Disorders?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Long term fear                             |
| <input type="radio"/> | Fear which started in childhood            |
| <input type="radio"/> | High intensity of fear                     |
| <input type="radio"/> | No other alternate explanation of the fear |

Click to Save Answer & Move to Next Question

Question # 3 of 10 ( Start time: 11:51:13 PM 06 July 2022 )

Which of the following disorder must be ruled out while diagnosing someone with Obsessive Compulsive Disorder?

Select the correct option.

- Personality Disorder
- Tic Disorder
- Trauma Related Disorder
- Somatoform Disorder

CamScanner

Question # 4 of 10 ( Start time: 11:48:28 PM, 06 July 2022 )

Total Marks: 1

What is the main difference between the manic and hypomanic episode?

Select the correct option

<input type="radio"/>	Symptoms
<input type="radio"/>	Behavior
<input checked="" type="radio"/>	Duration
<input type="radio"/>	Condition

[Click to Save Answer & Move to Next Question](#)

In which of the following disorder, the tics may increase and decrease in frequency but have persisted for more than 1 year since first tic onset?

Choose the correct option

Tic disorder

Stereotypic movement disorder

Developmental coordination disorder

Tourette's disorder



© 2022 Pearson Education, Inc. or its affiliate(s). All rights reserved.

Which of the following is the main reason behind the Separation Anxiety?

Select the correct option

- |                                  |                           |
|----------------------------------|---------------------------|
| <input checked="" type="radio"/> | Loss of significant other |
| <input type="radio"/>            | Genes                     |
| <input type="radio"/>            | Lenient parenting         |
| <input type="radio"/>            | Accident                  |

11:54:10 PM, 05 July 2022

How many types schizophrenia spectrum and other psychotic disorders have?

Select the correct option

- 9 types
- 7 types
- 10 types
- 8 types

Go to Question 4 (Next Question)

Which of the following is the most decisive factor while diagnosing Social Anxiety Disorder?

Select the correct option

<input type="radio"/>	Fear of performance
<input checked="" type="radio"/>	Fear of people
<input type="radio"/>	Fear of closed spaces
<input type="radio"/>	Fear of evaluation

Click to Show Answer / Hide Question

Which principal of behavioural school of thought is responsible for the development of Specific Phobias are developed?

Select the correct option

- Reinforcement
- Classical conditioning
- Operant conditioning
- Observation

Which of the following is the most significant specifier which needs to identify in multiple episodes of schizophrenia?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Currently acute, continuous, remission               |
| <input type="radio"/> | Unspecified, acute, partial remission                |
| <input type="radio"/> | Currently in remission, chronic, full remission      |
| <input type="radio"/> | Currently acute, partial remission, a full remission |

Click to Save Answer & Move to Next Question

Question # 1 of 10 ( Start time: 05:05:12 PM, 05 July 2022 )

Total Marks: 1

Uni-polar depression is associated with which of the following neurotransmitter?

Select the correct option

<input checked="" type="radio"/>	Serotonin
<input type="radio"/>	Estrogen
<input type="radio"/>	Cortisol
<input type="radio"/>	Testosterone

[Click here for more Quiz & Mock Quizzes](#)

In which type of motor disorder, repetitive, seemingly driven and apparently purposeless motor behavior is manifested?

Select the correct option

Developmental coordination disorder

Stereotypic movement disorder

Physiological tremor

Tic disorder

Click Here to View & Write the Answer

Question # 5 of 10 ( Start time: 08:29:37 PM, 08 July 2022 ) Total marks: 1

'The professor gives difficult test' is which type of attribution style?

Select the correct option

Specific external (stable)



Global internal (stable)

Specific external (unstable)

Global internal (unstable)

Which of the following is the most decisive factor while diagnosing Social Anxiety Disorder?

Select the correct option

- |                                  |                       |
|----------------------------------|-----------------------|
| <input type="radio"/>            | Fear of closed spaces |
| <input checked="" type="radio"/> | Fear of people        |
| <input type="radio"/>            | Fear of evaluation    |
| <input type="radio"/>            | Fear of performance   |

Click on the Answer & Move to Next Question

Question # 3 of 10 ( Start time: 09:19:51 PM, 06 July 2022 )

Total Marks: 1

The presence of depressed mood for two years, but among children and adolescent, mood remains irritable and duration at least 1 year refers to which disorder?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Persistence depressive disorder (dysthemia) |
| <input type="radio"/> | Major depression disorder                   |
| <input type="radio"/> | Disruptive mood dysregulation disorder      |
| <input type="radio"/> | Other specified depressive disorder         |

[Click to Show Answer](#) / [Mark as Favorite](#) / [Next Question](#)

Along with the presence of each of hypomanic and major depression there has never been a manic episode in which of the following?

Select the correct options

- Hypomania
- Bipolar II disorder
- Bipolar I disorder
- Cyclothymic disorder

Click to Save Answer & Move to Next Question

Question # 3 of 10 ( Start time: 09:35:16 PM, 06 July 2022 )

Total Marks: 1

Which of the following is NOT a psychological concept address the etiology of depression?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Suppressed unpleasant memories by Freud |
| <input type="radio"/> | Negative thinking by Aron beck          |
| <input type="radio"/> | Irrational thinking by Albert Bandura   |
| <input type="radio"/> | Learned helplessness by Seligman        |

[Click to Save Answer & Move to Next Question](#)

A patient is admitted to hospital with Obsessive Compulsive symptoms with an extremely unclear picture. What will be the most appropriate diagnosis in this situation?

Select the correct option

- Obsessive Compulsive Related Disorder
- Substance/Medication-Induced Obsessive Compulsive Disorder
- Unspecified Obsessive Compulsive Related Disorder
- Obsessive Compulsive Disorder

Dysfunction in which of the following brain part is NOT involved in the etiology of Obsessive Compulsive Disorders?

Select the correct option

- Hypothalamus
- Orbitofrontal Cortex
- Striatum
- Anterior Cingulate Cortex

Click to Save Answer & Move to Next Question

Which of the following personality trait can be a reason to develop Selective Mutism?

Select the correct option

- Agreeableness
- Extrovert
- Conscientiousness
- Neuroticism



Which of the following is NOT a characteristic of Anxiety Disorder?

Select the correct option

Avoidant behaviour

Anticipation of future threat

Loss of pleasure


Muscle tension

Click to Save Answer & Move to Next Question

Which part of the brain is closely associated with panic disorder?

Select the correct option

- Frontal lobe
- Amygdala
- Cerebral cortex
- Hippocampus



Question # 4 of 10 ( Start time: 09:37:33 PM, 06 July 2022 )

Total Marks: 1

What is the main difference between the manic and hypomanic episode?

Select the correct option

<input checked="" type="radio"/>	Duration
<input type="radio"/>	Symptoms
<input type="radio"/>	Behavior
<input type="radio"/>	Condition

[Click to Save Answer & Move to Next Question](#)

Bipolar I disorder is previously called as:

Select the correct option



Unipolar disorder



Manic disorder



Mixed disorder



Hypomanic disorder

Adoption studies have implicated genetic factors and molecular biologists have identified genes, associated with:

Select the correct option

- Mania
- Major depression
- Hypomania
- Unipolar depression

11:50:54 AM 06/07/2022

Who talks about depression etiology in terms of negative or pessimistic thinking, cognitive triad, errors in thinking/ logic, arbitrary inferences, and automatic thoughts?

Select the correct option

- |                       |                |
|-----------------------|----------------|
| <input type="radio"/> | Sigmund Freud  |
| <input type="radio"/> | Albert Bandura |
| <input type="radio"/> | Aron Beck      |
| <input type="radio"/> | B.F. Skinner   |



The differential diagnosis between the schizophrenia and brief psychotic disorder is:

Select the correct option

- |                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | Symptoms  |
| <input type="radio"/>            | Intensity |
| <input type="radio"/>            | Criteria  |
| <input checked="" type="radio"/> | Duration  |

In DSM 5 Body Dysmorphic Disorder is categorised in which of the following category of d

Select the correct option

<input type="radio"/>	Personality Disorders
<input type="radio"/>	Somatoform Disorders
<input type="radio"/>	Obsessive Compulsive and Related Disorders
<input type="radio"/>	Anxiety Disorders

Which of the following disorder involves inflated self-esteem or grandiosity, decreased need for sleep, more talkative, flight of ideas, distractibility, and psychomotor agitation?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Manic episode of bipolar and related disorders     |
| <input type="radio"/> | Motor disorders                                    |
| <input type="radio"/> | Communication disorders                            |
| <input type="radio"/> | Depressive episode of bipolar and related disorder |

Oldio Scan / 2025/7/1 (week) Not Graded

A condition that features extreme shifts in mood and fluency in energy and activity levels refers to which of the following?

Select the correct option

<input type="radio"/>	Communication disorders
<input type="radio"/>	Motor disorders
<input type="radio"/>	Bipolar and related disorder
<input type="radio"/>	Depressive disorders

Click to Save Answer / Move to Next Question

It is important to specify that individual's behavior is with or without self injurious behavior while diagnosing which of the following?

Select the correct option

Tic disorder

Motor disorder

Stereotypic movement disorder

Developmental coordination disorder

QUESTION TIME EXHAUSTED

Which of the following is NOT an environmental factor that contributes in depression?

Select the correct option

<input type="radio"/>	Abuse
<input type="radio"/>	Negative thinking
<input type="radio"/>	Mental stress
<input type="radio"/>	A significant loss

[Click to Save Answer & Move to Next Question](#)

Depressed mood, loss of interest or pleasure, significant weight loss or gain, insomnia or hypersomnia are major features of which disorder

Select the correct option

- Major depressive disorder
- Disruptive mood dysregulation disorder
- Substance/medication induced depressive disorder
- Persistence depressive disorder

Question # 10 of 10 ( Start time: 10:43:15 PM, 06 July 2022 )

Total Marks: 1

Dysfunction in which of the following brain part is NOT involved in the etiology of Obsessive Compulsive Disorders?

Select the correct option

- |                       |                           |
|-----------------------|---------------------------|
| <input type="radio"/> | Hypothalamus              |
| <input type="radio"/> | Anterior Cingulate Cortex |
| <input type="radio"/> | Striatum                  |
| <input type="radio"/> | Orbitofrontal Cortex      |

Question # 9 of 10 ( Start time: 10:50:30 PM, 06 July 2022 )

Total Marks: 1

Which of the following disorder involves inflated self-esteem or grandiosity, decreased need for sleep, more talkative, flight of ideas, distractibility, and psychomotor agitation?

Select the correct option

- Motor disorders
- Depressive episode of bipolar and related disorder
- Communication disorders
- Manic episode of bipolar and related disorders

[Click to view answer & move to next question](#)

Which of the following is the most decisive factor while diagnosing Anxiety Disorders?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | No other alternate explanation of the fear |
| <input type="radio"/> | Long term fear                             |
| <input type="radio"/> | High intensity of fear                     |
| <input type="radio"/> | Fear which started in childhood            |

[Click to Save Answer & Move to Next Question](#)

Due to which of the following reason a person may perform compulsions?

Select the correct option

<input type="radio"/>	Reduce anxiety
<input type="radio"/>	To elevate mood
<input type="radio"/>	Due to conditioning
<input type="radio"/>	Excessive sweating

Which of the following disorder is initially known as affect disorder and mood disorder?

Select the correct option

<input type="radio"/>	Depressive disorders
<input type="radio"/>	Neurotic disorders
<input type="radio"/>	Schizophrenia
<input type="radio"/>	Psychotic disorders

Bipolar I disorder is previously called as:

Select the correct option

- Mixed disorder
- Unipolar disorder
- Hypomanic disorder
- Manic disorder

Go to the Answer/Marked/Not Answered

Which of the following disorder is characterized by systematic delusions but well organized behavior, grooming and functioning?

Select the correct option

- Catatonia disorder due to another medical condition
- Schizophrenia
- Brief psychotic disorder
- Delusional disorder

QID: 5042, www.Civildatas.com



Which of the following disorder is characterized by systematic delusions but well organized behavior, grooming and functioning?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Brief psychotic disorder                            |
| <input type="radio"/> | Catatonia disorder due to another medical condition |
| <input type="radio"/> | Schizophrenia                                       |
| <input type="radio"/> | Delusional disorder                                 |

[Click to Save Answer & Move to Next Question](#)

In children, the anxiety must occur in \_\_\_\_\_ settings and not just during interactions with adults.

Select the correct option

- School
- Peer
- Parents
- Home

Go to Question 9

History, laboratory findings, and physical examination, refer to depressive symptoms due to substance intoxication in which disorder?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Substance/medication induced depressive disorder |
| <input type="radio"/> | Major depressive disorder                        |
| <input type="radio"/> | Disruptive mood dysregulation disorder           |
| <input type="radio"/> | Persistence depressive disorder                  |

Click to Save Answer & Move to Next Question

Which of the following disorder is characterized by systematic delusions but well organized behavior, grooming and functioning?

Select the correct option

- Delusional disorder
- Catatonia disorder due to another medical condition
- Brief psychotic disorder
- Schizophrenia

Question # 8 of 10 ( Start time: 10:41:29 PM, 06 July 2022 )

Total Marks: 1

Which of the following is NOT an environmental factor that contributes in depression?

Select the correct option

- |                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Mental stress      |
| <input type="radio"/> | Negative thinking  |
| <input type="radio"/> | Abuse              |
| <input type="radio"/> | A significant loss |

How many types of episodes prevail in the bipolar and related disorders?

Select the correct option

4 types

5 types

2 types

3 types

Which of the following is the main reason behind the Separation Anxiety?

Select the correct option

<input type="radio"/>	Lenient parenting
<input type="radio"/>	Accident
<input type="radio"/>	Loss of significant other
<input type="radio"/>	Genes

The fluctuation of which neurotransmitter can play a key role in the development of panic disorder?

Select the correct option

- |                       |                |
|-----------------------|----------------|
| <input type="radio"/> | Dopamine       |
| <input type="radio"/> | Serotonin      |
| <input type="radio"/> | Glutamate      |
| <input type="radio"/> | Norepinephrine |

Click to Save Answer & Move to Next Question

Which of the following neurotransmitters are associated with depressive disorders?

Select the correct option

Serotonin and Norepinephrine both

Dopamine

Norepinephrine

Serotonin

Go to the Next Question

Question # 1 of 10 ( Start time: 10:33:15 PM, 06 July 2022 )

Total Marks: 1

The disorder in which psychotic symptoms become visible but due to any other medical condition is called:

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Psychotic disorder due to another medical condition |
| <input type="radio"/> | Schizophreniaform disorder                          |
| <input type="radio"/> | Brief psychotic disorder                            |
| <input type="radio"/> | Delusion disorder                                   |

Which of the following disorder involves a sudden, rapid, recurrent and non-rhythmic motor moment or vocalization?

Select the correct option

<input type="radio"/>	Developmental coordination disorder
<input type="radio"/>	Stereotypic movement disorder
<input type="radio"/>	Tourette's disorder
<input type="radio"/>	Tic disorder

Which of the following anxiety disorder is mostly found in school going children?

Select the correct option

<input type="radio"/>	Panic Disorder
<input type="radio"/>	Separation Anxiety
<input type="radio"/>	Selective Mutism
<input type="radio"/>	Agoraphobia

Click to Save / Cancel / Marked / Not Graded

An uninterrupted period of illness during which there is a major mood episode, major depression or mania, with criterion A of schizophrenia, refers to which of the following disorder?

Select the correct option

- Schizophreniform disorder
- Schizoaffective disorder
- Delusion disorder
- Brief psychotic disorder

Click to Save Answer / Move to Next Question

Which of the following disorder is characterized by seemingly driven and apparently purposefulness motor behavior?

Select the correct option

- Stereotypical moment disorder
- Tic disorder
- Developmental coordination disorder
- Motor disorder

Which of the following structural changes in the brain can cause depression?

Select the correct option

Hydrocephaly

Microcephaly

Subgenual anterior cingulated



Reduced gray-water

Click on Save Answer or Move to Next Question

Seriously and must not ignore



---

Call the police

---

Call the police

The presence of both, multiple motor and one or more vocal tics at times during the illness, although not necessarily appears at the same time, is a criteria of

Select the correct option

- |                       |                                     |
|-----------------------|-------------------------------------|
| <input type="radio"/> | Stereotypic movement disorder       |
| <input type="radio"/> | Developmental coordination disorder |
| <input type="radio"/> | Tic disorder                        |
| <input type="radio"/> | Tourette's disorder                 |



The presence of negative and positive symptoms is the criteria for the diagnosis of which disorder?

Select the correct option

- Schizophrenia
- Neurological disorders
- Autism
- Mood disorder

© 2016 Easy Home Learning Ltd. All Rights Reserved

the correct option

Muscle tension

Anticipation of future threat

Loss of pleasure



Avoidant behaviour

Question # 4 of 10 ( Start time: 10:37:01 PM, 06 July 2022 )

Total Marks: 1

In brief psychotic disorder, what is the most important to specify?

Select the correct option

- |                                  |                         |
|----------------------------------|-------------------------|
| <input checked="" type="radio"/> | With marked stressor(s) |
| <input type="radio"/>            | What duration           |
| <input type="radio"/>            | What intensity          |
| <input type="radio"/>            | What correlation        |

Diagnosis of which of the following can be made without using the severity specifier?

Select the correct option



Catatonia disorder due to another medical condition



Delusion disorder



Schizophrenia



Schizoaffective disorder

The patient's unresponsiveness towards the routine things in catatonia associated with another mental disorder is termed as:

Select the correct option

- |                                  |                  |
|----------------------------------|------------------|
| <input type="radio"/>            | Mutism           |
| <input checked="" type="radio"/> | Stupor           |
| <input type="radio"/>            | Waxy flexibility |
| <input type="radio"/>            | Catalepsy        |

Click to Save Answer & Move to Next Question

When individual adds in the main stream behavior as part of any disorder, it is called:

Select the correct option

- |                                  |                   |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | Negative symptoms |
| <input type="radio"/>            | Delusions         |
| <input type="radio"/>            | Positive symptoms |
| <input type="radio"/>            | Hallucinations    |

Click to Save Answer & Move to Next Question

If a mother has hoarding trait, then there is a high probability that her daughter can have Hoarding Disorder. This can be explained by which of the following school of thought?

Select the correct option

- |                                  |               |
|----------------------------------|---------------|
| <input type="radio"/>            | Behavioural   |
| <input type="radio"/>            | Cognitive     |
| <input checked="" type="radio"/> | Genetic       |
| <input type="radio"/>            | Psychological |

In which of the following disorder, the tics may increase and decrease in frequency but have persisted for more than 1 year since first tic onset?

Select the correct option

- Stereotypic movement disorder
- Tourette's disorder
- Developmental coordination disorder
- Tic disorder

Downloaded from Studydrive

Delusions developed during or soon after substance intoxication or withdrawal or after exposure to a medication' is one of the diagnostic criteria of:

Select the correct option

- |                                  |   |
|----------------------------------|---|
| <input checked="" type="radio"/> | Substance/medication-induced psychotic disorder |
| <input type="radio"/>            | Delusion disorder                               |
| <input type="radio"/>            | Schizophrenia form disorder                     |
| <input type="radio"/>            | Brief psychotic disorder                        |

Question # 6 of 10 ( Start time: 09:39:01 PM, 06 July 2022 )

Total Marks: 1

A patient is admitted to hospital with Obsessive Compulsive symptoms with an extremely unclear picture. What will be the most appropriate diagnosis in this situation?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Obsessive Compulsive Disorder                              |
| <input type="radio"/> | Unspecified Obsessive Compulsive Related Disorder          |
| <input type="radio"/> | Substance/Medication-Induced Obsessive Compulsive Disorder |
| <input type="radio"/> | Obsessive Compulsive Related Disorder                      |

[Click on Start Answer & Mark the Next Question](#)

Question # 1 of 13 | Start Time: 22:47:00 PM, 08 July 2021

Total Mark:

Aleena is fluent in English and has a high command on physics but she is not speaking in Physics class for last five weeks. She might be experiencing:

Select the correct option.

 Social Anxiety Disorder Separation Anxiety Selective Mutism Agoraphobia

Which principal of behavioural school of thought is responsible for the development of Specific Phobias a developed?

select the correct option

Classical conditioning

Observation

Operant conditioning

Reinforcement

Which of the following disorder involves a sudden, rapid, recurrent and non-rhythmic motor moment or vocalization?

Select the correct option

- Tourette's disorder
- Developmental coordination disorder
- Tic disorder
- Stereotypic movement disorder

ANSWERS TO QUIZ 3 (2022)

The presence of depressed mood for two years, but among children and adolescents, mood remains irritable and duration at least 1 year refers to which disorder?

Select the correct option

Disruptive mood dysregulation disorder

Other specified depressive disorder

Persistence depressive disorder (dysthemia)

Major depression disorder

© 2013 StatPearls Publishing

Which of the following disorder previously known as manic depressive disorder?

Select the correct option

- |                                  |                               |
|----------------------------------|-------------------------------|
| <input type="radio"/>            | Anxiety disorders             |
| <input checked="" type="radio"/> | Bipolar and related disorders |
| <input type="radio"/>            | Communication disorders       |
| <input type="radio"/>            | Depressive disorders          |

Click to Save Answer & Move to Next Question

Due to which of the following reason a person may perform compulsions?

Select the correct option

<input type="radio"/>	Reduce anxiety
<input type="radio"/>	To elevate mood
<input type="radio"/>	Due to conditioning
<input type="radio"/>	Excessive sweating

Adoption studies have implicated genetic factors and molecular biologists have identified genes, associated with:

Select the correct option

- |                                  |                     |
|----------------------------------|---------------------|
| <input type="radio"/>            | Mania               |
| <input type="radio"/>            | Major depression    |
| <input checked="" type="radio"/> | Unipolar depression |
| <input type="radio"/>            | Hypomania           |

Click to Save Answer & Move to Next Question

Ashfaq 48 years old showed depressed mood for at least 2 years but Umer 11 years old showed irritable mood for 1 year, both are suffering with which of the following disorder?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Disruptive mood dysregulation disorder |
| <input type="radio"/> | Major depression disorder              |
| <input type="radio"/> | Other specified depressive disorder    |
| <input type="radio"/> | Persistence depressive disorder        |

Click to Save Answer & Move to Next Question

Which of the following disorder refers to the acts of killing oneself, most often as a result of depression or other mental illness, to deal with intolerateable mental anguish, pain, and fear?

Select the correct option

- Hypomania
- Mania
- Suicide
- Major depression

Created with Goodnotes

A disorder in which people repeatedly pulls out hair from different parts of body is known as:

Select the correct option

- |                                  |                           |
|----------------------------------|---------------------------|
| <input type="radio"/>            | Excoriation Disorder      |
| <input type="radio"/>            | Body Dysmorphic Disorder  |
| <input type="radio"/>            | Trichotillomania Disorder |
| <input checked="" type="radio"/> | Hording Disorder          |

Click to Save Answer & Move to Next Question

Diagnosis of which of the following can be made without using the severity specifier?

Select the correct option

- Catatonia disorder due to another medical condition
- Schizoaffective disorder
- Schizophrenia
- Delusion disorder

Click to Save Answer & Move to Next Question

Question # 1 of 10 ( Start time: 09:33:38 PM, 06 July 2022 )

Total Marks: 1

A condition that features extreme shifts in mood and fluency in energy and activity levels refers to which of the following?

Select the correct option

- |                                  |                              |
|----------------------------------|------------------------------|
| <input type="radio"/>            | Depressive disorders         |
| <input checked="" type="radio"/> | Bipolar and related disorder |
| <input type="radio"/>            | Communication disorders      |
| <input type="radio"/>            | Motor disorders              |

[Click to Save Answer & Move to Next Question](#)

'The professor gives difficult test' is which type of attribution style?

Select the correct option

- Specific external (stable)
- Specific external (unstable)
- Global internal (stable)
- Global internal (unstable)

Click to Save Answer | Move to Next Question

Which of the following is the most decisive factor while diagnosing Social Anxiety Disorder?

Select the correct option

- |                                  |                       |
|----------------------------------|-----------------------|
| <input type="radio"/>            | Fear of closed spaces |
| <input type="radio"/>            | Fear of evaluation    |
| <input checked="" type="radio"/> | Fear of people        |
| <input type="radio"/>            | Fear of performance   |

Click to Save Answer & Move to Next Question

Which of the following is NOT a characteristic of Anxiety Disorder?

Select the correct option

- Muscle tension
- Avoidant behaviour
- Loss of pleasure
- Anticipation of future threat

1/12 | 05:03:04 PM, 26 July 2020

In schizophrenia, the course of specifiers is only used after the duration of how many months?

Select the correct option.

1.5 years

1 year

6 months

3 months

Submit Answer / Cancel / Stop Question

Which of the following neurotransmitter's high and low level is associated with mania and depression:

Select the correct option

- GABA
- Acetylcholine
- Norepinephrine
- Dopamine

Click on Save Answer / Move to Next Question

Depressive symptoms cause clinically significant distress or impairment but do not meet the full criteria for any of the depressive disorders, refer to which disorder?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Disruptive mood dysregulation disorder           |
| <input type="radio"/> | Persistence depressive disorder                  |
| <input type="radio"/> | Substance/medication induced depressive disorder |
| <input type="radio"/> | Other specified depressive disorder              |

Click to Save Answer & Move to Next Question

Persistent depressive disorder also called which of the following?

Select the correct option

Catatonia

Grandiose

Dysthemia

Agro phobia

Which of the following is NOT the psychological reason of Bipolar and related disorders?

Select the correct option

Losses in earlier life



Neuroticism



Negative life events



Genetic makeup



Click to Save Answer & Move to Next Question

Depressed mood, loss of interest or pleasure, significant weight loss or gain, insomnia or hypersomnia are major features of which disorder?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Persistence depressive disorder                  |
| <input type="radio"/> | Major depressive disorder                        |
| <input type="radio"/> | Disruptive mood dysregulation disorder           |
| <input type="radio"/> | Substance/medication induced depressive disorder |

Click to Save Answer / Move to Next Question

In DSM 5 Body Dysmorphic Disorder is categorised in which of the following category of disorders?

Select the correct option

- Personality Disorders
- Somatoform Disorders
- Obsessive Compulsive and Related Disorders
- Anxiety Disorders

[Click to Save Answer](#) | [Click to Next Question](#)

In adults six symptoms needs to be present in order to diagnose the Generalized Anxiety Disorder. However, in children only \_\_\_\_\_ symptom/s will be enough to make diagnosis.

Select the correct option

<input checked="" type="radio"/>	4
<input type="radio"/>	2
<input type="radio"/>	3
<input type="radio"/>	1

Click to Save Answer & Move to Next Question

Ahmad has a habit of keeping everything and not throwing anything away such as even pamphlets. This is known as:

Select the correct option



Hording Disorder



Tic Disorder



Excoriation Disorder



Obsessive Compulsive Disorder

Which of the following disorders are also known as "free floating anxiety"?

Select the correct option

Agoraphobia

Generalized anxiety disorder

Social anxiety disorder

Panic attack

Submit Answer

Along with the presence of each of hypomanic and major depression there has never been a manic episode in which of the following?

Select the correct option

- Cyclothymic disorder
- Hypomania
- Bipolar II disorder
- Bipolar I disorder

Click to Save Answer & Move to Next Question

Which principal of behavioural school of thought is responsible for the development of Specific Phobias are developed?

Select the correct option

- |                                  |                        |
|----------------------------------|------------------------|
| <input type="radio"/>            | Reinforcement          |
| <input type="radio"/>            | Classical conditioning |
| <input type="radio"/>            | Observation            |
| <input checked="" type="radio"/> | Operant conditioning   |

Click to Save Answer & Move to Next Question

Question # 6 of 10 ( **Start time: 08:58:54 PM, 06 July 2022** )

Which of the following disorder is initially known as affect disorder and mood disorder?

Select the correct option



Schizophrenia



Depressive disorders



Neurotic disorders



Psychotic disorders





In brief psychotic disorder, what is the most important to specify?

Select the correct option

- What duration
- What intensity
- With marked stressor(s)
- What correlation

Click on any of the above to see the answer

Question # 5 of 10 ( Start time: 09:45:07 PM, 05 July 2022 )

Total Marks: 1

History, laboratory findings, and physical examination, refer to depressive symptoms due to substance intoxication in which disorder?

Select the correct option

- |                       |  |
|-----------------------|--|
| <input type="radio"/> | Major depressive disorder                        |
| <input type="radio"/> | Substance/medication induced depressive disorder |
| <input type="radio"/> | Disruptive mood dysregulation disorder           |
| <input type="radio"/> | Persistence depressive disorder                  |

[Click here to return to the question](#)

Cold, aloof, conflict inducing mothers, do not communicate clearly with children, and have high conflicts in family may contribute in the development of which disorder?

Select the correct option

Schizophrenia and other psychotic disorder

Autism

Communication disorders

Mood disorders

In adults six symptoms needs to be present in order to diagnose the Generalized Anxiety Disorder. However, in children only \_\_\_\_\_ symptom/s will be enough to make diagnosis.

Select the correct option

- 2
- 1
- 4
- 3

Click to reveal the correct answer & view all questions

Severe recurrent temper outbursts manifested verbally, inconsistent with developmental level, and occurs three or more times per week, are salient features of which disorder?

Select the correct option

- Persistence depressive disorder
- Substance/medication induced depressive disorder
- Disruptive mood dysregulation disorder
- Major depressive disorder

Question 6/10 (1/10) (1/10)

Which of the following is considered as one of the hereditary reasons in the Depressive disorders?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Transferred from the father                             |
| <input type="radio"/> | It runs in the generations                              |
| <input type="radio"/> | Higher concordance among identical twins than fraternal |
| <input type="radio"/> | Transferred from the mother                             |

[Click to Show Answer](#) | [Move to Next Question](#)

How many types of bipolar and related disorders have?

Select the correct option

2 types

4 types

3 types

5 types

Question # 4 of 10 ( Start time: 05:09:29 PM, 06 July 2022 )

Total Marks: 1

Which of the following is the main reason behind the Separation Anxiety?

Select the correct option

- |                       |                           |
|-----------------------|---------------------------|
| <input type="radio"/> | Genes                     |
| <input type="radio"/> | Accident                  |
| <input type="radio"/> | Lenient parenting         |
| <input type="radio"/> | Loss of significant other |

[Click here to report a problem with this question](#)

The presence of negative and positive symptoms is the criteria for the diagnosis of which disorder?

Select the correct option

<input checked="" type="radio"/>	Schizophrenia
<input type="radio"/>	Neurological disorders
<input type="radio"/>	Mood disorder
<input type="radio"/>	Autism

Which of the following is the most decisive factor while diagnosing Social Anxiety Disorder?

Select the correct option

Fear of closed spaces

Fear of evaluation

Fear of performance

Fear of people



Ahmad has a habit of keeping everything and not throwing anything away such as even pamphlets. This is known as:

Select the correct option

- Tic Disorder
- Excoriation Disorder
- Obsessive Compulsive Disorder
- Hording Disorder

Marked Correct Answer

In adults six symptoms needs to be present in order to diagnose the Generalized Anxiety Disorder. However, in children only \_\_\_\_\_ symptom/s will be enough to make diagnosis.

Select the correct option

<input type="radio"/>	2
<input type="radio"/>	1
<input checked="" type="radio"/>	4
<input type="radio"/>	3

Question # 3 of 10 ( Start time: 04:24:50 PM, 06 July 2022 )

Which of the following is NOT a belief among the person suffering from Social Anxiety Disorder?

Select the correct option

- Socially aloof
- Low self esteem
- High social standard
- Socially unskilled

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 ( Start time: 04:36:59 PM, 06 July 2022 )

Total Marks: 1

In which of the motor disorders, individual finds difficulty in motor movements like dropping things etc. which is manifested as clumsiness?

Select the correct option

<input type="radio"/>	Motor disorder
<input type="radio"/>	Stereotypic movement disorder
<input type="radio"/>	Developmental coordination disorder
<input type="radio"/>	Tic disorder

© 2016 Pearson Education, Inc. All rights reserved. Pearson Education

Question # 4 of 10 ( Start time: 04:26:27 PM, 06 July 2022 )

Total Marks: 1

Which of the following is NOT the psychological reason of Bipolar and related disorders?

Select the correct option

- |                                  |                        |
|----------------------------------|------------------------|
| <input checked="" type="radio"/> | Genetic makeup         |
| <input type="radio"/>            | Neuroticism            |
| <input type="radio"/>            | Losses in earlier life |
| <input type="radio"/>            | Negative life events   |

[Click to Save Answer & Move to Next Question](#)

In DSM IV TR Body Dysmorphic Disorder was categorized in which of the following category of disorders?

Select the correct option

- Anxiety Disorders
- Mood Disorders
- Somatoform Disorders
- Trauma- Related Disorders

Click to Enter Answer & Move to Next Question

Molecular biologists have specified certain number of chromosomes, located at chromosome 17, associated with which of the following disorder?

Select the correct option

- |                       |                     |
|-----------------------|---------------------|
| <input type="radio"/> | Mania               |
| <input type="radio"/> | Schizophrenia       |
| <input type="radio"/> | Hypomania           |
| <input type="radio"/> | Unipolar depression |

Click to Save Answer & Move to Next Question

Indicators like mentioning about taking one' s life in a group or on social media etc. should be taken as which of the following?

Select the correct option

- |                       |                               |
|-----------------------|-------------------------------|
| <input type="radio"/> | Routine joke                  |
| <input type="radio"/> | Seriously and must not ignore |
| <input type="radio"/> | Call the police               |
| <input type="radio"/> | Call the police               |

Click to Save Answer & Move to Next Question

Question # 7 of 10 ( Start time: 04:32:12 PM, 06 July 2022 )

Total Marks: :

Which of the following disorders are also known as “free floating anxiety” ?

Select the correct option

- |                       |                              |
|-----------------------|------------------------------|
| <input type="radio"/> | Social anxiety disorder      |
| <input type="radio"/> | Generalized anxiety disorder |
| <input type="radio"/> | Panic attack                 |
| <input type="radio"/> | Agoraphobia                  |

[Click to Save Answer & Move to Next Question](#)

Which of the following disorder is characterized by seemingly driven and apparently purposefulness motor behavior?

Select the correct option

- |                                  |                                     |
|----------------------------------|-------------------------------------|
| <input type="radio"/>            | Developmental coordination disorder |
| <input checked="" type="radio"/> | Stereotypical moment disorder       |
| <input type="radio"/>            | Motor disorder                      |
| <input type="radio"/>            | Tic disorder                        |

Click to Save Answer & Move to Next Question

Which of the following disorder must be ruled out while diagnosing someone with Obsessive Compulsive Disorder?

Select the correct option



Personality Disorder



Trauma Related Disorder



Tic Disorder



Somatoform Disorder

In substance/medication-induced psychotic disorder, there is evidence from the history, physical examination, or laboratory findings that there is presence of which of the following symptom?

Select the correct option

- |                                  |                                  |
|----------------------------------|----------------------------------|
| <input type="radio"/>            | Acute episode and hallucinations |
| <input checked="" type="radio"/> | Delusion and hallucination       |
| <input type="radio"/>            | Positive and negative symptoms   |
| <input type="radio"/>            | Chronic episode and delusion     |

(Blank/Cancel/Reset/Close/Quit/Quit)

It is essential to have both negative and positive symptoms for the diagnosis of which disorder?

Select the correct option

- Mood disorder
- Autism
- Schizophrenia
- Neurological disorders

(Click on the correct answer to see the question)

Which of the following structural changes in the brain can cause depression?

Select the correct option

- |                       |                               |
|-----------------------|-------------------------------|
| <input type="radio"/> | Reduced gray-water            |
| <input type="radio"/> | Microcephaly                  |
| <input type="radio"/> | Hydrocephaly                  |
| <input type="radio"/> | Subgenual anterior cingulated |

100% (100%) (100%) (100%) (100%)

Question # 4 of 10 ( Start time: 03:44:11 PM, 06 July 2022 )

Total Marks: 1

Symptoms characteristic of a schizophrenia spectrum and other psychotic disorder predominate but do not meet the full criteria for any of the disorders refers to which disorder?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Schizophrenia form disorder                                     |
| <input type="radio"/> | Brief psychotic disorder  |
| <input type="radio"/> | Delusion disorder   |
| <input type="radio"/> | Unspecified schizophrenia spectrum and other psychotic disorder |

[Previous Question](#) [Next Question](#)

Question # 6 of 10 ( Start time: 03:46:27 PM, 06 July 2022 )

Total Marks: 1

Which part of the brain is closely associated with panic disorder?

Select the correct option

- Amygdala
- Frontal lobe
- Hippocampus
- Cerebral cortex

(Click on the correct answer to see the correct answer)

How many types of episodes prevail in the bipolar and related disorders?

Select the correct option

4 types

5 types

2 types

3 types

(Time: 02:50:00 / Total: 02:50:00 / Q: 8/10)

If a mother has hoarding trait, then there is a high probability that her daughter can have Hoarding Disorder. This can be explained by which of the following school of thought?

Select the correct option

- Behavioural
- Cognitive
- Genetic
- Psychological

(There is one correct answer to this question)

Depressive symptoms cause clinically significant distress or impairment but do not meet the full criteria for any of the depressive disorders, refer to which disorder?

Select the correct option

- Persistence depressive disorder
- Disruptive mood dysregulation disorder
- Other specified depressive disorder
- Substance/medication induced depressive disorder

(Click on any / Arrow / Move / Del / Ctrl) (1)

Question # 1 of 10 ( Start time: 02:40:55 PM, 06 July 2022 )

Total Marks: 1

Which of the following is NOT an environmental factor that contributes in depression?

Select the correct option

- |                       |                    |
|-----------------------|--------------------|
| <input type="radio"/> | Negative thinking  |
| <input type="radio"/> | Mental stress      |
| <input type="radio"/> | A significant loss |
| <input type="radio"/> | Abuse              |

[View Question / Answer / Move to Next Question](#)

A sudden, rapid, recurrent, non-rhythmic motor moment or vocalization refers to which of the following disorders?

Select the correct option

<input type="radio"/>	Developmental coordination disorder
<input type="radio"/>	Stereotypic movement disorder
<input type="radio"/>	Tic disorder
<input type="radio"/>	Tourette's disorder

Click to Show Answer & Move to Next Question

It is essential to have both negative and positive symptoms for the diagnosis of which disorder?

Select the correct option

- |                                  |                        |
|----------------------------------|------------------------|
| <input checked="" type="radio"/> | Schizophrenia          |
| <input type="radio"/>            | Autism                 |
| <input type="radio"/>            | Mood disorder          |
| <input type="radio"/>            | Neurological disorders |

Click to Save Answer & Move to the next question

Who talks about depression etiology in terms of negative or pessimistic thinking, cognitive triad, errors in thinking/ logic, arbitrary inferences, and automatic thoughts?

Select the correct option

- Aron Beck
- B.F. Skinner
- Albert Bandura
- Sigmund Freud

Go to Question 6 (Next Question)

Question # 4 of 10 ( Start time: 03:29:38 PM, 06 July 2022 )

Total Marks: 1

Which of the following disorder refers to the acts of killing oneself, most often as a result of depression or other mental illness, to deal with intolerateable mental anguish, pain, and fear?

Select the correct option

<input type="radio"/>	Hypomania
<input type="radio"/>	Mania
<input type="radio"/>	Suicide
<input type="radio"/>	Major depression

Once you have Answered All the Questions

The presence of both, multiple motor and one or more vocal tics at times during the illness, although not necessarily appears at the same time, is a criteria of:

Select the correct option

- Tourette's disorder
- Stereotypic movement disorder
- Developmental coordination disorder
- Tic disorder

Go to Question 1 / 10 (1/10/2022)

Adoption studies have implicated genetic factors and molecular biologists have identified genes, associated with:

Select the correct option

- |                       |                     |
|-----------------------|---------------------|
| <input type="radio"/> | Mania               |
| <input type="radio"/> | Hypomania           |
| <input type="radio"/> | Major depression    |
| <input type="radio"/> | Unipolar depression |

Go to Question 2 / Previous / Next / Exit / Submit

Which of the following is NOT a criterion of Trichotillomania Disorder according to DSM 5?

Select the correct answer

- Recurrent cutting of hairs
- Clinically significant distress or impairment in functioning
- Recurrent pulling out hair resulting in hair loss
- Repeated attempts to decrease or stop hair pulling

Which of the following is the most significant specifier which needs to identify in multiple episodes of schizophrenia?

Select the correct option

Currently acute, partial remission, a full remission

Currently in remission, chronic, full remission

Unspecified, acute, partial remission

Currently acute, continuous, remission

Click to Save Answer & Move to Next Question

Which of the following disorder involves a sudden, rapid, recurrent and non-rhythmic motor moment or vocalization?

Select the correct option

- |                                  |                                     |
|----------------------------------|-------------------------------------|
| <input checked="" type="radio"/> | Tic disorder                        |
| <input type="radio"/>            | Stereotypic movement disorder       |
| <input type="radio"/>            | Developmental coordination disorder |
| <input type="radio"/>            | Tourette's disorder                 |

Click to Save Answer & Move to Next Question

In which type of motor disorder, repetitive, seemingly driven and apparently purposeless motor behavior is manifested?

Select the correct option

- Stereotypic movement disorder
- Tic disorder
- Developmental coordination disorder
- Physiological tremor

11:53:00 PM, 05 July 2022

Genetic etiology asserts that being relatives increases risk and being family member increases prevalence of negative symptoms in which disorder?

Select the correct option

[Reload Math Equations](#)

Communication disorders

Schizophrenia

Autism

Delusion disorder

[Click to Save Answer & Move to Next Question](#)

In which of the motor disorders, individual finds difficulty in motor movements like dropping things etc. which is manifested as clumsiness?

Select the correct option:

- Motor disorder
- Stereotypic movement disorder
- Developmental coordination disorder
- Tic disorder

ANSWER: (C) (11:07)

Question # 10 of 10 ( Start time: 11:53:03 PM, 06 July 2022 )

Total Marks: 1

Which of the following will be the most decisive factor to diagnose Substance/Medication-Induced Obsessive Compulsive Disorder?

Select the correct option

Presence of a substance in the body

Presence of only Obsession

Presence of only compulsion

Presence of symptoms of Obsessive Compulsive Disorder

At least one hypomanic episode and one major depressive episode criteria should be met for which of the following?

Select the correct answer

- Bipolar I disorder
- Cyclothymia
- Bipolar II disorder
- Hypomania

© 2022 Pearson Education, Inc. or its affiliate(s). All rights reserved.

Question # 2 of 10 ( Start time: 11:46:53 PM, 06 July 2022 )

Total Marks: 1

Diagnosis of which of the following can be made without using the severity specifier?

Select the correct option

- |                       |   |
|-----------------------|---|
| <input type="radio"/> | Schizophrenia                                       |
| <input type="radio"/> | Delusion disorder                                   |
| <input type="radio"/> | Catatonia disorder due to another medical condition |
| <input type="radio"/> | Schizoaffective disorder                            |

[Click to Save Answer & Move to Next Question](#)

The occurrence of major depression episodes and at least one manic episode refers to which of the following?

Select the correct option

Hypomania

Cyclothymic disorder

Bipolar 2 disorder

Bipolar 1 disorder

[Go to Show Answer](#) / [Go to Next Question](#)

Question # 3 of 10 ( Start time: 11:47:38 PM, 06 July 2022 )

Total Marks: 1

'Delusions developed during or soon after substance intoxication or withdrawal or after exposure to a medication' is one of the diagnostic criteria of:

Select the correct option

 Brief psychotic disorder Delusion disorder Schizophrenia form disorder Substance/medication-induced psychotic disorder[Click to Save Answer & Move to Next Question](#)


Select the correct option

Tic disorder

Stereotypic movement disorder

Developmental coordination disorder

Tourette's disorder



Question # 5 of 10 ( Start time: 11:49:05 PM, 06 July 2022 )

Total Marks: 1

Due to which of the following reason a person may perform compulsions?

Select the correct option

[Reload Math Equations](#)

- |                       |                     |
|-----------------------|---------------------|
| <input type="radio"/> | To elevate mood     |
| <input type="radio"/> | Reduce anxiety      |
| <input type="radio"/> | Excessive sweating  |
| <input type="radio"/> | Due to conditioning |

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 ( Start time: 11:35:14 PM, 06 July 2022 )

Total Marks: 1

Repetitive motor movements interfere with social academic or other activities and may result in self injury in which of the following disorder?

Select the correct option

- |                                  |                                     |
|----------------------------------|-------------------------------------|
| <input checked="" type="radio"/> | Stereotypic movement disorder       |
| <input type="radio"/>            | Tic disorder                        |
| <input type="radio"/>            | Developmental coordination disorder |
| <input type="radio"/>            | Motor disorder                      |

[Click to Save Answer & Move to Next Question](#)

In which type of motor disorder, repetitive, seemingly driven and apparently purposeless motor behavior is manifested?

Select the correct option

- |                                  |                                     |
|----------------------------------|-------------------------------------|
| <input checked="" type="radio"/> | Stereotypic movement disorder       |
| <input type="radio"/>            | Tic disorder                        |
| <input type="radio"/>            | Developmental coordination disorder |
| <input type="radio"/>            | Physiological tremor                |

Click to Save Answer & Move to Next Question

Which of the following contains the mixed features of mood disorders and schizophrenia?

Select the correct option

- |                       |                           |
|-----------------------|---------------------------|
| <input type="radio"/> | Schizophreniform disorder |
| <input type="radio"/> | Schizoaffective disorder  |
| <input type="radio"/> | Brief psychotic disorder  |
| <input type="radio"/> | Delusion disorder         |

Click to Save Answer & Move to Next Question

Question # 4 of 10 ( Start time: 11:20:07 PM, 06 July 2022 )

Total Marks: 1

Adoption studies have implicated genetic factors and molecular biologists have identified genes, associated with:

Select the correct option

Unipolar depression

Mania

Major depression

Hypomania

[Click to show Answer for this Question](#)

Question # 7 of 10 ( Start time: 11:25:02 PM, 06 July 2022 )

Total Marks: 1

Which of the following disorder must be ruled out while diagnosing someone with Obsessive Compulsive Disorder?

Select the correct option

<input type="radio"/>	Trauma Related Disorder
<input type="radio"/>	Personality Disorder
<input checked="" type="radio"/>	Somatoform Disorder
<input type="radio"/>	Tic Disorder

Click here to go to the next question

Question # 9 of 10 ( Start time: 10:29:23 PM, 06 July 2022 )

Total Marks: 1

In which of the motor disorders, individual finds difficulty in motor movements like dropping things etc. which is manifested as clumsiness?

Select the correct option

<input type="radio"/>	Developmental coordination disorder
<input type="radio"/>	Tic disorder
<input type="radio"/>	Stereotypic movement disorder
<input type="radio"/>	Motor disorder