

INSERT INTO statement is used to enter values into _____

Select the correct option

Key value columns only

All columns



Not null columns only

Only particular column

_____ SQL statement is used to enter values into columns.

Select the correct option

ENTER INTO

INSERT TO

PUT INTO

INSERT INTO 

Consider the following relation:

STD(stId, stName, stAdr, prName, prCrds)

stId \rightarrow stName, stAdr, prName, prCrds


prName \rightarrow prCrds

Which of the following dependency exist in above relation?

Select the correct option

Terminal dependency

Transitive dependency



Reflexive dependency

Composite dependency

Which of the following action is performed on a relation to remove the transitive dependency?

Select the correct option

Aggregation

Decomposition 

Augmentation


Composition

Which of the following is NOT a type of integer data type in SQL?

Select the correct option

Smallint

Smallerint



Smallint

Int

Which of the following is a correct syntax for creating a Database named employee?

Select the correct option

CREATE SQL DATABASE employee;

CREATE DATABASE employee;

CREATE TABLE employee;



CREATE MYSQL Database employee

A table is in third normal form if it is in second normal form and there is no

Select the correct option

Partial dependency

Consistency

Full functional dependency

Transitive dependency ✓

A relation is in third normal form if _____

Select the correct option

It has a transitive dependency

It has a partial dependency

It is already in second normal form 

It has multivalued attributes

The anomalies caused by transitive dependency in a relation are removed by _____

Select the correct option

Changing primary key

Breaking down the relation 

Reducing number of columns

Reducing number of rows

_____ in SQL table is used to uniquely identify individual rows of a given table.

Select the correct option

Secondary key column

NOT NULL constraints

Foreign key column

Primary key column

