



A Pie chart is represented by a:

select the correct option

Reload Math Equations

- Triangle
- Circle
- Rectangle
- Square

Click to Save Answer & Move to Next Question





If the values of two variables move in the same direction, the correlation is said to be:

select the correct option

Reload Math Equations

- Positive
- Non-linear
- Linear
- Negative

Click to Save Answer & Move to Next Question





The goal of _____ is to focus on summarizing and explaining a specific set of data.

select the correct option

Reload Math Equations

- Descriptive statistics
- Population parameter
- Inferential statistics
- Sample parameter

Click to Save Answer & Move to Next Question





Question # 7 of 10 (start time: 08:00:56 PM, 07 December 2022)

Total Marks:

How is a variable name different from a variable label?

select the correct option

Reload Math Equations

- It is abstract and unspecific
- It is longer and more detailed
- It is shorter and less detailed
- It refers to codes rather than variables

Click to Save Answer & Move to Next Question





The minimum value in the class limit is called:

select the correct option

Reload Math Equations

- Lower limit
- Primary limit
- Upper limit
- Secondary limit

Click to Save Answer & Move to Next Question





The total of frequency up to an upper-class limit or boundary is known as:

select the correct option

Reload Math Equations

- Frequency distribution
- Cumulative frequency
- Average frequency
- Frequency polygon

Click to Save Answer & Move to Next Question





Which of the following are types of correlation?

select the correct option

Reload Math Equations

- Simple, Partial and Multiple
- Linear and Nonlinear
- All of the above
- Positive and Negative

Click to Save Answer & Move to Next Question





BC200406321: JAVERIA AHMED

Time Left 8:4 sec(s)

PSY516 - statistics in Psychology (Quiz 1)

Quiz start Time: 08:04 PM, 07 December 2022

Question # 1 of 10 (start time: 08:04:41 PM, 07 December 2022)

Total Marks:

The data presented in the form of frequency data is known as:

select the correct option

Reload Math Equations

- Grouped data
- Ungrouped data
- Calculated data
- Secondary data

Click to Save Answer & Move to Next Question





BC200406321: JAVERIA AHMED

Time Left 82 sec(s)

PSY516 - statistics in Psychology (Quiz 1)

Quiz start Time: 08:04 PM, 07 December 2022

Question # 2 of 10 (start time: 08:05:20 PM, 07 December 2022)

Total Marks:

The control charts and procedures of descriptive statistics which are used to enhance a procedure can be classified into which of these categories?

select the correct option

Reload Math Equations

- Serial tools
- Statistical tools
- Behavioural tools
- Industry statistics

Click to Save Answer & Move to Next Question





For making frequency distribution, the number of classes used depends upon:

select the correct option

Reload Math Equations

- Size of class
- Experiment condition
- Number of observations
- Size of responses

Click to Save Answer & Move to Next Question





If the values of two variables move in the same direction, the correlation is said to be:

select the correct option

Reload Math Equations

- Non-linear
- Negative
- Positive
- Linear

Click to Save Answer & Move to Next Question





The height and weight are examples of which of the following scales of measurement?

select the correct option

Reload Math Equations

- Ratio scale
- Interval scale
- Nominal scale
- Ordinal scale

Click to Save Answer & Move to Next Question





BC200406321: JAVERIA AHMED

Time Left 86 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 08:04 PM, 07 December 2022

Question # 6 of 10 (start time: 08:07:16 PM, 07 December 2022)

Total Marks:

Which analysis is known as non-statistical analysis?

select the correct option

Reload Math Equations

- Mixed Analysis
- Numerical Analysis
- Qualitative Analysis
- Quantitative Analysis

Click to Save Answer & Move to Next Question





In SPSS, what is the "Data Viewer"?

select the correct option

Reload Math Equations

- A table summarizing the frequencies of data for one variable
- A screen in which variables can be defined and labeled
- A spreadsheet into which data can be entered
- A dialog box that allows you to choose a statistical test

Click to Save Answer & Move to Next Question





Which of the following is a measure of the strength or the degree of relationship between two random variables?

select the correct option

Reload Math Equations

- Chi-square
- T-test
- ANOVA
- Correlation

Click to Save Answer & Move to Next Question





Which measure of central tendency is obtained by using the middle score when all the scores are organized in numerical order?

select the correct option

Reload Math Equations

- Mode
- Median
- Mean
- Range

Click to Save Answer & Move to Next Question





A researcher is curious about the IQ of students at the University of the Punjab. The entire group of students is an example of a:

select the correct option

Reload Math Equations

- Sample
- Statistic
- Parameter
- Population

Click to Save Answer & Move to Next Question





Which measure of central tendency is derived from the most common value?

select the correct option

Reload Math Equations

- Range
- Mode
- Mean
- Median

Click to Save Answer & Move to Next Question





The goal of _____ is to focus on summarizing and explaining a specific set of data.

select the correct option

Reload Math Equations

- Inferential statistics
- Descriptive statistics
- Sample parameter
- Population parameter

Click to Save Answer & Move to Next Question



Select the correct option

 Reload Math Equations

<input type="radio"/>	Math
<input type="radio"/>	Physics
<input type="radio"/>	Economics
<input type="radio"/>	English

Click to Save Answer & Move to Next Question

Select the correct option

 Reload Math Equations

<input type="radio"/>	Math
<input type="radio"/>	Physics
<input type="radio"/>	Economics
<input type="radio"/>	English

Javeria

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 07:47:40 PM, 07 December 2022)

Total Marks: 1

A Pie chart is represented by a:

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Circle
<input type="radio"/>	Rectangle
<input type="radio"/>	Triangle
<input type="radio"/>	Square

Javeria

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 07:44:08 PM, 07 December 2022)

Total Marks: 1

The control charts and procedures of descriptive statistics which are used to enhance a procedure can be classified into which of these categories?

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Serial tools
<input type="radio"/>	Behavioural tools
<input type="radio"/>	Statistical tools
<input type="radio"/>	Industry statistics

Javeria

[Click to Save Answer & Move to Next Question](#)



BS190200138 UMAIR SHAHZAD

PSYS16 - Statistics in Psychology (Quiz 1)

Quiz

Question # 10 of 10 (Start time: 07:37:27 PM, 07 December 2022)

What is the key defining characteristic of experimental research?

Select the correct option

- | | |
|-----------------------|--|
| <input type="radio"/> | A negative correlation usually exists |
| <input type="radio"/> | Manipulation of the independent variable |
| <input type="radio"/> | Extraneous variables are never present |
| <input type="radio"/> | A positive correlation usually exists |

Click to



PSY516 - Statistics in Psychology (Quiz 1)

Question # 9 of 10 (Start time: 07:36:47 PM, 07 December 2022)

SPSS stands for what?

Select the correct option

- Systems Package for Social Science
- Statistical Package for Social Science
- Statistical Package for Systems Science
- Social Science for Systems Package

Javeria



PSY516 - Statistics in Psychology (Quiz 1)

Question # 8 of 10 (Start time: 07:36:51 PM, 07 December 2022)

Statistical techniques that summarize and organize the data are classified as:

Select the correct option

- | | |
|-----------------------|------------------------|
| <input type="radio"/> | Population statistics |
| <input type="radio"/> | Sample statistics |
| <input type="radio"/> | inferential statistics |
| <input type="radio"/> | Descriptive statistics |

Javeria





Question # 7 of 10 (Start time: 07:34:17 PM, 07 December 2022)

The goal of _____ is to focus on summarizing and explaining a specific set of data.

Select the correct option

- Population parameter
- Inferential statistics
- Descriptive statistics
- Sample parameter

descriptive

Click to Save Answer



7:27

6.00 KB/S    83



vulms.vu.edu.pk/



BS190200138: UMAIR SHAHZAD

Time Left 74 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 07:25 PM, 07 December 2022

Question # 3 of 10 (Start time: 07:27:10 PM, 07 December 2022)

Total Marks: 1

A researcher studies the factors that determine the number of children, future couples decide to have. The variable 'number of children' is a:

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|----------------------|
| <input type="radio"/> | Categorical variable |
| <input type="radio"/> | Ordinal variable |
| <input type="radio"/> | Continuous variable |
| <input type="radio"/> | Discrete variable |

javeria

Click to Save Answer & Move to Next Question

BC210409583: WARDA MALIK

PSY516 - Statistics in Psychology (Quiz 1)

Question # 10 of 10 (Start time: 07:12:37 PM, 07 December 2022)

If the values of two variables move in the opposite direction, the correlation is said to be:

Select the correct option

<input type="radio"/>	Non-linear
<input type="radio"/>	Positive
<input type="radio"/>	Negative
<input type="radio"/>	Linear

javeria

Type here to search



BC210409583: WARDA MALIK

PSY518 – Statistics In Psychology (Quiz 1)

Question # 9 of 10 (Start time: 07:11:28 PM, 07 December 2022)

The science of collecting, organizing, presenting, analyzing and interpreting the data to assist in making more effective decisions is called:

Select the correct option

- | | |
|-----------------------|------------|
| <input type="radio"/> | Sample |
| <input type="radio"/> | Statistics |
| <input type="radio"/> | Population |
| <input type="radio"/> | Parameter |

javeria

BC210409583: WARDA MALIK

PSY516 - Statistics in Psychology (Quiz 1)

Question # 8 of 10 (Start time: 07:09:59 PM, 07 December 2022)

The data presented in the form of frequency data is known as:

Select the correct option

- Ungrouped data
- Secondary data
- Grouped data
- Calculated data

javeria

BC210409583: WARDA MALIK

PSY518 - Statistics in Psychology (Quiz 1)

Question # 7 of 10 (Start time: 07:09:23 PM, 07 December 2022)

Which measure of central tendency is obtained by using the middle score when all the scores are organized in numerical order?

Select the correct option

- | | |
|-----------------------|--------|
| <input type="radio"/> | Mode |
| <input type="radio"/> | Mean |
| <input type="radio"/> | Median |
| <input type="radio"/> | Range |
- javeria

BC210409583: WARDA MALIK

PSY518 - Statistics In Psychology (Quiz 1)

Question # 5 of 10 (Start time: 07:07:33 PM, 07 December 2022)

How is a variable name different from a variable label?

Select the correct option

- | | |
|-----------------------|--|
| <input type="radio"/> | It is shorter and less detailed |
| <input type="radio"/> | It is longer and more detailed |
| <input type="radio"/> | It is abstract and unspecific |
| <input type="radio"/> | It refers to codes rather than variables |

javeria

Type here to search

Select the correct option



Reload Math Equations

- Exploratory skewed
- Negatively skewed
- Positively skewed
- Experimentally skewed

javeria

Which of the following process is not required in an experimental research method?

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|----------------------|
| <input type="radio"/> | Controlling |
| <input type="radio"/> | Observation |
| <input type="radio"/> | Reference collection |
| <input type="radio"/> | Manipulation |
- javeria

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 10:46:00 PM, 07 December 2022)

Total Marks:

The mean or average used to measure central tendency is called:

Select the correct option



Reload Math Equations

- | | |
|-----------------------|--------------------|
| <input type="radio"/> | Median |
| <input type="radio"/> | Mode |
| <input type="radio"/> | Arithmetic mean |
| <input type="radio"/> | Standard deviation |

javeria

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 10:44:26 PM, 07 December 2022)

Total Marks:

Which type of statistics uses the data to provide descriptions of the population, either through numerical calculations or graphs or tables?

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|--------------|
| <input type="radio"/> | Quantitative |
| <input type="radio"/> | Qualitative |
| <input type="radio"/> | Inferential |
| <input type="radio"/> | Descriptive |
- javeria

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (start time: 10:43:58 PM, 07 December 2022)

Total Marks: 1

Specialised processes such as graphical and numerical methods are utilized in which of the following statistics?

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Inferential
<input type="radio"/>	Associative
<input type="radio"/>	Descriptive
<input type="radio"/>	Predictive

javeria

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (start time: 10:39:58 PM, 07 December 2022)

Total Marks: 1

If the values of two variables move in the same direction, the correlation is said to be:

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|------------|
| <input type="radio"/> | Linear |
| <input type="radio"/> | Non-linear |
| <input type="radio"/> | Positive |
| <input type="radio"/> | Negative |
- javeria

[Click to Save Answer & Move to Next Question](#)



BC210419046: TUBA ZAHID

PSY516 - Statistics in Psychology (Quiz 1)

Question # 7 of 10 (Start time: 08:20:52 PM, 07 December 2022)

The height and weight are examples of which of the following scales of measurement?

Select the correct option

<input type="radio"/>	Ordinal scale
<input type="radio"/>	Ratio scale
<input type="radio"/>	Nominal scale
<input type="radio"/>	Interval scale

javeria





BC210419046: TUBA ZAHID

PSY516 - Statistics in Psychology (Quiz 1)

Question # 6 of 10 (Start time: 08:19:12 PM, 07 December 2022)

Cumulative frequency polygon can be used for the calculation of:

Select the correct option

<input type="radio"/>	Median
<input type="radio"/>	Geometric mean
<input type="radio"/>	Mode
<input type="radio"/>	Mean

javeria



Question # 10 of 10 (Start time: 07:03:25 PM, 07 December 2022)

The graph of frequency distribution is called:

Select the correct option

- Ogive
- Histogram
- Curve
- Line graph

javeria

Click

BC200403913: LAIBA AKHTAR

Time Left 82 sec(s)

PSY516 - statistics in Psychology (Quiz 1)

Quiz start Time: 06:54 PM, 07 December 2022

Question # 9 of 10 (start time: 07:02:19 PM, 07 December 2022)

Total Marks:

Allna used a cm scale to measure the length of her room carpet. A cm scale is an example of which one of the following kinds of scales?

Select the correct option

Reload Math Equations

- Interval scale
- Ratio scale
- Nominal scale
- Ordinal scale

javeria

Click to Save Answer & Move to Next Question



BC200403913: LAIBA AKHTAR

Time Left 87 sec(s)

PSY516 - statistics in Psychology (Quiz 1)

Quiz start Time: 06:54 PM, 07 December 2022

Question # 8 of 10 (Start time: 07:01:31 PM, 07 December 2022)

Total Marks:

Which of the following is interpreted as the percentage of scores in a reference group that falls below a particular raw score?

Select the correct option

Reload Math Equations

- Percentile rank
- Norm group
- Standard scores
- Reference group

Click to Save Answer & Move to Next Question



Question # 7 of 10 (Start time: 07:00:07 PM, 07 December 2022)

The height and weight are examples of which of the following scales of measurement?

Select the correct option

<input type="radio"/>	Ordinal scale
<input type="radio"/>	Interval scale
<input type="radio"/>	Ratio scale
<input type="radio"/>	Nominal scale

Click





Question # 6 of 10 (Start time: 06:58:56 PM, 07 December 2022)

A tabular arrangement for classifying the data into different groups is called:

Select the correct option

<input type="radio"/>	Frequency distribution
<input type="radio"/>	Standard deviation
<input type="radio"/>	Class limit
<input type="radio"/>	Arithmetic mean

javeria





$r = 0$ represents:

Select the correct option

<input type="radio"/>	Inverse relationship
<input type="radio"/>	No correlation
<input type="radio"/>	Positive relationship
<input type="radio"/>	Negative relationship

javeria



BC200403913: LAIBA AKHTAR

Time Left 87 sec(s)

PSY516 - statistics in Psychology (Quiz 1)

Quiz start Time: 06:54 PM, 07 December 2022

Question # 4 of 10 (start time: 06:58:51 PM, 07 December 2022)

Total Marks:

If the vertical lines are drawn at every point of straight line in frequency polygon, then by this way the frequency polygon is transformed into:

Select the correct option

Reload Math Equations

- Width diagram
- Length diagram
- Dimensional bar charts
- Histogram

javeria

Click to Save Answer & Move to Next Question



PSY516 - Statistics in Psychology (Quiz 1)

Quiz:

Question # 3 of 10 (Start time: 06:56:13 PM, 07 December 2022)

Which of the following are types of correlation?

Select the correct option

- | | |
|-----------------------|------------------------------|
| <input type="radio"/> | Positive and Negative |
| <input type="radio"/> | Simple, Partial and Multiple |
| <input type="radio"/> | All of the above |
| <input type="radio"/> | Linear and Nonlinear |

javeria

Click to



BC200403913: LAIBA AKHTAR

Time Left 86 sec(s)

PSY516 - statistics in Psychology (Quiz 1)

Quiz start Time: 06:54 PM, 07 December 2022

Question # 2 of 10 (start time: 06:55:36 PM, 07 December 2022)

Total Marks:

A researcher aims to study the nutritional deficits in groups of individuals by measuring their heights. Which one of the following data seems to be utilized by the researcher?

Select the correct option

Reload Math Equations

- Discrete data
- Continuous data
- Variable data
- Processed data

javeria

Click to Save Answer & Move to Next Question



Question # 1 of 10 (Start time: 06:54:18 PM, 07 December 2022)

What is the name of conceptual framework in which the research is carried out?

Select the correct option

<input type="radio"/>	Research design
<input type="radio"/>	Synopsis of Research
<input type="radio"/>	Research paradigm
<input type="radio"/>	Research hypothesis

javeria





Quiz
wms.w.edu.pk



10409561 RUBAB ZULFIQAR ALI

Quiz Start Time:

516 - Statistics in Psychology (Quiz 1)

Question # 10 of 10 (Start time: 06:42:37 PM, 07 December 2022)

Which of the following is obtained by calculating the difference between the largest and smallest value?

Select the correct option

<input type="radio"/>	Range
<input type="radio"/>	Median
<input type="radio"/>	Mode
<input type="radio"/>	Mean

javeria

Click to Save Answer &



BC210409561: RUBAB ZULFIQAR ALI

PSY516 - Statistics in Psychology (Quiz 1)

Question # 9 of 10 (start time: 06:41:05 PM, 07 December 2022)

The most powerful research tool is a (an):

Select the correct option

- | | |
|-----------------------|---------------------|
| <input type="radio"/> | Experiment |
| <input type="radio"/> | Case study |
| <input type="radio"/> | Correlational study |
| <input type="radio"/> | Survey |

javeria

Question # 7 of 10 (start time: 06:39:00 PM, 07 December 2022)

Total Marks: 1

For a Histogram based on a frequency distribution with unequal class intervals, the frequency of a class should be proportional to:

Select the correct option

[Reload Math Equations](#)

- height of the rectangle
- width of the rectangle
- Area of the rectangle
- Perimeter of the rectangle

javeria

[Click to Save Answer & Move to Next Question](#)



BC210409561 RUBAB ZULFIQAR ALI

Time Left 80 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 06:33 PM, 07 December 2022

Question # 6 of 10 (start time: 06:37:33 PM, 07 December 2022)

Total Marks: 1

Five-point Likert scales (strongly disagree, disagree, neutral, agree, strongly agree) are frequently used to measure motivations and attitudes. A Likert scale is a:

Select the correct option

Reload Math Equations

- Discrete variable
- Ordinal variable
- Categorical variable
- All of the above options

ordinal variable

Click to Show Answer & Move to Next Question



BC210409561 RUBAB ZULFIQAR ALI

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 06:33 PM

Question # 3 of 10 (Start time: 06:34:33 PM, 07 December 2022)

For making frequency distribution, the number of classes used depends upon:

Select the correct option



- Number of observations
- Experiment condition
- Size of responses
- Size of class

javeria

Click to Save Answer & Move



BC210409561 RUBAB ZULFIQAR ALI

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Sta

Question # 1 of 10 (Start time: 06:33:02 PM, 07 December 2022)

The total of frequency up to an upper-class limit or boundary is known as:

Select the correct option

- Frequency polygon
- Frequency distribution
- Average frequency
- Cumulative frequency

javeria

Click to Save



BC220417499: ZAMEER HUSSAIN

Time Left 88 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 06:19 PM, 07 December 2022

Question # 8 of 10 (Start time: 06:28:45 PM, 07 December 2022)

Total Marks:

If the values of two variables move in the same direction, the correlation is said to be:

Select the correct option

Reload Math Equations

- Linear
- Negative
- Positive
- Non-linear

javeria

Click to Save Answer & Move to Next Question



BC220417499: ZAMEER HUSSAIN

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 06:19 PM, 07 December 2022

Question # 7 of 10 (Start time: 06:27:05 PM, 07 December 2022)

Total Marks:

Cumulative frequency polygon can be used for the calculation of:

Select the correct option

Reload Math Equations

- Mean
- Geometric mean
- Mode
- Median

javeria

Click to Save Answer & Move to Next Question



BC220417499: ZAMEER HUSSAIN

Time Left 90 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 06:19 PM, 07 December 2022

Question # 6 of 10 (Start time: 06:26:07 PM, 07 December 2022)

Total Marks:

Statistics is the backbone of _____.

Select the correct option

Reload Math Equations

- Research
- Mathematics
- Economics
- Computer

Click to Save Answer & Move to Next Question

javeria

BC220417499: ZAMEER HUSSAIN

Time Left 90 sec(s)

PSY518 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 08:19 PM, 07 December 2022

Question # 5 of 10 (Start time: 08:24:46 PM, 07 December 2022)

Total Marks:

The distribution which has outliers with relatively lower values is considered as:

Select the correct option

Reload Math Equations

- Positively skewed
- Exploratory skewed
- Negatively skewed
- Experimentally skewed

javeria

Click to Save Answer & Move to Next Question



BC220417499: ZAMEER HUSSAIN

Time Left 90 sec(s)

PSY516 - Statistics in Psychology (Quiz 1)

Quiz Start Time: 06:19 PM, 07 December 2022

Question # 4 of 10 (Start time: 06:23:12 PM, 07 December 2022)

Total Marks:

Which measure of central tendency is derived from the most common value?

Select the correct option

Reload Math Equations

- Median
- Mode
- Range
- Mean

javeria

Click to Save Answer & Move to Next Question



BC220417499: ZAMEER HUSSAIN

Time Left 90 sec(s)

PSY516 - Statistics In Psychology (Quiz 1)

Quiz Start Time: 06:19 PM, 07 December 2022

Question # 3 of 10 (Start time: 06:21:39 PM, 07 December 2022)

Total Marks: 1

The most frequently used measure of central tendency is:

Select the correct option

Reload Math Equations

- Range
- Arithmetic mean
- Median
- Mode

javeria

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 06:14:53 PM, 07 December 2022)

The minimum value in the class limit is called:

Select the correct option



Secondary limit



Upper limit



Primary limit



Lower limit

javeria



Time Left 84 sec(s)

Question # 8 of 10 (Start time: 06:12:01 PM, 07 December 2022)

Total Marks: 1

A researcher is curious about the IQ of students at the University of the Punjab. The entire group of students is an example of a:

Select the correct option

[Reload Math Equations](#)

- Parameter
- Statistic
- Population
- Sample

javeria

Question # 7 of 10 (Start time: 06:10:44 PM, 07 December 2022)

Major area of statistics today is concerned with drawing conclusions from _____.

Select the correct option

Relo

- Analysis
- Samples
- Measurement
- Calculations

javeria

Question # 6 of 10 (Start time: 06:09:20 PM, 07 December 2022)

In research, something that does not "vary" is called a _____.

Select the correct option

Reload M

- | | |
|-----------------------|---------------|
| <input type="radio"/> | Constant |
| <input type="radio"/> | Control group |
| <input type="radio"/> | Method |
| <input type="radio"/> | Variable |
- javeria*



Search the web and Windows



Activate Windows
Go to Settings to activate

Question # 5 of 10 (Start time: 06:08:15 PM, 07 December 2022)

Total M

Which of the following is a measure of the strength or the degree of relationship between two random variables?

Select the correct option

Reload Math Equation

- Chi-square
- Correlation
- ANOVA
- T-test

javeria

Question # 3 of 10 (Start time: 06:05:24 PM, 07 December 2022)

Total Marks: 1

Which measure of central tendency is obtained by calculating the sum of values and dividing this figure by the number of values there are in the data set?

Select the correct option

 Reload Math Equations

- Range
- Mean
- Median
- Mode

javeria

Question # 2 of 10 (Start time: 06:04:43 PM, 07 December 2022)

In the Data View in the SPSS Data Editor, each row represents what?

Select the correct option

A case

javeria

A variable

A data point

A missing value

Question # 1 of 10 (**Start time: 06:03:48 PM, 07 December 2022**)

Which of the following is a branch of statistics?

Select the correct option

Predictive statistics

Industrial statistics

Associative statistics

Descriptive statistics

javeria