


Question # 2 of 5 (Start time: 11:14:20 AM, 15 June 2024)

Total Marks: 1

The bind configuration includes a file "named.conf.local", which of the given statements is correct about the file?

Select the correct option

 Reload Math Equations



It is located in the directory `/etc/dns/`



It contains the local DNS server configuration and configures the zones.



It contains important information and is necessary for DNS server to work properly.



It contains the remote DNS server configuration.


Click to Save Answer & Move to Next Question

Question # 3 of 5 (Start time: 11:14:41 AM, 15 June 2024)

Total Marks: 1

The correct syntax of the htpasswd usage to create a secure password is _____.

Select the correct option

 Reload Math Equations`htpasswd -c rashid ~/u1.txt``htpasswd -c ~/u1.txt rashid``htpasswd -c rashid ~/u1.txt``htpasswd -c -/ u1.txt rashid`

Click to Save Answer & Move to Next Question

Question # 4 of 5 (Start time: 11:15:47 AM, 15 June 2024)

Total Marks: 1

To test the bind configuration files, _____ utility is used.

Select the correct option

[Reload Math Equations](#)

named-conf <filename>



named-testconf <filename>



named-verifyconf <filename>



named-checkconf <filename>

Question # 5 of 5 (Start time: 11:16:10 AM, 15 June 2024)

Total Marks: 1

The software package available in Linux for DNS is known as _____.

Select the correct option

[Reload Math Equations](#)

isc-dns-server



domain-server



dns-server



bind

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 5 (Start time: 02:53:31 PM, 21 June 2024)

Total Marks: 1

Select the correct statement about self-signed-certificates.

Select the correct option

[Reload Math Equations](#)

- All firefox clients trust the self-signed-certificates.
- Only external host on same network will trust the self-signed-certificates.
- Only external host will trust the self-signed-certificates.
- Self-signed-certificates are not trusted by any client and on any network.

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5 (Start time: 02:54:19 PM, 21 June 2024)

Total Marks: 1

One of the valid uses of htaccess technique is to _____.

Select the correct option

[Reload Math Equations](#)

Redirect HTTPS to HTTP



Modify the requested content



Modify the content directories



Redirect HTTP to HTTPS

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5 (Start time: 02:55:52 PM, 21 June 2024)

Total Marks: 1

To match a certain request in .htaccess, the _____ keyword is used.

Select the correct option

[Reload Math Equations](#)

MatchURL



RewriteCond



AclURL



FilterURL

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 5 (Start time: 02:56:45 PM, 21 June 2024)

Total Marks: 1

Apache error AH00058 shows that _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|--|
| <input type="radio"/> | Apache was unable to determine the hostname of the server from the configured DNS server |
| <input type="radio"/> | ServerName is defined globally |
| <input type="radio"/> | Apache could not resolve server name |
| <input type="radio"/> | Apache could not find DNS server |

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5 (Start time: 02:58:02 PM, 21 June 2024)

Total Marks: 1

Common place of Apache configuration file is _____.

Select the correct option


[Reload Math Equations](#)`/usr/bin/apache2``/var/etc/apache2``/usr/etc/apache2``/etc/apache2`[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 11:11:41 AM, 25 June 2024)

Total Marks: 1

The permissions of .htaccess file should be _____.

▶ Select the correct option

 Reload Math Equations



0651



0777



0644



0555


Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 11:13:19 AM, 25 June 2024)

Total Marks: 1

Kerberos can be part of _____ for enterprise-level organizations.

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|---------------|
| <input type="radio"/> | IAM solution |
| <input type="radio"/> | LDAP solution |
| <input type="radio"/> | LAM solution |
| <input type="radio"/> | LAMP solution |


Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 11:15:22 AM, 25 June 2024)

Total Marks: 1

Apache error AH00058 shows that _____.

▶ Select the correct option

 Reload Math Equations

- | | |
|-----------------------|--|
| <input type="radio"/> | Apache was unable to determine the hostname of the server from the configured DNS server |
| <input type="radio"/> | ServerName is defined globally |
| <input type="radio"/> | Apache could not find DNS server |
| <input type="radio"/> | Apache could not resolve server name |


Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 11:17:09 AM, 25 June 2024)

Total Marks: 1

Select a correct statement about the PTR record.

▶ Select the correct option

 Reload Math Equations



If there is no PTR record configured corresponding to "A" record, reverse lookup will still work.



It is inverse of "A" record.



If there is no "A" record configured corresponding to PTR record, reverse lookup will still work.



It is same as of "A" record.


Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 11:18:31 AM, 25 June 2024)

Total Marks: 1

For Kerberos service, Linux server requires to install _____.

▶ Select the correct option

 Reload Math Equations

- | | |
|-----------------------|---|
| <input type="radio"/> | krb5-admin-server package |
| <input type="radio"/> | krb5-kdc package |
| <input type="radio"/> | krb5-kdc and krb5-admin-server packages |
| <input type="radio"/> | kerberos-kernel-server package |


Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 11:20:01 AM, 25 June 2024)

Total Marks: 1

In bind server configuration, _____ symbol is used to mute the lines.

▶ Select the correct option

 Reload Math Equations



/



//



#



*

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 11:21:58 AM, 25 June 2024)

Total Marks: 1

The major service provided by Kerberos is _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | Decryption |
| <input type="radio"/> | Encryption |
| <input type="radio"/> | Non-Repudiation |
| <input checked="" type="radio"/> | Authentication |

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 11:23:35 AM, 25 June 2024)

Total Marks: 1

The addprinc keyword is used in _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | kadmin.remote |
| <input checked="" type="radio"/> | kadmin |
| <input type="radio"/> | kadmin.root |
| <input type="radio"/> | kadmin.local |

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 5 (Start time: 02:35:55 PM, 28 June 2024)

Total Marks: 1

By default, the KDC uses _____ as database.

Select the correct option

[Reload Math Equations](#)

LDAP



mongoDB



mysql



kdb

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5 (Start time: 02:36:30 PM, 28 June 2024)

Total Marks: 1

For Kerberos service, Linux server requires to install _____.

Select the correct option

[Reload Math Equations](#)

kerberos-kernel-server package

krb5-admin-server package

krb5-kdc and krb5-admin-server packages

krb5-kdc package


[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5 (Start time: 02:37:10 PM, 28 June 2024)

Total Marks: 1

The command "kinit <userPrincipal>" is used to _____.

▶ Select the correct option

 Reload Math Equations



Initialize kadmin.local



Test the KDC



Test the new user principal



Initialize KDC


Click to Save Answer & Move to Next Question

Question # 1 of 5 (Start time: 03:12:01 PM, 01 July 2024)

Total Marks: 1

Kerberos can be part of _____ for enterprise-level organizations.

Select the correct option

 Reload Math Equations

LAM solution



LAMP solution



IAM solution



LDAP solution


Click to Save Answer & Move to Next Question

Question # 2 of 5 (Start time: 03:12:37 PM, 01 July 2024)

Total Marks: 1

In the context of X500, the DN refers to _____.

Select the correct option

 Reload Math Equations



Destination Name



Defined Name



Distinguished Name



Designated Name


Click to Save Answer & Move to Next Question

Question # 3 of 5 (Start time: 03:13:08 PM, 01 July 2024)

Total Marks:

The default admin account on LDAP account manager is _____.

▶ Select the correct option

 Reload Math Equations

username=admin,password=admin

username=iam,password=iam

username=admin,password=lam

username=lam,password=lam

Click to Save Answer & Move to Next Question

Question # 4 of 5 (Start time: 03:14:28 PM, 01 July 2024)

Total Marks: 1

In LDIF files, the ou stands for _____.

Select the correct option

[Reload Math Equations](#)

Output



Object Unit



Omitted Unit



Organizational Unit


[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5 (Start time: 03:06:03 PM, 04 July 2024)

Total Marks: 1

The DC refers to _____ in LDIF file.

Select the correct option

 Reload Math Equations



Domain Component



Database Component



Department Component



Designated Controller

Click to Save Answer & Move to Next Question

Question # 4 of 5 (Start time: 03:06:40 PM, 04 July 2024)

Total Marks: 1

Select the correct relevant configuration of `/etc/pam.d/comon_password` for integrating LDAP based authentication.

▶ Select the correct option

[Reload Math Equations](#)

`password [success=1 user_unknown=ignore default=die] pam_ldap.so use_authok try_first_pass`

`password [success=1 user_unknown=ignore default=die] use_authok try_first_pass`

`password [success=1 user_unknown=ignore default=die] pam_ldap.so try_first_pass`

`password [success=1 user_unknown=ignore default=die] pam_ldap.so try_second_pass`

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5 (Start time: 03:08:12 PM, 04 July 2024)

Total Marks:

To disallow directory traversal on NFS share, _____ is used.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | subtree_check |
| <input checked="" type="radio"/> | subtree-check |
| <input type="radio"/> | no_subtree_check |
| <input type="radio"/> | no-subtree-check |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 02:47:03 PM, 06 July 2024)

Total Marks: 1

Consider the following command executed, in Windows 11 command prompt, in elevated mode and select the correct statement about it.

```
route -p add 192.168.19.25 mask 255.255.255.0 192.168.18.34 10
```

Select the correct option

[Reload Math Equations](#)

- The command will fail as parameter value 10 is ambiguous
- A permanent route will be added for 192.168.19.0/24 with next hop address of 192.168.18.34
- The command will fail as p switch is ambiguous
- The Windows will select this path even when other routes are available

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (Start time: 02:48:07 PM, 06 July 2024)

Total Marks: 1

On ldap client machines, the _____ package(s) are required.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------------------------------|
| <input type="radio"/> | libnss-ldap, libpam-ldap, ldap-utils |
| <input type="radio"/> | ldap-utils |
| <input checked="" type="radio"/> | libpam-ldap, ldap-utils |
| <input type="radio"/> | libnss-ldap |

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 02:49:48 PM, 06 July 2024)

Total Marks: 1

Which command can be used to change LDAP admin password.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | ldappasswd |
| <input type="radio"/> | ldappswd |
| <input type="radio"/> | ldappassword |
| <input type="radio"/> | ldapasswd |

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 02:50:44 PM, 06 July 2024)

Total Marks: 1

The string "cn=admin,dc=vusna,dc=com" represents a _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----|
| <input type="radio"/> | CN |
| <input type="radio"/> | RDN |
| <input type="radio"/> | GN |
| <input checked="" type="radio"/> | DN |

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 02:51:46 PM, 06 July 2024)

Total Marks: 1

The NFS shared files are only available after executing the _____.

Select the correct option

[Reload Math Equations](#)

sharenfs



sharefs



exportnfs



exportfs

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 02:52:55 PM, 06 July 2024)

Total Marks: 1

The DC refers to _____ in LDIF file.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------------------|
| <input type="radio"/> | Designated Controller |
| <input type="radio"/> | Database Component |
| <input checked="" type="radio"/> | Domain Component |
| <input type="radio"/> | Department Component |

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 11:13:44 PM, 26 June 2024)

Total Marks: 1

Select the correct statement about the difference between ServerRoot and DocumentRoot on Apache server.

Select the correct option

[Reload Math Equations](#) Both ServerRoot and DocumentRoot contains the Program files Both are same ServerRoot hosts the webserver program files and DocumentRoot hosts the webserver contents ServerRoot is OS root and DocumentRoot is user 's document's root

Question # 2 of 10 (Start time: 11:15:05 PM, 26 June 2024)

Total Marks: 1

How a web request will be handled if there is no ServerName or ServerAlias parameter specified in the site configuration files of Apache server.

Select the correct option

[Reload Math Equations](#) The request will be handled by the 1st valid virtualhost. The web request will be dropped. The website will be down. Error 404 will be generated.

Question # 4 of 10 (Start time: 11:17:45 PM, 26 June 2024)

Total Marks: 1

Select the correct statement about self-signed-certificates.

Select the correct option

[Reload Math Equations](#) Only external host will trust the self-signed-certificates. Self-signed-certificates are not trusted by any client and on any network. Only external host on same network will trust the self-signed-certificates. All firefox clients trust the self-signed-certificates.

Question # 3 of 10 (Start time: 11:16:25 PM, 26 June 2024)

Total Marks: 1

Consider the following rewrite code and select the correct option.

```
SetEnvIf MM_COUNTRY_CODE ^(PK) PAKISTAN
RewriteCond %{ENV:PAKISTAN} ^1$
RewriteRule .* http://www.vusna.pk%{REQUEST_URI} [R=301,L]
```

Select the correct option

[Reload Math Equations](#)

The code is incorrect



Visitors from Pakistan will be denied to access vusna.pk



Visitors from Pakistan will be filtered



Visitors from Pakistan will be offered content from vusna.pk

Question # 6 of 10 (Start time: 11:19:42 PM, 26 June 2024)

Total Marks: 1

In .htaccess file, an action is applied with _____ keyword.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | RewriteAction |
| <input type="radio"/> | ApplyAction |
| <input checked="" type="radio"/> | RewriteRule |
| <input type="radio"/> | ApplyRule |

Question # 5 of 10 (Start time: 11:18:45 PM, 26 June 2024)

Total Marks: 1

To enable authentication with KDC server _____.

Select the correct option



Reload Math Equations



No changes in configurations are required



Client machines configuration need to be changed



KDC must be installed on client machine



No additional packages are required

Question # 7 of 10 (Start time: 11:20:38 PM, 26 June 2024)

Total Marks: 1

The bind configuration includes a file "named.conf.local", which of the given statements is correct about the file?

Select the correct option



Reload Math Equations

It contains the local DNS server configuration and configures the zones.

It contains the remote DNS server configuration.

It is located in the directory /etc/dns/

It contains important information and is necessary for DNS server to work properly.

Question # 9 of 10 (Start time: 11:22:33 PM, 26 June 2024)

Total Marks: 1

After installing the Kerberos server, _____.

Select the correct option

[Reload Math Equations](#)

The server machine must be rebooted



Only the service should be restarted



The root should relogin



The .bashrc file must be reloaded

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 11:21:33 PM, 26 June 2024)

Total Marks: 1

By default, the .htaccess files are _____.

Select the correct option

[Reload Math Equations](#)

Archived



Visible



Hidden



Read-only

Question # 10 of 10 (Start time: 11:23:27 PM, 26 June 2024)

Total Marks: 1

The DNS record SOA stores the _____.

Select the correct option

[Reload Math Equations](#)

Bind server admin information



Local admin Information



Transfer zone admin information



Zone admin information