

YOUTUBE CHANNEL: S KHAN ACADEMY

STA641 QUIZ FILE

SOLVED BY SANAULLAH KHAN

CONTACT NO:03066793776

Subject Enrolment

1. Online classes are available (Mathematics)
2. Solved graded activities
 - Assignment's
 - Quizzes
 - GDB's
3. Solved quiz files
4. Past papers
5. Any info about virtual university of Pakistan

Final project (MTH620)

Email:

Sanaullahkhan03066793@gmail.com

Facebook:

Sanaullah Khan

Instagram:

Mr.khan.1431

YouTube:

S KHAN ACADEMY

SUBSCRIBE MY CHANNEL

CLICK HERE:

https://youtube.com/channel/UCcicgZ0tjL8Nc_P_KB2YNVg

Quiz No 1

The cell reference for cell range of G2 to M12 is _____

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

G2:M12

The first cell in EXCEL is labeled as:

A1

The _____ Is the value you calculate when you want the arithmetic average.

Mean

When data is arranged, middle value in set of observations is classified as

Median

Extent to which values are dispersed around central observation is considered as

Variation

What will Excel display when calculating $=1/8$. Show the answer in two decimal places

0.13

What is meant by precision of data?

The number of decimals places store in computer

The basic unit of worksheet into which you enter data in EXCEL is called:

Cell

Given the following set of data, what is the range [12, 23, 34, 54, 21, 8, 9, 67]

59

Which of the following formulas is not entered correctly?

10 + 50

In EXCEL, which function is used to calculate standard deviation?

=STDEV()

Which one is not a function in MS EXCEL?

AVG

Function in MS EXCEL must begin with _____

An equal sign

Getting data from a cell located in a different sheet is called?

Referencing

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

The cell reference for cell range of B2 to B10 is _____

B2:B10

In Excel, to calculate the Arithmetic Mean of given data which functions we use?

AVERAGE

Which is an example of correct formula?

= A1+A2

Method used to compute average or central value of collected data is considered as

Measures of central tendency

In Excel, which one denoted a range of cells from B1 through E5.

B1:E5

In Excel, what will be the value of this formula =2+2*2

6

In excel, Columns are labelled as _____

A, B, C, etc

In Excel, what will be the value of this formula =2+2/2

3

What are the two components of any Excel formula?

Operator and = sign

In excel, Rows are labeled as. _____

1, 2, 3, etc

The Plus sign (+) is an example of. operator.

Additional

In formula =B2+5, what is operator?

+

The middle value of an ordered array of number is the:

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

Median

The processing of arranging the items of a column in some sequence or order is called:

Sorting

Quiz No 2

In SPSS, the data view window looks like EXCEL sheet. By default, “rows” in data view are labeled as:

1, 2, 3,

In control chart, the UCL stand for...

Upper control limit

In control chart, the LCL is calculated as:

Average – 3 standard deviations

Which of the following variable name will be SPSS accept?

School

In SPSS, select the window where the result of your analysis appear?

Output view

Control chart is a tool which is used to _____ the variation

Monitor

The SPSS data files are stored with which file extension?

.sav

Which variable name will not be accepted by SPSS?

age.

Which of the following is used for creating and defining various characteristics of variable in SPSS?

Variable view

In SPSS, the data view window looks like EXCEL sheet. By default, “column” in data view are labeled as:

Var, var, var,

Which of the following variable name will SPSS accept?

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

School

In which SPSS tab, the rows represent variables and the columns represents characteristics of variables?

Variable view

Consider SPSS, which of the following used for entering and viewing data?

Data view

Bringing the data from the excel into SPSS is called _____

Importing the data

In control charts, the LCL stand for _____

Lower control limit

What are the two main windows in SPSS?

Data view and variable view

SPSS stand for which of the following?

Statistical package for the social science

In SPSS, select the window where the result of your analysis appear?

Output view

What are the advantages of using SPSS over calculating statistics by hand?

All of the given option

In SPSS, what is the "Data viewer"?

A spreadsheet into which data can be enter

In SPSS, where the result of applied test are shown?

In the output window

Which of the following variable name will SPSS reject?

Roll-no

In control charts, UCL is calculated as:

Average + 3 standard deviations

SANAULLAH KHAN

MSc. MATHEMATICS

FOR QUIZ CONTECT

(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY



WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)