

# VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI  
EMAIL-hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

**TEAM HADI(VU LAHORE)**

## MID TERM PAST PAPER

We Deal All Kind of VU Project  
(PHP, .NET, ANDROID, PYTHON)

**MADE AND SOLVED BY HADI**

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



**WhatsApp:03087122922**



**FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>**

Best of luck!



Question # 2 of 30 ( Start time: 10:10:01 AM, 31 December 2020 )

Total Marks: 1

\_\_\_\_\_ of a variable means the locations within a program from where it can be accessed.

Select the correct option

<input type="radio"/>	Data type	//
<input type="radio"/>	Visibility	//
<input type="radio"/>	Value	//
<input checked="" type="radio"/>	Reference	//

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP & CALL: 03087122922

# MADE BY HADI

Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

Question # 1 of 30 ( Start time: 09:24:22 AM, 31 December 2020 )

Total Marks: 1

Which one of the following is used to perform bit-wise OR operation?

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP & CALL:03087122922

Select the correct option

- ||
- ^
- |
- ~

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 24 of 30 ( Start time: 10:28:17 AM, 31 December 2020 )

Total Marks: 1

What will be the size of the following character array?  
char name[] = "Adeel";

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP& CALL: 03087122922

Select the correct option

- |                                  |   |    |
|----------------------------------|---|----|
| <input checked="" type="radio"/> | 5 | // |
| <input type="radio"/>            | 6 | // |
| <input type="radio"/>            | 4 | // |
| <input type="radio"/>            | 7 | // |

# MADE BY HADI

Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

Question # 19 of 30 ( Start time: 09:48:59 AM, 31 December 2020 )

Total Marks: 1

The data in the memory is \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

<input checked="" type="radio"/>	volatile	/
<input type="radio"/>	non-volatile	/
<input type="radio"/>	both	/
<input type="radio"/>	none	/

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Time Left sec(s)

CS201:Grand Quiz

Quiz Start Time: 09:24 AM, 31 December 2020

Question # 15 of 30 ( Start time: 09:43:10 AM, 31 December 2020 )

Total Marks: 1

\_\_\_\_\_ contains functions for manipulations of character data.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |                   |   |
|----------------------------------|-------------------|---|
| <input checked="" type="radio"/> | ctype.h           | / |
| <input type="radio"/>            | iostream.h        | / |
| <input type="radio"/>            | string.h          | / |
| <input type="radio"/>            | None of the given | / |

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 28 of 30 ( Start time: 10:32:43 AM, 31 December 2020 )

Total Marks: 1

Which of the following is not a file opening mode\_\_\_\_\_?

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- ios::ate
- ios::nocreate
- ios::noreplace
- ios::truncate

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

## Question # 2 of 30 ( Start time: 09:26:05 AM, 31 December 2020 )

Total Marks: 1

What will be the output of following code segment?

```
for (int i = 2; i < 10; i++){  
    if (i == 5)  
        continue;  
    cout << i << " ";  
}
```

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP & CALL: 03087122922

Select the correct option

- |                                  |               |
|----------------------------------|---------------|
| <input type="radio"/>            | 2,3,7,8,9     |
| <input checked="" type="radio"/> | 2,3,4,6,7,8,9 |
| <input type="radio"/>            | 2,3,4         |
| <input type="radio"/>            | 4,6,7,8,9     |

**MADE BY HADI**Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

Question # 24 of 30 ( Start time: 09:54:12 AM, 31 December 2020 )

Total Marks: 1

Declaration of two-dimensional array of integers having 3 rows and 5 columns is following?

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

- |                                  |                  |   |
|----------------------------------|------------------|---|
| <input checked="" type="radio"/> | int arr [3][5];  | / |
| <input type="radio"/>            | int arr {5}{3};  | / |
| <input type="radio"/>            | int [3].[5] arr; | / |
| <input type="radio"/>            | int [5][3 arr];  | / |

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 14 of 30 ( Start time: 10:20:11 AM, 31 December 2020 )

Total Marks: 1

To manipulate n-dimensional array \_\_\_\_\_ nested loops are required.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |     |    |
|----------------------------------|-----|----|
| <input type="radio"/>            | n-2 | // |
| <input checked="" type="radio"/> | n-1 | // |
| <input type="radio"/>            | n+1 | // |
| <input type="radio"/>            | n   | // |

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 8 of 30 ( Start time: 09:34:12 AM, 31 December 2020 )

Total Marks: 1

\_\_\_\_\_ are conventional names of the command line parameters of the 'main()' function.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |                   |    |
|----------------------------------|-------------------|----|
| <input type="radio"/>            | 'argv' and 'argv' | // |
| <input checked="" type="radio"/> | 'argc' and 'argv' | // |
| <input type="radio"/>            | 'argc' and 'argu' | // |
| <input type="radio"/>            | None of the given | // |

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 8 of 30 ( Start time: 10:14:56 AM, 31 December 2020 )

Total Marks: 1

Array indexes start from \_\_\_\_\_.

A Good Education is a Foundation For a Better Future  
**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- 0
- 1
- 2
- 3

**MADE BY HADI**  
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 11 of 30 ( Start time: 09:37:15 AM, 31 December 2020 )

Total Marks: 1

When the break statement is encountered in a loop's body, it transfers the control \_\_\_\_\_ from the current loop.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP & CALL: 03087122922

Select the correct option

<input checked="" type="radio"/>	Inside	//
<input type="radio"/>	Outside	//
<input type="radio"/>	To break statement	//
<input type="radio"/>	To continue statement	//

**MADE BY HADI**

Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

Question # 3 of 30 ( Start time: 10:11:05 AM, 31 December 2020 )

Total Marks: 1

When we access a multidimensional array, each array index is surrounded by \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

<input type="radio"/>	Single quotes ''	//
<input type="radio"/>	Double quotes ""	//
<input checked="" type="radio"/>	Brackets []	
<input type="radio"/>	Commas , ,	

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 3 of 30 ( Start time: 09:27:43 AM, 31 December 2020 )

Total Marks: 1

It is the job of \_\_\_\_\_ to transfer the executable code from hard disk to main memory.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

<input type="radio"/>	Interpreter	//
<input type="radio"/>	Debugger	//
<input type="radio"/>	Linker	
<input checked="" type="radio"/>	Loader	

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 21 of 30 ( Start time: 10:25:51 AM, 31 December 2020 )

Total Marks: 1

Function prototype is written,

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- Within main function
- After the return statement in main
- Before the return statement in main
- Before call of that function

**MADE BY HADI**

Email:hadirajputofficial@gmail.com Whatsapp:03087122922(Team Hadi Lahore)

Question # 30 of 30 ( Start time: 10:34:34 AM, 31 December 2020 )

Total Marks: 1

We use \_\_\_\_\_ to open a file or stream for extraction

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP& CALL: 03087122922

Select the correct option

- in
- out
- app
- ate

**MADE BY HADI**  
Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

## Question # 20 of 30 ( Start time: 09:50:16 AM, 31 December 2020 )

Total Marks: 1

What will be output of the following code?  
string name[4] = {"Ali", "Bilal", "Omer", "Ayesha"};  
cout << name[2];

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP& CALL-03087122922

Select the correct option

<input type="radio"/>	Omer	//
<input type="radio"/>	Ali	//
<input checked="" type="radio"/>	Bilal	//
<input type="radio"/>	Ayesha	

**MADE BY HADI**Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question # 16 of 30 ( Start time: 10:21:51 AM, 31 December 2020 )

Total Marks: 1

\_\_\_\_\_ function is used to determine the next position to write a character while writing into a file.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |         |    |
|----------------------------------|---------|----|
| <input type="radio"/>            | tellg() | // |
| <input type="radio"/>            | seekg() | // |
| <input type="radio"/>            | seekp() | // |
| <input checked="" type="radio"/> | tellp() | // |

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 26 of 30 ( Start time: 10:29:39 AM, 31 December 2020 )

Total Marks: 1

In if structure the block of statements executes when the condition is \_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

<input type="radio"/>	Contains logical operator	//
<input type="radio"/>	Contains arithmetic operator	//
<input type="radio"/>	False	//
<input checked="" type="radio"/>	True	//

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 14 of 30 ( Start time: 09:41:15 AM, 31 December 2020 )

Total Marks: 1

Which is the correct syntax to define a structure named 'student'?

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |  |        |
|----------------------------------|--|--------|
| <input type="radio"/>            | <pre>structure student(<br/>//variables<br/>);</pre> | ▲<br>▼ |
| <input type="radio"/>            | <pre>struct student(<br/>//variables<br/>);</pre>    | ▲<br>▼ |
| <input type="radio"/>            | <pre>structure student{<br/>//variables<br/>};</pre> | ▲<br>▼ |
| <input checked="" type="radio"/> | <pre>struct student{<br/>//variables<br/>};</pre>    | ▲<br>▼ |

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 17 of 30 ( Start time: 10:22:32 AM, 31 December 2020 )

Total Marks: 1

The statement cout &lt;&lt; yptr will show the \_\_\_\_\_ the yptr points to.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

<input type="radio"/>	Value	//
<input checked="" type="radio"/>	memory address	//
<input type="radio"/>	Variable	//
<input type="radio"/>	None of the given	//

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

## Question # 16 of 30 ( Start time: 09:44:49 AM, 31 December 2020 )

Total Marks: 1

What will be the value of variable "input" if the initial value of input is 67?

```
if(input >= 50)
    input = input + 1;
else
    input = input - 1;
```

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |    |   |
|----------------------------------|----|---|
| <input checked="" type="radio"/> | 68 | / |
| <input type="radio"/>            | 69 | / |
| <input type="radio"/>            | 70 | / |
| <input type="radio"/>            | 66 | / |

# MADE BY HADI

Email:hadirajputofficial@gmail.com Whatsapp:03087122922(Team Hadi Lahore)

Question # 22 of 30 ( Start time: 09:51:58 AM, 31 December 2020 )

Total Marks: 1

\_\_\_\_\_ will explain the functionality of a program.

Select the correct option

<input checked="" type="radio"/>	Comments	//
<input type="radio"/>	Debugger	//
<input type="radio"/>	Compiler	//
<input type="radio"/>	Linker	//

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 10 of 30 ( Start time: 10:16:33 AM, 31 December 2020 )

Total Marks: 1

\_\_\_\_\_ data type can operate on modulus operator.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

- int
- float
- char
- double

**MADE BY HADI**  
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 12 of 30 ( Start time: 10:18:32 AM, 31 December 2020 )

Total Marks: 1

In \_\_\_\_\_, we have different data members and all of these have their own memory space.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL-hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

- |                                  |                   |    |
|----------------------------------|-------------------|----|
| <input checked="" type="radio"/> | structures        | // |
| <input type="radio"/>            | union             | // |
| <input type="radio"/>            | construct         | // |
| <input type="radio"/>            | None of the given | // |

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 5 of 30 ( Start time: 09:30:34 AM, 31 December 2020 )

Total Marks: 1

In two-dimensional array, we use \_\_\_\_\_ 'for loop(s)' to populate the array.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- 1
- 2
- 3
- 4

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 29 of 30 ( Start time: 10:33:34 AM, 31 December 2020 )

Total Marks: 1

To perform repetition tasks for a known number of repetitions, most often used structure is \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP & CALL:03087122922

Select the correct option

- |                                  |                    |   |
|----------------------------------|--------------------|---|
| <input checked="" type="radio"/> | For structure      | / |
| <input type="radio"/>            | While structure    | / |
| <input type="radio"/>            | Do-while structure | / |
| <input type="radio"/>            | None of the above  | / |

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 23 of 30 ( Start time: 09:53:21 AM, 31 December 2020 )

Total Marks: 1

If `int a = 50;` then the value of `a/= 3;` will be.

Select the correct option

- |                                  |    |  |
|----------------------------------|----|--|
| <input type="radio"/>            | 15 |  |
| <input type="radio"/>            | 18 |  |
| <input checked="" type="radio"/> | 16 |  |
| <input type="radio"/>            | 17 |  |

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP & CALL: 03087122922

**MADE BY HADI**Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

Question # 10 of 30 ( Start time: 09:36:08 AM, 31 December 2020 )

Total Marks: 1

In do while loop the condition is checked \_\_\_\_\_ one execution of loop.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP& CALL:03087122922

Select the correct option

<input checked="" type="radio"/>	After	//
<input type="radio"/>	Before	//
<input type="radio"/>	During	//
<input type="radio"/>	At any time	//

# MADE BY HADI

Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

Question # 4 of 30 ( Start time: 09:29:12 AM, 31 December 2020 )

Total Marks: 1

Transpose of a matrix means that when we interchange rows and columns\_\_\_\_\_

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |  |    |
|----------------------------------|--|----|
| <input type="radio"/>            | the first row becomes the Last column  | // |
| <input checked="" type="radio"/> | the first row becomes the first column | // |
| <input type="radio"/>            | the Last row becomes the first column  | // |
| <input type="radio"/>            | the first column becomes the first row | // |

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 17 of 30 ( Start time: 09:46:00 AM, 31 December 2020 )

Total Marks: 1

All elements of an array must be of \_\_\_\_\_ data type(s).

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |                  |    |
|----------------------------------|------------------|----|
| <input checked="" type="radio"/> | char and int     | // |
| <input type="radio"/>            | Same             | // |
| <input type="radio"/>            | Different        | // |
| <input type="radio"/>            | float and double | // |

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 25 of 30 ( Start time: 10:28:40 AM, 31 December 2020 )

Total Marks: 1

While loop becomes infinite in which scenario \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

Select the correct option

- When the condition is always False
- When the condition is always True
- Condition contains logical operators
- Condition contains arithmetic operators

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 7 of 30 ( Start time: 09:32:59 AM, 31 December 2020 )

Total Marks: 1

If a file is opened with ios::out mode, then \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- |                                  |                           |    |
|----------------------------------|---------------------------|----|
| <input checked="" type="radio"/> | file is deleted           | // |
| <input type="radio"/>            | we can write in this file | // |
| <input type="radio"/>            | content of file discarded |    |
| <input type="radio"/>            | a new file is created     |    |

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 13 of 30 ( Start time: 09:39:53 AM, 31 December 2020 )

Total Marks: 1

While handling files, one can have \_\_\_\_\_ options

Select the correct option

- |                                  |                                 |    |
|----------------------------------|---------------------------------|----|
| <input type="radio"/>            | read the file                   | // |
| <input type="radio"/>            | write in some file              | // |
| <input type="radio"/>            | read and write in the same file | // |
| <input checked="" type="radio"/> | All of the given                | // |

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 18 of 30 ( Start time: 09:47:28 AM, 31 December 2020 )

Total Marks: 1

In while loop the condition is checked \_\_\_\_\_ the execution of loop.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

<input type="radio"/>	After	/
<input checked="" type="radio"/>	Before	/
<input type="radio"/>	During	/
<input type="radio"/>	At any time	/

# MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question # 6 of 30 ( Start time: 10:13:49 AM, 31 December 2020 )

Total Marks: 1

Operating System is a type of \_\_\_\_\_ software.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

Select the correct option

- Device Driver
- Application
- System
- Utility

**MADE BY HADI**

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

---

# HADI VU PAST PAPER

---

WE DEAL ALL KIND OF VU PROJECT  
(PHP, ANDROID, PYTHON)

# DEAR STUDENTS

ARE YOU LOOKING  
FOR ASSISTANCE

- 1) ASSIGNMENTS
- 2) QUIZZES
- 3) GDB
- 4) GRAND QUIZZES

We Provide, You Solution  
of VU Academic Activities  
include Assignments,  
Quizzes, GDBs, Grand Quizzes  
If You Need Help in Services  
Kindly inform us.

**TEAM HADI  
(VU LAHORE)**



**TEAM HADI**  
(VU LAHORE)



**#PAID\_TASK**

**CONTACT US**

CALL & WHATSAPP

**0308-7122922**