

Question # 2 of 10 (Start time: 03:28:23 PM, 22 May 2024)

Total Marks: 1

The `if(!($x > 3))` statement in PHP means _____.

Select the correct option



\$x is less than or equal to 3



\$x is less than 3



\$x is equal to 3



\$x is greater than 3

Question # 3 of 10 (Start time: 03:29:27 PM, 22 May 2024)

Total Marks: 1

The "while" loop executes at least,

▶ Select the correct option

Five times

One time

None of the given options

Zero time

Question # 4 of 10 (Start time: 03:31:25 PM, 22 May 2024)

Total Marks: 1

In PHP, ab means_____.

Select the correct option

[Reload Math Equations](#)Remainder of a divided by b Product of b divided by a Quotient of a and b Difference of a and b [Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 03:33:05 PM, 22 May 2024)

Total Marks: 1

In PHP, === is used as_____.

Select the correct option

- | | |
|-----------------------|-----------------------|
| <input type="radio"/> | equality operator |
| <input type="radio"/> | identical operator |
| <input type="radio"/> | not equality operator |
| <input type="radio"/> | assignment operator |

Question # 6 of 10 (Start time: 03:34:23 PM, 22 May 2024)

Total Marks: 1

Find out the logical error in following lines of code.

```
if ($x = 10)
    echo "The value of x is 10";
```

Select the correct option



Instead of = we should use ==



Variable \$x should not be inside parenthesis



10 should be enclosed in double quotes



There is no semicolon at the end of if condition

Question # 7 of 10 (Start time: 03:36:03 PM, 22 May 2024)

Total Marks: 1

How many times the following do-while loop will execute?

```
$i = 10;  
do {  
    $i -= 2;  
} while($i > 0);
```

Select the correct option

7

4

6

5

Question # 8 of 10 (Start time: 03:37:06 PM, 22 May 2024)

Total Marks: 1

The `if(!($x < 3))` statement in PHP means _____.

Select the correct option

\$x is less than 3

\$x is equal to 3

\$x is greater than or equal to 3

\$x is greater than 3

Question # 9 of 10 (Start time: 03:38:19 PM, 22 May 2024)

Total Marks: 1

Tell the output of the following program:

```
<?php
$c = array("red ");
$a = array ("blue","red","green");
foreach ($c as $value) {
echo "$value";
}
```

Select the correct option

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | Blue, red, green |
| <input type="radio"/> | Blue |
| <input checked="" type="radio"/> | Red |
| <input type="radio"/> | Green |

Question # 10 of 10 (Start time: 03:39:31 PM, 22 May 2024)

Total Marks: 1

What will be the output of the program if \$x = 10?

```
if($x != 0 && $x <=10) {  
    echo "Condition 1 is true";  
}  
if($x >= 10 && $x <= 20) {  
    echo "Condition 2 is true";  
}
```

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | Condition 2 is true |
| <input checked="" type="radio"/> | Condition 1 is true |
| <input type="radio"/> | Condition 1 is true Condition 2 is true |
| <input type="radio"/> | Both conditions are false |

Question # 2 of 10 (Start time: 10:56:29 AM, 26 June 2024)

Total Marks: 1

Which of the following is the correct syntax to declare a session variable name as "user" and its value "admin".

Select the correct option

```
$_SESSION["user"] = "admin";
```



```
$user = "admin";
```



None of the given options



```
$session_user = "admin";
```

Question # 3 of 10 (Start time: 10:57:11 AM, 26 June 2024)

Total Marks:

If "session_start()" function is used in all pages then how the value of session variables will auto destroy?

Select the correct option

By calling auto() function

By closing application windows

By calling auto_clear() function

None of the given options

Question # 5 of 10 (Start time: 11:00:26 AM, 26 June 2024)

Total Marks: 1

While formatting the date in PHP using the date() function, which of the following is used for the day in function argument?

Select the correct option

[Reload Math Equations](#)

d



day



l



t

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 11:00:59 AM, 26 June 2024)

Total Marks: 1

Which of the following statement can be used to copy the text of another PHP file into current file?

Select the correct option

Link

Include

Import

Copy

Question # 7 of 10 (Start time: 11:01:43 AM, 26 June 2024)

Total Marks: 1

Which of the following function is used to destroy all session variables?

▶ Select the correct option

`session_unset();`

`session_destroy();`

`destroy_variables();`

`destroy_vars();`

Question # 8 of 10 (Start time: 11:03:07 AM, 26 June 2024)

Total Marks: 1

"setcookie()" function in PHP takes seven parameters, how many of them are optional?

Select the correct option



6



1



4



2

Question # 9 of 10 (Start time: 11:04:16 AM, 26 June 2024)

Total Marks:

What will be the output of the following PHP code if the date of today is 13/06/2020?

```
echo date("t");
```

Select the correct option

June

2020

13

30

Question # 10 of 10 (Start time: 11:04:58 AM, 26 June 2024)

Total Marks: 1

Removing any illegal character from the data or string is called.

Select the correct option



Sanitizing data



Validating data



Updating data



Deleting data

Question # 1 of 10 (Start time: 12:27:30 PM, 02 July 2024)

Total Marks: 1

How can you establish a connection to a MySQL database using PHP?

Select the correct option[Reload Math Equations](#)

By using the "mysqli_connect" function



By including the "mysql_connection.php" file



By executing the "mysql_connect" command



By using the "pdo_connect" method

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 12:28:38 PM, 02 July 2024)

Total Marks: 1

In SELECT query the star (*) sign is used to select all columns of a table. What is alternate way to select all columns of a table?

Select the correct option

- | | |
|----------------------------------|----------------------------|
| <input checked="" type="radio"/> | Use . sign |
| <input type="radio"/> | Use + sign |
| <input type="radio"/> | None of the given options |
| <input type="radio"/> | Enter names of all columns |

Question # 3 of 10 (Start time: 12:29:40 PM, 02 July 2024)

Total Marks: 1

For Stored procedure and function privileges in PHP _____ is used.

▶ Select the correct option

procs_priv

tables_priv

columns_priv

host

Question # 4 of 10 (Start time: 12:31:28 PM, 02 July 2024)

Total Marks: 1

What is the purpose of the "CREATE DATABASE" statement in MySQL?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | It retrieves data from the database. |
| <input checked="" type="radio"/> | It creates a new database in the MySQL server. |
| <input type="radio"/> | It creates a backup of an existing database. |
| <input type="radio"/> | It creates a new table in an existing database. |

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 12:32:28 PM, 02 July 2024)

Total Marks: 1

Following SELECT query is used to _____.

```
SELECT * FROM table_name
```

Select the correct option



Select one row from a table



Select one column from all tables



Select all columns from a table



Select one column from a table

Question # 6 of 10 (Start time: 12:33:23 PM, 02 July 2024)

Total Marks: 1

How many parameters are expected in "mysqli_num_rows()" function

Select the correct option

 2 1 4 3

Question # 7 of 10 (Start time: 12:34:10 PM, 02 July 2024)

Total Marks: 1

How many values must be provided in an INSERT INTO statement for a table with three columns?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | 0 |
| <input type="radio"/> | 2 |
| <input checked="" type="radio"/> | 3 |
| <input type="radio"/> | 1 |

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 12:34:54 PM, 02 July 2024)

Total Marks: 1

A SELECT command without a WHERE clause returns?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | SELECT is invalid without a WHERE clause |
| <input type="radio"/> | All the records from a table, or information about all the records |
| <input type="radio"/> | None of the given options |
| <input checked="" type="radio"/> | All the records from a table that match the previous WHERE clause |

Question # 9 of 10 (Start time: 12:36:12 PM, 02 July 2024)

Total Marks: 1

Which command is used to create a new database in MySQL?

Select the correct option

 Reload Math Equations



NEW DATABASE



MAKE DATABASE



CREATE SCHEMA



CREATE DATABASE

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 12:36:54 PM, 02 July 2024)

Total Marks: 1

Which statement is used to generate new DATABASE in MySql

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | GENERATE DATABASE |
| <input type="radio"/> | ADD DATABASE |
| <input type="radio"/> | NEW DATABASE |
| <input checked="" type="radio"/> | CREATE DATABASE |